#	Issue	Comments
	Readme	
1	Add a command to clone a project	There should always be a command in the readme file to clone the project so that any user knows how to copy your project.
2	It is not clear where it needs to change the **Password** and **Username**	The customer will not climb the project (especially if it has a lot of tests and pages). Therefore, we add the path to the file in which we need to enter our data.
3	No command to run Cypress GUI	Commands to run the project in the **headed** and **headless** modes need to be added
	Pages	
1	The variables and classes naming issues	1.Use the camelCase correctly, when naming the variables (signoutLink -> signOutLink) 2. Use the PascalCase for the class names (loginPage -> LoginPage)
2	**loginPage.ts**	To remove "emailId: string" and etc, add "noImplicitAny": false in "**compilerOptions**" in "tsconfig.json"
	Gitignore	
1	.gitignore not being used correctly	1.Repeat folder names (**reports/**** and **reports**) 2. **cypress/downloads** doesn`t exist 3. **videos** and **screenshots** folders already in **reports** folder
	cypress.config.js	
1	Add a command to make allure reporter work every run	
	package.json	
1	Not well-written scripts	The name of the script should describe what it does.
2	After implementing the fix in the config, remove the commands for alure	
	Test	
1	Tests does not run in headed mode	
2	**login.test** doesn`t work	
3	Need to add numbering to tests	Add numbering to tests, because the lack of numbering leads to confusion
4	Delete unused imports	
	login.test	
1	Line 12	Why enter the date manually if it is already in **users.json**
2	Line 7-9	**users.json** file as page can be imported instead of writing this command
3	Line 11-16	Why write this test if the same thing is written in line 17-22
4	In each of the it that the date is taken from "from fixture", may not be indicated	
	users.json	
1	Wrong data name	Naming variables "**invalid**_password" and "**invalid**_email" Is incorrect if the array is similarly named "**invalid**_credentials"
	Project structure	
1	Docs issue	**Docs** folder should contain test cases
2	Docs folder contains useless files	Everything in the docks folder is generated by the command **"allure:generate"**

3	Config file in config folder is useless	Code from **config.config.ts** can be moved to **cypress.config.ts**, and it will work the same
4	**commands.js** and **e2e.js**	Why are there **.js** files if the same **.ts** files will be installed after running command "**npm i**"