

**Package** `com.mapmyjourney.backend.exception`

## Class ResourceNotFoundException

```
java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        com.mapmyjourney.backend.exception.ResourceNotFoundException
```

**All Implemented Interfaces:**

`Serializable`

```
public class ResourceNotFoundException
extends RuntimeException
```

Excepción base para errores de recursos no encontrados.

**See Also:**

[Serialized Form](#)

### Constructor Summary

| Constructors  |             |
|---|-------------|
| Constructor   | Description |
| <code>ResourceNotFoundException(String message)</code>                  |             |
| <code>ResourceNotFoundException(String message, Throwable cause)</code> |             |

### Method Summary

| Methods inherited from class java.lang.Throwable   |  |
|--|--|
| <code>addSuppressed</code> , <code>fillInStackTrace</code> , <code>getCause</code> , <code>getLocalizedMessage</code> , <code>getMessage</code> , <code>getStackTrace</code> , <code>getSuppressed</code> , <code>initCause</code> , <code>printStackTrace</code> , <code>printStackTrace</code> , <code>printStackTrace</code> , <code>setStackTrace</code> , <code>toString</code> |  |
| Methods inherited from class java.lang.Object  |  |
| <code>clone</code> , <code>equals</code> , <code>finalize</code> , <code>getClass</code> , <code>hashCode</code> , <code>notify</code> , <code>notifyAll</code> , <code>wait</code> , <code>wait</code> , <code>wait</code>  |  |

### Constructor Details

| ResourceNotFoundException  |  |
|--|--|
| <pre>public ResourceNotFoundException(String message)</pre>  |  |
| ResourceNotFoundException  |  |
| <pre>public ResourceNotFoundException(String message,                                 Throwable cause)</pre> |  |