

Uses of Class

com.mapmyjourney.backend.dto.TripDTO

Packages that use TripDTO	
Package	Description
com.mapmyjourney.backend.controller	
com.mapmyjourney.backend.service	

Uses of TripDTO in com.mapmyjourney.backend.controller	
Methods in com.mapmyjourney.backend.controller that return types with arguments of type TripDTO	
Modifier and Type	
Method	Description
org.springframework.http.ResponseEntity<TripDTO>	
TripController.createTrip (@Valid TripCreateRequestDTO request)	
1.	
org.springframework.http.ResponseEntity<List<TripDTO>>	
TripController.getMyTrips (int page, int size)	
3.	
org.springframework.http.ResponseEntity<TripDTO>	
TripController.getTripByCode (String tripCode)	
4.	
org.springframework.http.ResponseEntity<TripDTO>	
TripController.getTripById (Long tripId)	
2.	
org.springframework.http.ResponseEntity<TripDTO>	
TripController.updateTrip (Long tripId, @Valid TripCreateRequestDTO request)	
5.	

Uses of TripDTO in com.mapmyjourney.backend.service	
Methods in com.mapmyjourney.backend.service that return TripDTO	
Modifier and Type	
Method	Description
TripDTO	
TripService.createTrip (TripCreateRequestDTO request, Long creatorUserId)	
Crea un nuevo viaje.	
TripDTO	
TripService.getTripByCode (String tripCode)	
Obtiene un viaje por su código (para invitaciones).	
TripDTO	

TripService.getTripById([Long](#) tripId)

Obtiene un viaje por ID.

TripDTO

TripService.updateTrip([Long](#) tripId, **TripCreateRequestDTO** request, [Long](#) userId)

Actualiza un viaje existente.

Methods in **com.mapmyjourney.backend.service** that return types with arguments of type **TripDTO**

Modifier and Type

Method

Description

[List](#)<[TripDTO](#)>

TripService.getUserTrips([Long](#) userId)

Obtiene todos los viajes del usuario.