

**Package** com.mapmyjourney.backend.dto

## Class UserCreateRequestDTO

java.lang.Object<sup>↗</sup>  
com.mapmyjourney.backend.dto.UserCreateRequestDTO

```
public class UserCreateRequestDTO
extends Object↗
```

DTO para crear/registrar un nuevo usuario. Incluye validaciones para el registro inicial.

### Constructor Summary

Constructors
Constructor
Description
UserCreateRequestDTO()
UserCreateRequestDTO( <a href="#">String</a> <sup>↗</sup> name, <a href="#">String</a> <sup>↗</sup> email, <a href="#">String</a> <sup>↗</sup> password)

### Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
<a href="#">String</a> <sup>↗</sup>	getEmail()	
<a href="#">String</a> <sup>↗</sup>	getName()	
<a href="#">String</a> <sup>↗</sup>	getPassword()	
void	setEmail( <a href="#">String</a> <sup>↗</sup> email)	
void	setName( <a href="#">String</a> <sup>↗</sup> name)	
void	setPassword( <a href="#">String</a> <sup>↗</sup> password)	
Methods inherited from class java.lang.Object <sup>↗</sup>		
clone <sup>↗</sup> , equals <sup>↗</sup> , finalize <sup>↗</sup> , getClass <sup>↗</sup> , hashCode <sup>↗</sup> , notify <sup>↗</sup> , notifyAll <sup>↗</sup> , toString <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup>		

### Constructor Details

UserCreateRequestDTO

```
public UserCreateRequestDTO()
```

UserCreateRequestDTO

```
public UserCreateRequestDTO(String name,  
                             String email,  
                             String password)
```

Method Details

getName

```
public String getName()
```

setName

```
public void setName(String name)
```

getEmail

```
public String getEmail()
```

setEmail

```
public void setEmail(String email)
```

getPassword

```
public String getPassword()
```

setPassword

```
public void setPassword(String password)
```