

**Package** com.mapmyjourney.backend.config

## Class OpenApiConfig

java.lang.Object<sup>↗</sup>  
com.mapmyjourney.backend.config.OpenApiConfig

@Configuration  
public class **OpenApiConfig**  
extends Object<sup>↗</sup>

Configuración de OpenAPI/Swagger para la API REST. Genera documentación automática en http://localhost:8080/swagger-ui/index.html

### Constructor Summary

Constructors
Constructor
Description
<b>OpenApiConfig()</b>

### Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
	io.swagger.v3.oas.models.OpenAPI	
	<b>customOpenAPI()</b>	

Methods inherited from class java.lang.Object <sup>↗</sup>
clone <sup>↗</sup> , equals <sup>↗</sup> , finalize <sup>↗</sup> , getClass <sup>↗</sup> , hashCode <sup>↗</sup> , notify <sup>↗</sup> , notifyAll <sup>↗</sup> , toString <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup>

### Constructor Details

OpenApiConfig
public OpenApiConfig()

### Method Details

customOpenAPI
@Bean public io.swagger.v3.oas.models.OpenAPI customOpenAPI()