

Uses of Class

com.mapmyjourney.backend.dto.TripDTO

Packages that use TripDTO	
Package	Description
com.mapmyjourney.backend.controller	
com.mapmyjourney.backend.service	

Uses of TripDTO in com.mapmyjourney.backend.controller

Methods in com.mapmyjourney.backend.controller that return types with arguments of type TripDTO

Modifier and Type	Method	Description
	org.springframework.http.ResponseEntity<TripDTO> TripController.createTrip (@Valid TripCreateRequestDTO request)	1.
	org.springframework.http.ResponseEntity<List<TripDTO>> TripController.getMyTrips (int page, int size)	3.
	org.springframework.http.ResponseEntity<TripDTO> TripController.getTripByCode (String tripCode)	4.
	org.springframework.http.ResponseEntity<TripDTO> TripController.getTripById (Long tripId)	2.
	org.springframework.http.ResponseEntity<TripDTO> TripController.updateTrip (Long tripId, @Valid TripCreateRequestDTO request)	5.

Uses of TripDTO in com.mapmyjourney.backend.service

Methods in com.mapmyjourney.backend.service that return TripDTO

Modifier and Type	Method	Description
	TripDTO TripService.createTrip (TripCreateRequestDTO request, Long creatorUserId)	Crea un nuevo viaje.
	TripDTO TripService.getTripByCode (String tripCode)	Obtiene un viaje por su código (para invitaciones).
	TripDTO	

TripService.getTripById(Long tripId)

Obtiene un viaje por ID.

TripDTO

TripService.updateTrip(Long tripId, TripCreateRequestDTO request, Long userId)

Actualiza un viaje existente.

Methods in **com.mapmyjourney.backend.service** that return types with arguments of type **TripDTO**

Modifier and Type

Method

Description

List<TripDTO>

TripService.getUserTrips(Long userId)

Obtiene todos los viajes del usuario.