

# Uses of Class

## com.mapmyjourney.backend.dto.ActivityDTO

Packages that use ActivityDTO	
Package	Description
com.mapmyjourney.backend.controller	
com.mapmyjourney.backend.service	

Uses of ActivityDTO in com.mapmyjourney.backend.controller	
Methods in com.mapmyjourney.backend.controller that return types with arguments of type ActivityDTO	
Modifier and Type	
Method	Description
org.springframework.http.ResponseEntity<ActivityDTO>	
<b>ActivityController.createActivity</b> (Long tripId, @Valid CreateActivityRequestDTO dto)	Crea una nueva actividad en un viaje.
org.springframework.http.ResponseEntity<List<ActivityDTO>>	
<b>ActivityController.getActivitiesByDate</b> (Long tripId, LocalDate date)	Obtiene las actividades de un viaje para una fecha específica.
org.springframework.http.ResponseEntity<List<ActivityDTO>>	
<b>ActivityController.getActivitiesByTrip</b> (Long tripId)	Obtiene todas las actividades de un viaje.
org.springframework.http.ResponseEntity<ActivityDTO>	
<b>ActivityController.getActivity</b> (Long tripId, String activityId)	Obtiene una actividad específica.
org.springframework.http.ResponseEntity<ActivityDTO>	
<b>ActivityController.updateActivity</b> (Long tripId, String activityId, @Valid UpdateActivityRequestDTO dto)	Actualiza una actividad existente.

Uses of ActivityDTO in com.mapmyjourney.backend.service	
Methods in com.mapmyjourney.backend.service that return ActivityDTO	
Modifier and Type	
Method	Description
ActivityDTO	
<b>ActivityService.createActivity</b> (Long tripId, CreateActivityRequestDTO dto)	Crea una nueva actividad en un viaje.
ActivityDTO	
<b>ActivityService.getActivity</b> (Long tripId, String activityId)	Obtiene una actividad específica.
ActivityDTO	

**ActivityService.updateActivity**(Long tripId, String activityId, UpdateActivityRequestDTO dto)

Actualiza una actividad existente.

Methods in **com.mapmyjourney.backend.service** that return types with arguments of type **ActivityDTO**

Modifier and Type

Method

Description

List<ActivityDTO>

**ActivityService.getActivitiesByDate**(Long tripId, LocalDate date)

Obtiene las actividades de un viaje para una fecha específica.

List<ActivityDTO>

**ActivityService.getActivitiesByTrip**(Long tripId)

Obtiene todas las actividades de un viaje.