

Uses of Class

com.mapmyjourney.backend.dto.TripDTO

Packages that use TripDTO

Package
Description
com.mapmyjourney.backend.controller
com.mapmyjourney.backend.service

Uses of TripDTO in com.mapmyjourney.backend.controller

Methods in com.mapmyjourney.backend.controller that return types with arguments of type TripDTO

Modifier and Type
Method
Description
org.springframework.http.ResponseEntity<TripDTO> TripController.createTrip (@Valid TripCreateRequestDTO request) 1.
org.springframework.http.ResponseEntity<List<TripDTO>> TripController.getMyTrips (int page, int size) 3.
org.springframework.http.ResponseEntity<TripDTO> TripController.getTripByCode (String tripCode) 4.
org.springframework.http.ResponseEntity<TripDTO> TripController.getTripById (Long tripId) 2.
org.springframework.http.ResponseEntity<TripDTO> TripController.updateTrip (Long tripId, @Valid TripCreateRequestDTO request) 5.

Uses of TripDTO in com.mapmyjourney.backend.service

Methods in com.mapmyjourney.backend.service that return TripDTO

Modifier and Type
Method
Description
TripDTO TripService.createTrip (TripCreateRequestDTO request, Long creatorUserId) Crea un nuevo viaje.
TripDTO TripService.getTripByCode (String tripCode) Obtiene un viaje por su código (para invitaciones).
TripDTO

TripService.getTripById([Long](#) tripId)

Obtiene un viaje por ID.

TripDTO

TripService.updateTrip([Long](#) tripId, **TripCreateRequestDTO** request, [Long](#) userId)

Actualiza un viaje existente.

Methods in **com.mapmyjourney.backend.service** that return types with arguments of type **TripDTO**

Modifier and Type

Method

Description

[List](#)<[TripDTO](#)>

TripService.getUserTrips([Long](#) userId)

Obtiene todos los viajes del usuario.