

**Package** com.mapmyjourney.backend.exception

## Class AccessDeniedException

```
java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        com.mapmyjourney.backend.exception.AccessDeniedException
```

**All Implemented Interfaces:**

Serializable

```
public class AccessDeniedException
extends RuntimeException
```

Excepción para acceso denegado (falta de permisos).

**See Also:**

Serialized Form

### Constructor Summary

Constructors	
Constructor	Description
<code>AccessDeniedException(String message)</code>	
<code>AccessDeniedException(String message, Throwable cause)</code>	

### Method Summary

Methods inherited from class java.lang.Throwable	
<code>addSuppressed</code> , <code>fillInStackTrace</code> , <code>getCause</code> , <code>getLocalizedMessage</code> , <code>getMessage</code> , <code>getStackTrace</code> , <code>getSuppressed</code> , <code>initCause</code> , <code>printStackTrace</code> , <code>printStackTrace</code> , <code>printStackTrace</code> , <code>setStackTrace</code> , <code>toString</code>	
Methods inherited from class java.lang.Object	
<code>clone</code> , <code>equals</code> , <code>finalize</code> , <code>getClass</code> , <code>hashCode</code> , <code>notify</code> , <code>notifyAll</code> , <code>wait</code> , <code>wait</code> , <code>wait</code>	

### Constructor Details

AccessDeniedException	
<pre>public AccessDeniedException(String message)</pre>	
AccessDeniedException	
<pre>public AccessDeniedException(String message,                              Throwable cause)</pre>	