

**Package** com.mapmyjourney.backend.config

## Class OpenApiConfig

java.lang.Object<sup>↗</sup>  
com.mapmyjourney.backend.config.OpenApiConfig

@Configuration  
public class **OpenApiConfig**  
extends Object<sup>↗</sup>

Configuración de OpenAPI/Swagger para la API REST. Genera documentación automática en <http://localhost:8080/swagger-ui/index.html>

### Constructor Summary

Constructors
Constructor
Description
<a href="#">OpenApiConfig()</a>

### Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
	<a href="#">io.swagger.v3.oas.models.OpenAPI</a>	
	<a href="#">customOpenAPI()</a>	

Methods inherited from class java.lang.Object <sup>↗</sup>
<a href="#">clone<sup>↗</sup></a> , <a href="#">equals<sup>↗</sup></a> , <a href="#">finalize<sup>↗</sup></a> , <a href="#">getClass<sup>↗</sup></a> , <a href="#">hashCode<sup>↗</sup></a> , <a href="#">notify<sup>↗</sup></a> , <a href="#">notifyAll<sup>↗</sup></a> , <a href="#">toString<sup>↗</sup></a> , <a href="#">wait<sup>↗</sup></a> , <a href="#">wait<sup>↗</sup></a> , <a href="#">wait<sup>↗</sup></a>

### Constructor Details

OpenApiConfig
<pre>public OpenApiConfig()</pre>

### Method Details

customOpenAPI
<pre>@Bean public io.swagger.v3.oas.models.OpenAPI customOpenAPI()</pre>