

Package com.mapmyjourney.backend.controller

Class UserController

java.lang.Object[↗]
com.mapmyjourney.backend.controller.UserController

```
@RestController
@RequestMapping("/users")
public class UserController
extends Object↗
```

Controlador REST para gestionar usuarios.

Constructor Summary

Constructors
Constructor
Description
UserController()

Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type		
Method		
Description		
org.springframework.http.ResponseEntity<Void [↗] >		
deleteUser(Long [↗] userId)		
7.		
org.springframework.http.ResponseEntity<UserDTO>		
getUserByEmail(String [↗] email)		
4.		
org.springframework.http.ResponseEntity<UserDTO>		
getUserById(Long [↗] userId)		
3.		
org.springframework.http.ResponseEntity<LoginResponseDTO>		
login(LoginRequestDTO request)		
2.		
org.springframework.http.ResponseEntity<LoginResponseDTO>		
registerUser(@Valid UserCreateRequestDTO request)		
1.		
org.springframework.http.ResponseEntity<UserDTO>		
updateUser(Long [↗] userId, @Valid UserCreateRequestDTO request)		
5.		
org.springframework.http.ResponseEntity<UserDTO>		
updateUserProfile(Long [↗] userId, UserUpdateRequestDTO request)		
6.		
Methods inherited from class java.lang.Object [↗]		

Constructor Details

UserController

public UserController()

Method Details

registerUser

@PostMapping("/register")
@CrossOrigin(origins={"https://mapmyjourney-4w93.onrender.com","http://localhost:4200","http://localhost:3000"})
public org.springframework.http.ResponseEntity<LoginResponseDTO> registerUser
(@Valid @RequestBody
@Valid UserCreateRequestDTO request)

1. Registra un nuevo usuario. POST /api/users/register

login

@PostMapping("/login")
public org.springframework.http.ResponseEntity<LoginResponseDTO> login(@RequestBody
LoginRequestDTO request)

2. Inicia sesión con email y contraseña. POST /api/users/login

getUserById

@GetMapping("/{userId}")
@PreAuthorize("hasRole(\"'USER'\")")
public org.springframework.http.ResponseEntity<UserDTO> getUserById(@PathVariable
Long userId)

3. Obtiene un usuario por ID. GET /api/users/{userId}

getUserByEmail

@GetMapping("/email/{email}")
@PreAuthorize("hasRole(\"'USER'\")")
public org.springframework.http.ResponseEntity<UserDTO> getUserByEmail(@PathVariable
String email)

4. Obtiene un usuario por email. GET /api/users/email/{email}

updateUser

@PutMapping("/{userId}")
@PreAuthorize("hasRole(\"'USER'\")")
public org.springframework.http.ResponseEntity<UserDTO> updateUser(@PathVariable
Long userId,
@Valid @RequestBody
@Valid UserCreateRequestDTO request)

5. Actualiza un usuario existente. PUT /api/users/{userId}

updateUserProfile

@PutMapping("/{userId}/profile")
@PreAuthorize("hasRole(\"'USER'\")")

```
public org.springframework.http.ResponseEntity<UserDTO> updateUserProfile(@PathVariable
                                                                    Long ↗ userId,
                                                                    @RequestBody
                                                                    UserUpdateRequestDTO request)
```

6. Actualiza el perfil del usuario (versión flexible). PUT /api/users/{userId}/profile

deleteUser

```
@DeleteMapping("/{userId}")
@PreAuthorize("hasRole(\"'ADMIN'\")")
public org.springframework.http.ResponseEntity<Void ↗> deleteUser(@PathVariable
                                                                    Long ↗ userId)
```

7. Elimina un usuario. DELETE /api/users/{userId}