

Package com.mapmyjourney.backend.repository

## Interface TripMemberRepository

All Superinterfaces:

org.springframework.data.repository.CrudRepository<TripMember,Long<sup>↗</sup>>,  
org.springframework.data.jpa.repository.JpaRepository<TripMember,Long<sup>↗</sup>>,  
org.springframework.data.repository.ListCrudRepository<TripMember,Long<sup>↗</sup>>,  
org.springframework.data.repository.ListPagingAndSortingRepository<TripMember,Long<sup>↗</sup>>,  
org.springframework.data.repository.PagingAndSortingRepository<TripMember,Long<sup>↗</sup>>,  
org.springframework.data.repository.query.QueryByExampleExecutor<TripMember>,  
org.springframework.data.repository.Repository<TripMember,Long<sup>↗</sup>>

@Repository  
public interface TripMemberRepository  
extends org.springframework.data.jpa.repository.JpaRepository<TripMember,Long<sup>↗</sup>>

### Method Summary

- All Methods
- Instance Methods
- Abstract Methods

Modifier and Type
Method
Description
List <sup>↗</sup> <TripMember>
findAllByTripId(Long <sup>↗</sup> tripId)
Obtiene todos los miembros de un viaje.
Optional <sup>↗</sup> <TripMember>
findByIdAndUserId(Long <sup>↗</sup> tripId, Long <sup>↗</sup> userId)
Obtiene el rol de un usuario en un viaje.

Methods inherited from interface org.springframework.data.repository.CrudRepository
count, delete, deleteAll, deleteAll, deleteAllById, deleteById, existsById, findById, save

Methods inherited from interface org.springframework.data.jpa.repository.JpaRepository
deleteAllByIdInBatch, deleteAllInBatch, deleteAllInBatch, deleteInBatch, findAll, findAll, flush, getById, getOne, getReferenceById, saveAllAndFlush, saveAndFlush

Methods inherited from interface org.springframework.data.repository.ListCrudRepository
findAll, findAllById, saveAll

Methods inherited from interface org.springframework.data.repository.ListPagingAndSortingRepository
findAll

Methods inherited from interface org.springframework.data.repository.PagingAndSortingRepository
findAll

Methods inherited from interface org.springframework.data.repository.query.QueryByExampleExecutor
count, exists, findAll, findBy, findOne

### Method Details

findByIdAndUserId
-------------------

```
Optional<TripMember> findByTripIdAndUserId(Long tripId,
                                             Long userId)
```

Obtiene el rol de un usuario en un viaje.

**findAllByTripId**

```
List<TripMember> findAllByTripId(Long tripId)
```

Obtiene todos los miembros de un viaje.