

**Package** com.mapmyjourney.backend.security

## Class CustomUserDetailsService

java.lang.Object<sup>↗</sup>  
com.mapmyjourney.backend.security.CustomUserDetailsService

**All Implemented Interfaces:**  
org.springframework.security.core.userdetails.UserDetailsService

```
@Service
public class CustomUserDetailsService
extends Object↗
implements org.springframework.security.core.userdetails.UserDetailsService
```

Servicio para cargar detalles de usuario desde la base de datos. Implementa UserDetailsService de Spring Security.

### Constructor Summary

| Constructors               |
|----------------------------|
| Constructor                |
| Description                |
| CustomUserDetailsService() |

### Method Summary

| All Methods   | Instance Methods                              | Concrete Methods  |
|---|---|---|
| Modifier and Type   | Method  | Description   |
|   |   | org.springframework.security.core.userdetails.UserDetails |
|   | loadUserByUsername(String <sup>↗</sup> email) |   |
| Methods inherited from class java.lang.Object <sup>↗</sup>  |   |   |
| clone <sup>↗</sup> , equals <sup>↗</sup> , finalize <sup>↗</sup> , getClass <sup>↗</sup> , hashCode <sup>↗</sup> , notify <sup>↗</sup> , notifyAll <sup>↗</sup> , toString <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup> |   |   |

### Constructor Details

| CustomUserDetailsService          |
|-----------------------------------|
| public CustomUserDetailsService() |

### Method Details

| loadUserByUsername  |
|---|
| public org.springframework.security.core.userdetails.UserDetails loadUserByUsername(String <sup>↗</sup> email) throws org.springframework.security.core.userdetails.UsernameNotFoundException |
| <b>Specified by:</b><br>loadUserByUsername in interface org.springframework.security.core.userdetails.UserDetailsService  |
| <b>Throws:</b><br>org.springframework.security.core.userdetails.UsernameNotFoundException   |

