

Package com.mapmyjourney.backend.config

Class OpenApiConfig

java.lang.Object[↗]
com.mapmyjourney.backend.config.OpenApiConfig

@Configuration
public class **OpenApiConfig**
extends Object[↗]

Configuración de OpenAPI/Swagger para documentación automática de la API REST. Genera documentación interactiva en: <http://localhost:8080/swagger-ui/index.html> También disponible en formato JSON: <http://localhost:8080/v3/api-docs>

Constructor Summary

Constructors
Constructor
Description
OpenApiConfig()

Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
	io.swagger.v3.oas.models.OpenAPI customOpenAPI()	Crea la configuración personalizada de OpenAPI.

Methods inherited from class java.lang.Object [↗]
clone [↗] , equals [↗] , finalize [↗] , getClass [↗] , hashCode [↗] , notify [↗] , notifyAll [↗] , toString [↗] , wait [↗] , wait [↗] , wait [↗]

Constructor Details

OpenApiConfig
public OpenApiConfig()

Method Details

customOpenAPI
@Bean public io.swagger.v3.oas.models.OpenAPI customOpenAPI()
Crea la configuración personalizada de OpenAPI. Define información general, esquema de seguridad (JWT) y contacto.