

Package com.mapmyjourney.backend.dto

Class TripCreateRequestDTO

java.lang.Object[↗]
com.mapmyjourney.backend.dto.TripCreateRequestDTO

```
public class TripCreateRequestDTO
extends Object↗
```

DTO para crear un nuevo viaje.

Constructor Summary

Constructors	
Constructor	Description
<code>TripCreateRequestDTO()</code>	
<code>TripCreateRequestDTO(String[↗] title, String[↗] destination, String[↗] description, String[↗] imageUrl, LocalDate[↗] startDate, LocalDate[↗] endDate, BigDecimal[↗] budget)</code>	
<code>TripCreateRequestDTO(String[↗] title, String[↗] destination, String[↗] description, LocalDate[↗] startDate, LocalDate[↗] endDate, BigDecimal[↗] budget)</code>	

Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type		
Method		
Description		
BigDecimal [↗]		
<code>getBudget()</code>		
String [↗]		
<code>getDescription()</code>		
String [↗]		
<code>getDestination()</code>		
LocalDate [↗]		
<code>getEndDate()</code>		
String [↗]		
<code>getImageUrl()</code>		
LocalDate [↗]		
<code>getStartDate()</code>		
String [↗]		
<code>getTitle()</code>		

```
void
setBudget(BigDecimal↗ budget)
```

```
void
setDescription(String↗ description)
```

```
void
setDestination(String↗ destination)
```

```
void
setEndDate(LocalDate↗ endDate)
```

```
void
setImageUrl(String↗ imageUrl)
```

```
void
setStartDate(LocalDate↗ startDate)
```

```
void
setTitle(String↗ title)
```

Methods inherited from class java.lang.Object[↗]

[clone[↗]](#), [equals[↗]](#), [finalize[↗]](#), [getClass[↗]](#), [hashCode[↗]](#), [notify[↗]](#), [notifyAll[↗]](#), [toString[↗]](#), [wait[↗]](#), [wait[↗]](#), [wait[↗]](#)

Constructor Details

TripCreateRequestDTO

```
public TripCreateRequestDTO()
```

TripCreateRequestDTO

```
public TripCreateRequestDTO(String↗ title,
                             String↗ destination,
                             String↗ description,
                             LocalDate↗ startDate,
                             LocalDate↗ endDate,
                             BigDecimal↗ budget)
```

TripCreateRequestDTO

```
public TripCreateRequestDTO(String↗ title,
                             String↗ destination,
                             String↗ description,
                             String↗ imageUrl,
                             LocalDate↗ startDate,
                             LocalDate↗ endDate,
                             BigDecimal↗ budget)
```

Method Details

getTitle

```
public String↗ getTitle()
```

setTitle

```
public void setTitle(String↗ title)
```

getDestination

```
public String↗ getDestination()
```

setDestination

```
public void setDestination(String↗ destination)
```

getDescription

```
public String↗ getDescription()
```

setDescription

```
public void setDescription(String↗ description)
```

getImageUrl

```
public String↗ getImageUrl()
```

setImageUrl

```
public void setImageUrl(String↗ imageUrl)
```

getStartDate

```
public LocalDate↗ getStartDate()
```

setStartDate

```
public void setStartDate(LocalDate↗ startDate)
```

getEndDate

```
public LocalDate↗ getEndDate()
```

setEndDate

```
public void setEndDate(LocalDate↗ endDate)
```

getBudget

```
public BigDecimal↗ getBudget()
```

setBudget

```
public void setBudget(BigDecimal budget)
```