

**Package** com.mapmyjourney.backend.exception

## Class AccessDeniedException

java.lang.Object  
  java.lang.Throwable  
    java.lang.Exception  
      java.lang.RuntimeException  
        com.mapmyjourney.backend.exception.AccessDeniedException

**All Implemented Interfaces:**

Serializable

public class **AccessDeniedException**  
extends RuntimeException

Excepción para acceso denegado (falta de permisos).

**See Also:**

Serialized Form

### Constructor Summary

| Constructors  |             |
|---|-------------|
| Constructor   | Description |
| <code>AccessDeniedException(String message)</code>                  |             |
| <code>AccessDeniedException(String message, Throwable cause)</code> |             |

### Method Summary

| Methods inherited from class java.lang.Throwable   |  |
|--|--|
| <code>addSuppressed</code> , <code>fillInStackTrace</code> , <code>getCause</code> , <code>getLocalizedMessage</code> , <code>getMessage</code> , <code>getStackTrace</code> , <code>getSuppressed</code> , <code>initCause</code> , <code>printStackTrace</code> , <code>printStackTrace</code> , <code>printStackTrace</code> , <code>setStackTrace</code> , <code>toString</code> |  |
| Methods inherited from class java.lang.Object  |  |
| <code>clone</code> , <code>equals</code> , <code>finalize</code> , <code>getClass</code> , <code>hashCode</code> , <code>notify</code> , <code>notifyAll</code> , <code>wait</code> , <code>wait</code> , <code>wait</code>  |  |

### Constructor Details

| AccessDeniedException  |  |
|--|--|
| <code>public AccessDeniedException(String message)</code>                  |  |
| AccessDeniedException  |  |
| <code>public AccessDeniedException(String message, Throwable cause)</code> |  |