

**Package** com.mapmyjourney.backend.model.enums

## Enum Class ExpenseSplitType

```
java.lang.Object
  java.lang.Enum<ExpenseSplitType>
    com.mapmyjourney.backend.model.enums.ExpenseSplitType
```

**All Implemented Interfaces:**

Serializable, Comparable<ExpenseSplitType>, Constable

```
public enum ExpenseSplitType
extends Enum<ExpenseSplitType>
```

Enum que define cómo se divide un gasto entre los participantes.

### Nested Class Summary

#### Nested classes/interfaces inherited from class java.lang.Enum

Enum.EnumDesc<E> extends Enum<E>>

### Enum Constant Summary

Enum Constants
Enum Constant
Description
CUSTOM
EQUAL
MANUAL
PERCENTAGE

### Method Summary

All Methods	Static Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description	
String	getDisplayName()		
static ExpenseSplitType	valueOf(String name)	Returns the enum constant of this class with the specified name.	
static ExpenseSplitType[]	values()	Returns an array containing the constants of this enum class, in the order they are declared.	

#### Methods inherited from class java.lang.Enum

[clone](#), [compareTo](#), [describeConstable](#), [equals](#), [finalize](#), [getDeclaringClass](#), [hashCode](#), [name](#), [ordinal](#), [toString](#), [valueOf](#)

Methods inherited from class [java.lang.Object](#)

[getClass](#), [notify](#), [notifyAll](#), [wait](#), [wait](#), [wait](#)

Enum Constant Details

EQUAL

`public static final ExpenseSplitType EQUAL`

MANUAL

`public static final ExpenseSplitType MANUAL`

PERCENTAGE

`public static final ExpenseSplitType PERCENTAGE`

CUSTOM

`public static final ExpenseSplitType CUSTOM`

Method Details

values

`public static ExpenseSplitType[] values()`

Returns an array containing the constants of this enum class, in the order they are declared.

Returns:

an array containing the constants of this enum class, in the order they are declared

valueOf

`public static ExpenseSplitType valueOf(String name)`

Returns the enum constant of this class with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this class. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

[IllegalArgumentException](#) - if this enum class has no constant with the specified name

[NullPointerException](#) - if the argument is null

getDisplayName

`public String getDisplayName()`

