

Uses of Class

com.mapmyjourney.backend.dto.ExpenseDTO

| Packages that use ExpenseDTO | |
|-------------------------------------|-------------|
| Package | Description |
| com.mapmyjourney.backend.controller | |
| com.mapmyjourney.backend.service | |

Uses of ExpenseDTO in com.mapmyjourney.backend.controller

| Methods in com.mapmyjourney.backend.controller that return types with arguments of type ExpenseDTO | |
|--|-------------|
| Modifier and Type | Description |
| Method | |
| org.springframework.http.ResponseEntity<ExpenseDTO> | |
| ExpenseController.createExpense(Long tripId, @Valid ExpenseCreateRequestDTO request) | |
| 1. | |
| org.springframework.http.ResponseEntity<ExpenseDTO> | |
| ExpenseController.getExpense(Long tripId, Long expenseId) | |
| 3. | |
| org.springframework.http.ResponseEntity<List<ExpenseDTO>> | |
| ExpenseController.getTripExpenses(Long tripId, int page, int size) | |
| 2. | |
| org.springframework.http.ResponseEntity<ExpenseDTO> | |
| ExpenseController.updateExpense(Long tripId, Long expenseId, @Valid ExpenseCreateRequestDTO request) | |
| 4. | |

Uses of ExpenseDTO in com.mapmyjourney.backend.service

| Methods in com.mapmyjourney.backend.service that return ExpenseDTO | |
|--|-------------|
| Modifier and Type | Description |
| Method | |
| ExpenseDTO | |
| ExpenseService.createExpense(Long tripId, ExpenseCreateRequestDTO request, Long creatorUserId) | |
| 1. | |
| ExpenseDTO | |
| ExpenseService.getExpenseById(Long expenseId) | |
| 3. | |
| ExpenseDTO | |
| ExpenseService.updateExpense(Long expenseId, ExpenseCreateRequestDTO request, Long userId) | |
| Actualiza un gasto existente. | |

| Methods in com.mapmyjourney.backend.service that return types with arguments of type ExpenseDTO |
|---|
|---|

| Modifier and Type |
|---|
| Method |
| Description |
| List<ExpenseDTO> |
| ExpenseService.getTripExpenses(Long tripId) |
| 2. |