

Package com.mapmyjourney.backend.repository

Interface TripRepository

All Superinterfaces:

org.springframework.data.repository.CrudRepository<Trip,Long[↗]>,
org.springframework.data.jpa.repository.JpaRepository<Trip,Long[↗]>,
org.springframework.data.repository.ListCrudRepository<Trip,Long[↗]>,
org.springframework.data.repository.ListPagingAndSortingRepository<Trip,Long[↗]>,
org.springframework.data.repository.PagingAndSortingRepository<Trip,Long[↗]>,
org.springframework.data.repository.query.QueryByExampleExecutor<Trip>,
org.springframework.data.repository.Repository<Trip,Long[↗]>

@Repository
public interface **TripRepository**
extends org.springframework.data.jpa.repository.JpaRepository<Trip,Long[↗]>

Method Summary

- All Methods
- Instance Methods
- Abstract Methods

Modifier and Type
Method
Description
List [↗] <Trip>
findAllByUserId(Long [↗] userId)
Obtiene todos los viajes donde el usuario es miembro.
Optional [↗] <Trip>
findByTripCode(String [↗] tripCode)
Busca un viaje por su código único (para invitaciones).
Methods inherited from interface org.springframework.data.repository.CrudRepository
count, delete, deleteAll, deleteAll, deleteAllById, deleteById, existsById, findById, save
Methods inherited from interface org.springframework.data.jpa.repository.JpaRepository
deleteAllByIdInBatch, deleteAllInBatch, deleteAllInBatch, deleteInBatch, findAll, findAll, flush, getById, getOne, getReferenceById, saveAllAndFlush, saveAndFlush
Methods inherited from interface org.springframework.data.repository.ListCrudRepository
findAll, findAllById, saveAll
Methods inherited from interface org.springframework.data.repository.ListPagingAndSortingRepository
findAll
Methods inherited from interface org.springframework.data.repository.PagingAndSortingRepository
findAll
Methods inherited from interface org.springframework.data.repository.query.QueryByExampleExecutor
count, exists, findAll, findBy, findOne

Method Details

findByTripCode

```
Optional<Trip> findByTripCode(String tripCode)
```

Busca un viaje por su código único (para invitaciones).

findAllByUserId

```
@Query("SELECT t FROM Trip t JOIN t.members m WHERE m.user.id = :userId")  
List<Trip> findAllByUserId(@Param("userId")  
                           Long userId)
```

Obtiene todos los viajes donde el usuario es miembro.