

**Package** com.mapmyjourney.backend.dto

## Class UserCreateRequestDTO

java.lang.Object<sup>↗</sup>  
com.mapmyjourney.backend.dto.UserCreateRequestDTO

```
public class UserCreateRequestDTO
extends Object↗
```

DTO para crear/registrar un nuevo usuario. Incluye validaciones para el registro inicial.

### Constructor Summary

| Constructors   |
|--|
| Constructor  |
| Description  |
| UserCreateRequestDTO()   |
| UserCreateRequestDTO( <sup>↗</sup> String name, <sup>↗</sup> String email, <sup>↗</sup> String password) |

### Method Summary

| All Methods   | Instance Methods                           | Concrete Methods |
|---|--|------------------|
| Modifier and Type   | Method                                     | Description      |
| <sup>↗</sup> String   | getEmail()                                 |                  |
| <sup>↗</sup> String   | getName()                                  |                  |
| <sup>↗</sup> String   | getPassword()                              |                  |
| void  | setEmail( <sup>↗</sup> String email)       |                  |
| void  | setName( <sup>↗</sup> String name)         |                  |
| void  | setPassword( <sup>↗</sup> String password) |                  |
| Methods inherited from class java.lang.Object <sup>↗</sup>  |  |                  |
| clone <sup>↗</sup> , equals <sup>↗</sup> , finalize <sup>↗</sup> , getClass <sup>↗</sup> , hashCode <sup>↗</sup> , notify <sup>↗</sup> , notifyAll <sup>↗</sup> , toString <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup> |  |                  |

### Constructor Details

UserCreateRequestDTO

```
public UserCreateRequestDTO()
```

UserCreateRequestDTO

```
public UserCreateRequestDTO(String name,  
                             String email,  
                             String password)
```

Method Details

getName

```
public String getName()
```

setName

```
public void setName(String name)
```

getEmail

```
public String getEmail()
```

setEmail

```
public void setEmail(String email)
```

getPassword

```
public String getPassword()
```

setPassword

```
public void setPassword(String password)
```