

Package `com.mapmyjourney.backend.repository`

Interface `ExpenseRepository`

All Superinterfaces:

`org.springframework.data.repository.CrudRepository<Expense, Long>`,
`org.springframework.data.jpa.repository.JpaRepository<Expense, Long>`,
`org.springframework.data.repository.ListCrudRepository<Expense, Long>`,
`org.springframework.data.repository.ListPagingAndSortingRepository<Expense, Long>`,
`org.springframework.data.repository.PagingAndSortingRepository<Expense, Long>`,
`org.springframework.data.repository.query.QueryByExampleExecutor<Expense>`,
`org.springframework.data.repository.Repository<Expense, Long>`

@Repository
public interface **ExpenseRepository**
extends `org.springframework.data.jpa.repository.JpaRepository<Expense, Long>`

Method Summary

- All Methods
- Instance Methods
- Abstract Methods

Modifier and Type
Method
Description
<code>List<Expense></code>
<code>findById(Long tripId)</code>
Obtiene todos los gastos de un viaje.

Methods inherited from interface <code>org.springframework.data.repository.CrudRepository</code>
<code>count</code> , <code>delete</code> , <code>deleteAll</code> , <code>deleteAll</code> , <code>deleteAllById</code> , <code>deleteById</code> , <code>existsById</code> , <code>findById</code> , <code>save</code>

Methods inherited from interface <code>org.springframework.data.jpa.repository.JpaRepository</code>
<code>deleteAllByIdInBatch</code> , <code>deleteAllInBatch</code> , <code>deleteAllInBatch</code> , <code>deleteInBatch</code> , <code>findAll</code> , <code>findAll</code> , <code>flush</code> , <code>getId</code> , <code>getOne</code> , <code>getReferenceById</code> , <code>saveAllAndFlush</code> , <code>saveAndFlush</code>

Methods inherited from interface <code>org.springframework.data.repository.ListCrudRepository</code>
<code>findAll</code> , <code>findAllById</code> , <code>saveAll</code>

Methods inherited from interface <code>org.springframework.data.repository.ListPagingAndSortingRepository</code>
<code>findAll</code>

Methods inherited from interface <code>org.springframework.data.repository.PagingAndSortingRepository</code>
<code>findAll</code>

Methods inherited from interface <code>org.springframework.data.repository.query.QueryByExampleExecutor</code>
<code>count</code> , <code>exists</code> , <code>findAll</code> , <code>findBy</code> , <code>findOne</code>

Method Details

<code>findById</code>
<code>List<Expense> findById(Long tripId)</code>
Obtiene todos los gastos de un viaje.

