

**Package** com.mapmyjourney.backend.dto

## Class LoginRequestDTO

java.lang.Object<sup>↗</sup>  
com.mapmyjourney.backend.dto.LoginRequestDTO

```
public class LoginRequestDTO
extends Object↗
```

DTO para solicitud de login.

### Constructor Summary

Constructors
Constructor
Description
LoginRequestDTO()
LoginRequestDTO(String <sup>↗</sup> email, String <sup>↗</sup> password)

### Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
	String <sup>↗</sup>	getEmail()
	String <sup>↗</sup>	getPassword()
void		setEmail(String <sup>↗</sup> email)
void		setPassword(String <sup>↗</sup> password)
	String <sup>↗</sup>	toString()

Methods inherited from class java.lang.Object <sup>↗</sup>
clone <sup>↗</sup> , equals <sup>↗</sup> , finalize <sup>↗</sup> , getClass <sup>↗</sup> , hashCode <sup>↗</sup> , notify <sup>↗</sup> , notifyAll <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup> , wait <sup>↗</sup>

### Constructor Details

LoginRequestDTO
public LoginRequestDTO()

## LoginRequestDTO

```
public LoginRequestDTO(String email,  
                      String password)
```

## Method Details

### getEmail

```
public String getEmail()
```

### setEmail

```
public void setEmail(String email)
```

### getPassword

```
public String getPassword()
```

### setPassword

```
public void setPassword(String password)
```

### toString

```
public String toString()
```

**Overrides:**

[toString](#) in class [Object](#)