

Package com.mapmyjourney.backend.dto

Class TripCreateRequestDTO

java.lang.Object[↗]
com.mapmyjourney.backend.dto.TripCreateRequestDTO

```
public class TripCreateRequestDTO
extends Object↗
```

DTO para crear un nuevo viaje.

Constructor Summary

Constructors
Constructor
Description
<code>TripCreateRequestDTO()</code>
<code>TripCreateRequestDTO(String[↗] title, String[↗] destination, String[↗] description, LocalDate[↗] startDate, LocalDate[↗] endDate, BigDecimal[↗] budget)</code>

Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
BigDecimal [↗]	<code>getBudget()</code>	
String [↗]	<code>getDescription()</code>	
String [↗]	<code>getDestination()</code>	
LocalDate [↗]	<code>getEndDate()</code>	
LocalDate [↗]	<code>getStartDate()</code>	
String [↗]	<code>getTitle()</code>	
void	<code>setBudget(BigDecimal[↗] budget)</code>	
void		

`setDescription(String description)`

void

`setDestination(String destination)`

void

`setEndDate(LocalDate endDate)`

void

`setStartDate(LocalDate startDate)`

void

`setTitle(String title)`

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Constructor Details

TripCreateRequestDTO

`public TripCreateRequestDTO()`

TripCreateRequestDTO

`public TripCreateRequestDTO(String title,
String destination,
String description,
LocalDate startDate,
LocalDate endDate,
BigDecimal budget)`

Method Details

getTitle

`public String getTitle()`

setTitle

`public void setTitle(String title)`

getDestination

`public String getDestination()`

setDestination

`public void setDestination(String destination)`

getDescription

```
public String↗ getDescription()
```

setDescription

```
public void setDescription(String↗ description)
```

getStartDate

```
public LocalDate↗ getStartDate()
```

setStartDate

```
public void setStartDate(LocalDate↗ startDate)
```

getEndDate

```
public LocalDate↗ getEndDate()
```

setEndDate

```
public void setEndDate(LocalDate↗ endDate)
```

getBudget

```
public BigDecimal↗ getBudget()
```

setBudget

```
public void setBudget(BigDecimal↗ budget)
```