



报告标题

2025 年 11 月



目录

1 Introduction

► Introduction

► Personalization

► Summary



Beamer vs. PowerPoint

1 Introduction

Compared to PowerPoint, using $\text{\LaTeX}$ is better because:

- It is not What-You-See-Is-What-You-Get, but What-You-Mean-Is-What-You-Get: you write the content, the computer does the typesetting
- Produces a pdf: no problems with fonts, formulas, program versions
- Easier to keep consistent style, fonts, highlighting, etc.
- Math typesetting in $\text{\TeX}$ is the best:

$$N_i = Q_p \left(\overbrace{t_{j+1} - t_j}^{\text{Some annotation about the entire equation here.}} \mid \forall j \right)$$

Diagram illustrating the structure of the equation $N_i = Q_p \left(\overbrace{t_{j+1} - t_j}^{\text{Some annotation about the entire equation here.}} \mid \forall j \right)$ with annotations:

- Q_p : (j+1)th item
- t_{j+1} : (j+1)th item
- t_j : jth item
- $\forall j$: Some annotation about the entire equation here.

$$X_i = \frac{\text{number of objects}}{\sum_{i=1}^N \sum_{j=1}^{M_i} \frac{1}{l_i^j} \frac{\text{size of } j^{\text{th}} \text{ service}}{l_{\max}}}$$

Diagram illustrating the structure of the equation $X_i = \frac{\text{number of objects}}{\sum_{i=1}^N \sum_{j=1}^{M_i} \frac{1}{l_i^j} \frac{\text{size of } j^{\text{th}} \text{ service}}{l_{\max}}}$ with annotations:

- X_i : number of objects
- N : number of objects
- M_i : number of other objects
- l_i^j : size of jth service
- $l_{\max}$: maximum obj size



Title page

1 Introduction

To set a typical title page, you call some commands in the preamble:

The Commands for the Title Page

```
\title{Sample Title}  
\author{First Author, Second Author}  
\date{\today} % Can also be (ab)used for conference name &c.
```

You can then write out the title page with `\maketitle`.

To set a **background image** use the `\titlebackground` command before `\maketitle`; its only argument is the name (or path) of a graphic file.

If you use the **starred version** `\titlebackground*`, the image will be clipped to a split view on the right side of the title slide.



Writing a Simple Slide

It's really easy!

- A typical slide has bulleted lists



Writing a Simple Slide

It's really easy!

- A typical slide has bulleted lists
- These can be uncovered in sequence



Writing a Simple Slide

It's really easy!

- A typical slide has bulleted lists
- These can be uncovered in sequence

Code for a Page with an Itemised List

```
\begin{itemize}[<+>]  
  \item A typical slide has bulleted lists  
  \item These can be uncovered in sequence  
\end{itemize}
```



目录

2 Personalization

▶ Introduction

▶ **Personalization**

▶ Summary



Changing Slide Style

2 Personalization

- You can select the white or *maincolor* **slide style in the preamble** with `\themecolor{white}` (default) or `\themecolor{main}`
 - You should *not* change these within the document: Beamer does not like it
 - If you *really* must, you may have to add `\usebeamercolor[fg]{normal text}` in the slide
- You can change the **footline colour** with `\footlinecolor{color}`
 - Place the command *before* a new frame
 - There are four “official” colors:  `maincolor`,  `sintefyellow`,  `sintefgreen`,  `sintefdargreen`
 - Default is no footline; you can restore it with `\footlinecolor{}`
 - Others may work, but no guarantees!
 - Should *not* be used with the `maincolor` theme!



Blocks

2 Personalization

Standard Blocks

These have a color coordinated with the footline (and grey in the blue theme)

```
\begin{block}{title}  
  content...  
\end{block}
```

Colour Blocks

Similar to the left ones, but you pick the colour. Text will be white by default, but you may set it with an optional argument.

```
\begin{colorblock}[black]{sinteflightgreen}{title}  
  content...  
\end{colorblock}
```

The “official” colours of colour blocks are:



sinteflilla,



maincolor,



sintefdargreen, and



sintefyellow.



Using Colours

2 Personalization

- You can use colours with the `\textcolor{<color name>}{text}` command
- The colours are defined in the `sintefcolor` package:
 - Primary colours:  `maincolor` and its sidekick  `sintefgrey`
 - Three shades of green:  `sinteflightgreen`,  `sintefgreen`,
 `sintefdarkgreen`
 - Additional colours:  `sintefyellow`,  `sintefred`,  `sinteflilla`
 - These may be shaded—see the `sintefcolor` documentation or the [SINTEF profile manual](#)
- Do *not* abuse colours: `\emph{}` is usually enough
- Use `\alert{}` to bring the focus somewhere



Using Colours

2 Personalization

- You can use colours with the `\textcolor{<color name>}{text}` command
- The colours are defined in the `sintefcolor` package:
 - Primary colours:  `maincolor` and its sidekick  `sintefgrey`
 - Three shades of green:  `sinteflightgreen`,  `sintefgreen`,  `sintefdargreen`
 - Additional colours:  `sintefyellow`,  `sintefred`,  `sinteflilla`
 - These may be shaded—see the `sintefcolor` documentation or the [SINTEF profile manual](#)
- Do *not* abuse colours: `\emph{}` is usually enough
- Use `\alert{}` to bring the focus somewhere
- If you highlight too much, you don't highlight at all!



Adding images

2 Personalization

Adding images works like in normal $\text{\LaTeX}$:

Code for Adding Images

```
\usepackage{graphicx}  
% ...  
\includegraphics[width=\textwidth]  
{assets/logo_RGB}
```





Splitting in Columns

2 Personalization

Splitting the page is easy and common; typically, one side has a picture and the other text:

This is the first column

And this the second

Column Code

```
\begin{columns}
  \begin{column}{0.6\textwidth}
    This is the first column
  \end{column}
  \begin{column}{0.3\textwidth}
    And this the second
  \end{column}
\end{columns}
```



Chapter slides

2 Personalization

- Similar to frames, but with a few more options
- Opened with `\begin{chapter} [<image>]{<color>}{<title>}`
- Image is optional, colour and title are mandatory
- There are seven “official” colours:  `maincolor`,  `sintefdarkgreen`,  `sintefgreen`,  `sinteflightgreen`,  `sintefred`,  `sintefyellow`,  `sinteflilla`.
 - Strangely enough, these are *more* than the official colours for the footline.
 - It may still be a nice touch to change the footline of following slides to the same color of a chapter slide. Your choice.
- Otherwise, `chapter` behaves just like `frame`.



Side-Picture Slides

2 Personalization

- Opened with
`\begin{sidepic}{<image>}{<title>}`
- Otherwise, sidepic works just like frame





Fonts

2 Personalization

- The paramount task of fonts is being readable
- There are good ones...
 - Use serif fonts only with high-definition projectors
 - Use sans-serif fonts otherwise (or if you simply prefer them)
- ... and not so good ones:
 - Never use monospace for normal text
 - Gothic, calligraphic or weird fonts should always be avoided



Look

2 Personalization

- To insert a final slide with the title and final thanks, use `\backmatter`.
 - The title also appears in footlines along with the author name, you can change this text with `\footlinepayoff`
 - You can remove the title from the final slide with `\backmatter[notitle]`
- The aspect ratio defaults to 16:9, and you should not change it to 4:3 for old projectors as it is inherently impossible to perfectly convert a 16:9 presentation to 4:3 one; spacings *will* break
 - The `aspectratio` argument to the `beamer` class is overridden by the SINTEF theme
 - If you *really* know what you are doing, check the package code and look for the `geometry` class.



Codes

2 Personalization

- 使用 Istlisting 环境展示代码，可以设置不同的参数实现代码高亮和格式化。
- 在导言区可以全局设置行号、边框和背景颜色等样式。

MATLAB 示例

```
for i = 1:5
    totalSum = totalSum + i;
    disp(['i: ', num2str(i), ', 累
        加和: ', num2str(totalSum)
        ]); % 输出
end
```

Python 示例

```
# 定义一个函数来计算平方
def square(number):
    return number ** 2

# 调用函数
print(f"5 的平方是: {square(5)}")
```



目录

3 Summary

▶ Introduction

▶ Personalization

▶ **Summary**



Good Luck!

3 Summary

- Enough for an introduction! You should know enough by now
- If you have corrections or suggestions, [send them to me!](#)



报告标题

Thank you for listening!