Table of Contents

S.no	Title	Population Set
1	Figure 14.x.y: Blank Figure	Safety Population 3
2	Figure 14.x.y: Swimmer Chart	Safety Population 3
3	Listing 16.2.1 [CNS]: Listing of Participants with Suicidal Ideation, Suicidal Behavior, or Self-Injurious Behavior without Suicidal Intent Based on the C-SSRS During Treatment	Efficacy Population
4	Listing 16.2.3.2: All Deaths	Safety Population 2
5	Listing 16.2.3.1.3: Treatment-Emergent Adverse Events Leading to Drug Discontinuation	Safety Population 2
6	Listing 16.2.3.1.2: Serious Adverse Events	Safety Population 2
7	Listing 16.2.3.1.1: Adverse Events	Safety Population 2
8	Listing 16.2.1.1: Subject Disposition	Safety Population 2
9	Listing 16.2.4.1 [ONC]: Overall Survival and Progression Free Survival	Efficacy Population
10	Listing 16.2.3.1.4: Treatment-Emergent Adverse Events Leading to Death	Safety Population 2
11	Listing 16.2.1.2: Demographics and Baseline Characteristics	Safety Population 2
12	Listing 3.1: List of Discontinuation [JPMA]	Safety Population 2
13	Listing 16.x.y: Blank Listing	Safety Population

Figure 14.x.y

Blank Figure

Safety Population 3

EXPORT-STUDY-01

Figure 14.x.y

Swimmer Chart

Safety Population 3



EXPORT-STUDY-01

Listing 16.2.1 [CNS]

Listing of Participants with Suicidal Ideation, Suicidal Behavior, or Self-Injurious Behavior without Suicidal Intent Based on the C-SSRS During Treatment

Efficacy Population

Treatment	Participant	Visit	**Suicidal Ideation**					**Suicidal Behavior**					**Self-Injurious Behavior w/o Suicidal Intent**
			1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	
XXXXX	XXXX	XXXX	Y	N	N	N	N	N	N	N	N	N	N
XXXXX	XXXX	XXXX	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Abbreviations: C-SSRS = Columbia-Suicide Severity Rating Scale; N = No; Self-Inj Beh wo SI = Self-injurious Behavior without Suicidal Intent; Y = Yes; <<add other abbreviations/acronyms>>.

Notes: Only participants with suicidal ideation, suicidal behavior, or self-injurious behavior without suicidal intent are displayed. For patients with suicidal ideation, suicidal behavior, or self-injurious behavior without suicidal intent at any time, data from all visits are displayed.

Key: 1=Wish to be Dead, 2=Non-specific Active Suicidal Thoughts, 3=Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act, 4=Active Suicidal Ideation with Some Intent to Act, without Specific Plan, 5=Active Suicidal Ideation with Specific Plan and Intent, 6=Preparatory Acts or Behavior, 7=Aborted Attempt, 8= Interrupted Attempt, 9=Actual Attempt (non-fatal), 10=Completed Suicide.

Listing 16.2.3.2

All Deaths

Safety Population 2

Subject ID / Sex / Age	**Actual Treatment Group in Double-Blind Period**	**Date of Death Study Day of Death**	**Period**	**Cause of Death**	**Description of Primary Adverse Event**
XXX-XXXX / M or F / XX	Treatment Group A	ddmmmyyyy (xx)	<Study Period>	Adverse Event	<description>
XXX-XXXX / M or F / XX	Treatment Group B	ddmmmyyyy (xx)	<Study Period>	Other	<description>
XXX-XXXX / M or F / XX		ddmmmyyyy (xx)	<Study Period>		<description>

Source: adxx; Program name; Program run date/time

Programming Note: Sort by Subject ID.

Listing 16.2.3.1.3

Treatment-Emergent Adverse Events Leading to Drug Discontinuation

Safety Population 2

Subject ID / Sex / Age	**Treatment Group**	**Primary System Organ Classs / Preferred Term**	**Study Period / Start Date/Time of Adverse Event / End Date/Time of Adverse Event**	**Duration of AE**	**Serious**	**Causality**	**Severity**	**Outcome**	**Action Taken with Study Treatment**	**Other Action Taken**
XXX-XXXX / M or F / XX	Treatment Group A	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	Y	Not Related	Mild	Not Recovered/ Not Resolved	Drug Discontinued	None
XXX-XXXX / M or F / XX	Treatment Group B	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	N	Possibly Related	Moderate	Recovered/ Resolved	Drug Discontinued	Concomitant Medication Taken
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX		Probably related	Severe	Recovered/ Recovered with Sequalae	Drug Discontinued	Procedure Intervention
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-	XX		Related		Recovering/ Resolving	Drug Discontinued	Other: XXXX

			DD							
		<SOC> / <PT>						Fatal	Drug Discontinued	

Abbreviations: AE=Adverse Event

All AEs were coded using MedDRA version XX.X.

Source: adxx; Program name; Program run date/time

Programming Note: Sort by Subject ID and Start Date.

Listing 16.2.3.1.2

Serious Adverse Events

Safety Population 2

Subject ID / Sex / Age	**Treatment Group**	**Primary System Organ Class / Preferred Term**	**Study Period / Start Date / End Date of Adverse Event**	**Duration of AE**	**Serious**	**Relationship to Study Drug**	**Severity**	**Outcome**	**Action Taken with Study Treatment**	**Other Actions**
XXX-XXXX / M or F / XX	Treatment Group A	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	Y	Not related	Mild	Not Recovered/ Not Resolved	Dose Not Changed	None
XXX-XXXX / M or F / XX	Treatment Group B	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	Y	Possibly related	Moderate	Recovered/ Resolved	Dose Interrupted	Concomitant Medication Taken
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX		Probably related	Severe	Recovered/ Resolved with Sequalae	Drug Discontinued	Procedure Intervention
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX		Related		Recovering/ Resolving	Dose Reduced	Other: XXXX
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-	XX				Fatal	Dose Reduced, Dose	

			MM-DD / YYYY-MM-DD						Interrupted	

Abbreviations: AE=Adverse Event

All AEs were coded using MedDRA version XX.X.

Source: adxx; Program name; Program run date/time

Programming Note: Sort by Subject ID and Start Date.

Listing 16.2.3.1.1

Adverse Events

Safety Population 2

Subject ID / Sex / Age	Treatment Group	Primary System Organ Class / Preferred Term	Study Period / Start Date / End Date of Adverse Event	Duration of AE	Serious	Relationship to Study Drug	Severity	Outcome	Action Taken with Study Treatment	Other Action Taken
XXX-XXXX / M or F / XX	Treatment Group A	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	Y	Not related	Mild	Not Recovered/ Not Resolved	Dose Not Changed	Non
XXX-XXXX / M or F / XX	Treatment Group B	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	N	Possibly related	Moderate	Recovered/ Resolved	Dose Interrupted	Concomitant Medication Taken
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX		Probably related	Severe	Recovered/ Recovered with Sequalae	Dose Discontinued	Procedure Intervention
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX		Related		Recovering/ Resolving	Dose Reduced	Other: XXXX
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-	XX				Fatal	Dose Reduced, Dose	

			MM-DD / YYYY-MM-DD						Interrupted	

Abbreviations: AE=Adverse Event

All AEs were coded using MedDRA version 26.0.

Source: adxx; Program name; Program run date/time

Programming Note: Sort by Subject ID and Start Date.

Listing 16.2.1.1

Subject Disposition

Safety Population 2

Subject ID	**ITT Population / Safety Population**	**Randomized Treatment Group / Actual Treatment Group, if different**	**Date of First Dose / (Study Day) / Date of Last Dose / (Study Day)**	**Complete Study / Reason the Study is Not Completed**	**Date of End of Study**
XXX-XXXX	Y or N / Y or N	Treatment Group A	ddmmmyyyy (1) / ddmmmyyyy (xxx)	Y or N / <reason>	ddmmmyyyy
XXX-XXXX	Y or N / Y or N	Treatment Group B	ddmmmyyyy (1) / ddmmmyyyy (xxx)	Y or N / <reason>	ddmmmyyyy
XXX-XXXX	Y or N / Y or N	Treatment Group A / Treatment Group B	ddmmmyyyy (1) / ddmmmyyyy (xxx)	Y or N / <reason>	ddmmmyyyy

Source: adxx; Program name; Program run date/time

EXPORT-STUDY-01

Listing 16.2.4.1 [ONC]

Overall Survival and Progression Free Survival

Efficacy Population

	OS			**Reader**	**PFS**		
Date of {Randomization /First Dose}	**Date of Event/Censor (Day) (E/C)**	**OS {(Months)}**	**Censor Description**		**Date of Event/Censor (Day) (E/C) for: Primary/ Sensitivity 1/ Sensitivity 2**	**PFS {(Months)} for: Primary/ Sensitivity 1/ Sensitivity 2**	**Event/Censor Description for: Primary/ Sensitivity 1/ Sensitivity 2**
Cohort = Cohort 1 Participant ID -XXX, Trt - XXX Age/Sex/Race/Ethnicity - 53/F/WH/NH							
DDMMMYYYY	DDMMMYYYY (xx) (C)	xx	Censoring reason	IRC	DDMMMYYYY (xx)(E)/ DDMMMYYYY (xx)(C)/ DDMMMYYYY (xx)(C)	xx/ xx/ xx	Death/ Censoring Reason/ Censoring Reason
				Inv.	DDMMMYYYY (xx)(E)	xx	

Note: Day was the number of study days relative to the date of first study drug administration (Day 1) {or specify reference time point}.

OS {(months/weeks)} = [calculation]

PFS {(months/weeks)} = [calculation]

EXPORT-STUDY-01

Listing 16.2.3.1.4

Treatment-Emergent Adverse Events Leading to Death

Safety Population 2

Subject ID / Sex / Age	**Treatment Group**	**Primary System Organ Class / Preferred Term**	**Study Period / Start Date/Time of Adverse Event / End Date/Time of Adverse Event**	**Duration of AE**	**Serious**	**Causality**	**Severity**	**Outcome**	**Action Taken with Study Treatment**	**Other Action Taken**
XXX-XXXX / M or F / XX	Treatment Group A	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	Y	Not Related	Mild	Fatal	Drug Discontinued	None
XXX-XXXX / M or F / XX	Treatment Group B	<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX	N	Possibly Related	Moderate	Fatal	Drug Discontinued	Concomitant Medication Taken
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-DD	XX		Probably related	Severe	Fatal	Drug Discontinued	Procedure Intervention
XXX-XXXX / M or F / XX		<SOC> / <PT>	<Study Period> / YYYY-MM-DD / YYYY-MM-	XX		Related		Fatal	Drug Discontinued	Other: XXXX

			DD							

Abbreviations: AE=Adverse Event

All AEs were coded using MedDRA version XX.X.

Source: adxx; Program name; Program run date/time

Programming Note: Sort by Subject ID and Start Date.

Listing 16.2.1.2

Demographics and Baseline Characteristics

Safety Population 2

Subject ID / Sex / Age	**Randomized Treatment Group**	**Country**	**Race**	**Ethnicity**	**Childbearing Potential / Reason Not Childbearing**	**Baseline Weight (kg)**	**Baseline Height (cm)**	**Baseline BMI (kg/m^2)**
XXX-XXXX / M or F / XX	Treatment Group A	XXX	American Indian or Alaska Native	Hispanic or Latino	Y	XX	XXX	XX.X
XXX-XXXX / M or F / XX	Treatment Group B	XXX	Asian	Not Hispanic or Latino	N / XXXX	XX	XXX	XX.X
XXX-XXXX / M or F / XX		XXX	Black or African American			XX	XXX	XX.X
XXX-XXXX / M or F / XX		XXX	Native Hawaiian or Other Pacific Islander			XX	XXX	XX.X
XXX-XXXX / M or F / XX		XXX	Not Reported			XX	XXX	XX.X
XXX-XXXX / M or F / XX		XXX	Other			XX	XXX	XX.X
XXX-XXXX / M or F / XX		XXX	Unknown			XX	XXX	XX.X
XXX-XXXX / M or F / XX		XXX	White			XX	XXX	XX.X

Source: adxx; Program name; Program run date/time

Listing 3.1

List of Discontinuation [JPMA]

Safety Population 2

Subject #	**Date of study withdrawal**	**Reason for study withdrawal**	**Date of treatment discontinuation**	**Study day of treatment discontinuation**	**Reason for treatment discontinuation**	**Duration of administration (day)**
xxxxxx	YYYY-MM-DD	Reason 1	YYYY-MM-DD	xx	Reason	xx
xxxxxx	YYYY-MM-DD	Reason 2	YYYY-MM-DD	xx	Reason	xx

Listing 16.x.y

Blank Listing

Safety Population