



BLG 354E HOMEWORK

a-


```
In [49]: runfile('/home/guray/Desktop/functionA.py', args='0 5 0 3 0 1 2 2 1 0 1 2  
3 4', wdir='/home/guray/Desktop')
```




```
In [50]: runfile('/home/guray/Desktop/functionA.py', args='0 5 0 3 0 1 2 2 1 0 1 2  
3 4', wdir='/home/guray/Desktop')
```




```
In [52]: runfile('/home/guray/Desktop/Signal0dev/functionA.py', args='0 5 0 3 0 2  
4 4 2 0 1 2 3 4', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [53]: runfile('/home/guray/Desktop/Signal0dev/functionA.py', args='0 5 0 3 0 2  
4 4 2 0 1 2 3 4', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [54]: runfile('/home/guray/Desktop/Signal0dev/functionA.py', args='0 5 0 3 0 2  
4 4 2 0 2 4 6 8', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [55]: runfile('/home/guray/Desktop/Signal0dev/functionA.py', args='0 5 0 3 0 2  
4 4 2 0 2 4 6 8', wdir='/home/guray/Desktop/Signal0dev')
```



```
In [56]: runfile('/home/guray/Desktop/SignalOdev/functionA.py', args='0 5 -5 5 -2  
2 -2 2 -2 2 -1 1 -1 1 -1 1 -1 1 -1 1 -1', wdir='/home/guray/Desktop/SignalOdev')
```




```
In [57]: runfile('/home/guray/Desktop/SignalOdev/functionA.py', args='0 5 -5 5 -2  
2 -2 2 -2 2 -1 1 -1 1 -1 1 -1 1 -1 1 -1', wdir='/home/guray/Desktop/SignalOdev')
```




b-


```
In [61]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 0 3 0 1  
2 2 1 0 1 2 3 4', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [62]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 0 3 0 1  
2 2 1 0 1 2 3 4', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [63]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 0 3 0 2  
4 4 2 0 1 2 3 4', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [64]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 0 3 0 2  
4 4 2 0 1 2 3 4', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [65]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 0 3 0 2  
4 4 2 0 2 4 6 8', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [66]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 0 3 0 2  
4 4 2 0 2 4 6 8', wdir='/home/guray/Desktop/Signal0dev')
```



```
In [67]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 -5 5 -2  
2 -2 2 -2 2 -1 1 -1 1 -1 1 -1 1 -1 1 -1', wdir='/home/guray/Desktop/Signal0dev')
```




```
In [68]: runfile('/home/guray/Desktop/Signal0dev/functionB.py', args='0 5 -5 5 -2  
2 -2 2 -2 2 -1 1 -1 1 -1 1 -1 1 -1 1 -1', wdir='/home/guray/Desktop/Signal0dev')
```




C-


```
In [70]: runfile('/home/guray/Desktop/funcitonC.py', args='0 5 0 3 0 1 2 2 1 0 1 2  
3 4', wdir='/home/guray/Desktop')
```




```
In [71]: runfile('/home/guray/Desktop/funcitonC.py', args='0 5 0 3 0 2 4 4 2 0 1 2  
3 4', wdir='/home/guray/Desktop')
```



```
In [72]: runfile('/home/guray/Desktop/funcitonC.py', args='0 5 0 3 0 2 4 4 2 0 2 4 6 8', wdir='/home/guray/Desktop')
```




```
In [73]: runfile('/home/guray/Desktop/funcitonC.py', args='0 5 -5 5 -2 2 -2 2 -2 2 -1 1 -1 1 -1 1 -1 1 -1', wdir='/home/guray/Desktop')
```




d-


```
In [74]: runfile('/home/guray/Desktop/funcitonD.py', args='0 5 0 3 0 1 2 2 1 0 1 2  
3 4', wdir='/home/guray/Desktop')
```



```
In [75]: runfile('/home/guray/Desktop/funcitonD.py', args='0 5 0 3 0 2 4 4 2 0 1 2  
3 4', wdir='/home/guray/Desktop')
```



```
In [76]: runfile('/home/guray/Desktop/funcitonD.py', args='0 5 0 3 0 2 4 4 2 0 2 4  
6 8', wdir='/home/guray/Desktop')
```



```
In [77]: runfile('/home/guray/Desktop/funcitonD.py', args='0 5 -5 5 -2 2 -2 2 -2 2  
-1 1 -1 1 -1 1 -1 1 -1', wdir='/home/guray/Desktop')
```

