Q1.) What are the different protocals you observe at the following layers of the protocol stack?

A.) Application layer :-

- HTTP (Hyper text Transfer protocal)
- DNS (Domain Name system)
- TLS (Transport Layer security) | HTTPS

B.) Transport Layer

- TCP (Transmission control protocal)
- UDP (User Datagram protocal)

C.) Network Layer

- IPV4 (Internet protocal version 4)
- ARP (Address Resolution Protocal)

Q.2) What is the total amount of Data being received?

A.) When you access http://neverssl.com/


Ans 74 bytes


explain:- from the Wireshark capture with http filter the server responce from IP 192.178.158.38 to my IP 10.85.16.108 has a packet length of 74 bytes.


info: HTTP/1.1 200 OK

B.) When we Access https://www.cornell.edu/

Ans : 1070byte


tls
tls
No. Time Source Destination Protocol Length Info
1110 8.334787700 216.239.36.223 10.85.16.108 QUIC 1292 Initial, SCID=e3486bf98ae25878, PKN: 4, CRYPTO, PADDING
1113 8.337889300 142.250.122.102 10.85.16.108 TLSv1.3 623 Application Data
1114 8.337890600 142.250.122.102 10.85.16.108 TLSv1.3 166 Application Data
1115 8.337891300 142.250.122.102 10.85.16.108 TLSv1.3 85 Application Data
1117 8.339683500 142.250.122.102 10.85.16.108 TLSv1.3 93 Application Data
1120 8.340043800 10.85.16.108 142.250.122.102 TLSv1.3 93 Application Data
1138 8.366202900 10.85.16.108 192.178.158.84 QUIC 1292 Initial, DCID=d6da8e1a2e4979f6, PKN: 2, PADDING, CRYPTO, PADDING, PING, PING, CRYPTO, PING, PADDING, CRYPTO, CRYPTO, PADDING, CR
1144 8.382706200 142.251.156.119 10.85.16.108 TLSv1.3 1070 Application Data, Application Data
1147 8.383041100 142.251.156.119 10.85.16.108 TLSv1.3 1070 Application Data, Application Data
1148 8.383041900 142.251.156.119 10.85.16.108 TLSv1.3 1070 Application Data, Application Data
1168 8.403924300 216.239.36.223 10.85.16.108 TLSv1.3 822 [TCP Previous segment not captured] , Application Data
1170 8.403930200 216.239.36.223 10.85.16.108 TLSv1.3 85 Application Data
1171 8.403932000 216.239.36.223 10.85.16.108 TLSv1.3 93 Application Data
1176 8.406179000 10.85.16.108 216.239.36.223 TLSv1.3 93 Application Data
1184 8.426520800 192.178.158.84 10.85.16.108 QUIC 1292 Initial, SCID=f6da8e1a2e4979f6, PKN: 3, CRYPTO, PADDING
1185 8.426600300 192.178.158.84 10.85.16.108 QUIC 1292 Initial, SCID=f6da8e1a2e4979f6, PKN: 4, CRYPTO, PADDING
1193 8.438001000 216.239.36.223 10.85.16.108 TLSv1.3 831 [TCP Previous segment not captured] , Application Data
1194 8.438001800 216.239.36.223 10.85.16.108 TLSv1.3 125 [TCP Out-Of-Order] , Application Data
1197 8.439067600 216.239.36.223 10.85.16.108 TLSv1.3 85 Application Data
Frame 1148: Packet, 1070 bytes on wire (8560 bits), 1070 bytes captured (8560 bits) on interface \Device
Ethernet II, Src: TPLink_74:07:b9 (b0:19:21:74:07:b9), Dst: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05)
Internet Protocol Version 4, Src: 142.251.156.119, Dst: 10.85.16.108
Transmission Control Protocol, Src Port: 443, Dst Port: 64357, Seq: 4078, Ack: 1896, Len: 1016
Transport Layer Security
0000 ac d5 64 8b c2 05 b0 19 21 74 07 b9 08 00 45 80
0010 04 20 60 22 00 00 7a 06 96 02 8e fb 9c 77 0a 55
0020 10 6c 01 bb fb 65 6e 04 ad 52 9e 61 6a 49 50 18
0030 04 17 81 ef 00 00 17 03 03 03 b5 30 05 ba ff b2
0040 c1 6c e4 04 c7 5b 68 d3 70 ba 82 82 80 b2 78 f9
0050 bd 64 4d 76 72 1b 3d e8 d3 73 33 9f a6 81 ef b2
0060 d8 9a f5 22 bc 82 9e 86 b4 1a c7 13 96 25 4f 52
0070 06 bd 9d 20 c3 fb 2e 8a 77 3b aa 80 4a ee 57 2d
0080 86 ea 08 bf ca 87 0c 30 9f 48 7b 06 40 5c 04 3c
0090 9f f0 25 b4 c1 cf 2e 55 3a 5d 8b 09 27 51 8c ea
00a0 4c fa 61 71 03 4d fb 47 f4 27 10 9b 88 bb 70 bd
00b0 8d 85 a8 95 f6 54 35 06 8b ee 66 17 ff e1 16 e1
00c0 f4 03 bd cc e8 a9 ec 71 32 c9 8d 21 7b 29 e9 f6
00d0 70 0b 76 59 4c e1 42 eb 77 a6 82 c2 f5 b6 40 6b
00e0 41 1c 61 da 5d bc 0c 91 3e 0d 5b d7 77 2f c7 16
00f0 2a 52 ea 61 cd 19 e5 76 1a 8c 6a bc 13 a5 f2 da
0100 20 80 3a a6 59 36 57 1e cd 70 c5 72 5a a8 1a 52
0110 bb 2a 1b 33 c7 93 f3 cd 82 b0 0d d3 00 07 d4 f2
0120 35 7b 21 01 43 9c 69 e1 ea 02 a7 9b 43 46 e9 7c
0130 ad ac 5f a4 21 60 75 2f b9 c2 55 ba ec 34 3b f2
0140 75 44 03 7f e4 b9 70 44 a6 23 2a 45 dd c8 c0 d4
0150 18 b6 96 e3 5a eb 06 44 28 ed 45 f9 32 36 cb 97


File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tcp.port==443
No. Time Source Destination Protocol Length Info
1128 8.343656200 10.85.16.108 192.178.158.84 TCP 54 64029 → 443 [FIN, ACK] Seq=9441 Ack=8634 Win=65024 Len=0
1132 8.353764900 192.178.158.84 10.85.16.108 TCP 60 443 → 64029 [ACK] Seq=8634 Ack=9441 Win=260864 Len=0
1139 8.373638900 216.239.36.223 10.85.16.108 TCP 66 443 → 63680 [ACK] Seq=6981 Ack=4751 Win=265472 Len=0 SLE=5946 SRE=6252
1140 8.373639800 216.239.36.223 10.85.16.108 TCP 60 443 → 63680 [ACK] Seq=6981 Ack=6252 Win=264192 Len=0
1141 8.379542700 104.18.25.232 10.85.16.108 TCP 60 443 → 64948 [ACK] Seq=9348 Ack=2352 Win=139264 Len=0
1144 8.382706200 142.251.156.119 10.85.16.108 TLSv1.3 1070 Application Data, Application Data
1145 8.382707300 142.251.156.119 10.85.16.108 TCP 60 443 → 49750 [FIN, ACK] Seq=5094 Ack=1896 Win=268032 Len=0
1146 8.382830200 10.85.16.108 142.251.156.119 TCP 54 49750 → 443 [RST, ACK] Seq=1896 Ack=5094 Win=0 Len=0
1147 8.383041100 142.251.156.119 10.85.16.108 TLSv1.3 1070 Application Data, Application Data
1148 8.383041900 142.251.156.119 10.85.16.108 TLSv1.3 1070 Application Data, Application Data
1149 8.383106300 10.85.16.108 142.251.156.119 TCP 54 65254 → 443 [RST, ACK] Seq=1800 Ack=5094 Win=0 Len=0
1150 8.383154700 10.85.16.108 142.251.156.119 TCP 54 64357 → 443 [RST, ACK] Seq=1896 Ack=5094 Win=0 Len=0
1151 8.384504200 142.251.156.119 10.85.16.108 TCP 60 443 → 64357 [FIN, ACK] Seq=5094 Ack=1896 Win=268032 Len=0
1152 8.384510900 142.251.156.119 10.85.16.108 TCP 60 443 → 65254 [FIN, ACK] Seq=5094 Ack=1800 Win=268032 Len=0
1153 8.392143800 104.18.25.232 10.85.16.108 TCP 60 443 → 64948 [FIN, ACK] Seq=9348 Ack=2353 Win=139264 Len=0
1154 8.392257800 10.85.16.108 104.18.25.232 TCP 54 64948 → 443 [ACK] Seq=2353 Ack=9349 Win=65280 Len=0
1164 8.402168100 192.178.158.84 10.85.16.108 TCP 60 443 → 64029 [FIN, ACK] Seq=8634 Ack=9442 Win=260864 Len=0
1167 8.402692400 10.85.16.108 192.178.158.84 TCP 54 64029 → 443 [ACK] Seq=9442 Ack=8635 Win=65024 Len=0
1168 8.403924300 216.239.36.223 10.85.16.108 TLSv1.3 822 [TCP Previous segment not captured] , Application Data
Frame 1148: Packet, 1070 bytes on wire (8560 bits), 1070 bytes captured (8560 bits) on interface \Device
Ethernet II, Src: TPLink_74:07:b9 (b0:19:21:74:07:b9), Dst: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05)
Internet Protocol Version 4, Src: 142.251.156.119, Dst: 10.85.16.108
Transmission Control Protocol, Src Port: 443, Dst Port: 64357, Seq: 4078, Ack: 1896, Len: 1016
Transport Layer Security
0000 ac d5 64 8b c2 05 b0 19 21 74 07 b9 08 00 45 80
0010 04 20 60 22 00 00 7a 06 96 02 8e fb 9c 77 0a 55
0020 10 6c 01 bb fb 65 6e 04 ad 52 9e 61 6a 49 50 18
0030 04 17 81 ef 00 00 17 03 03 03 b5 30 05 ba ff b2
0040 c1 6c e4 04 c7 5b 68 d3 70 ba 82 82 80 b2 78 f9
0050 bd 64 4d 76 72 1b 3d e8 d3 73 33 9f a6 81 ef b2
0060 d8 9a f5 22 bc 82 9e 86 b4 1a c7 13 96 25 4f 52
0070 06 bd 9d 20 c3 fb 2e 8a 77 3b aa 80 4a ee 57 2d
0080 86 ea 08 bf ca 87 0c 30 9f 48 7b 06 40 5c 04 3c
0090 9f f0 25 b4 c1 cf 2e 55 3a 5d 8b 09 27 51 8c ea
00a0 4c fa 61 71 03 4d fb 47 f4 27 10 9b 88 bb 70 bd
00b0 8d 85 a8 95 f6 54 35 06 8b ee 66 17 ff e1 16 e1
00c0 f4 03 bd cc e8 a9 ec 71 32 c9 8d 21 7b 29 e9 f6
00d0 70 0b 76 59 4c e1 42 eb 77 a6 82 c2 f5 b6 40 6b
00e0 41 1c 61 da 5d bc 0c 91 3e 0d 5b d7 77 2f c7 16
00f0 2a 52 ea 61 cd 19 e5 76 1a 8c 6a bc 13 a5 f2 da
0100 20 80 3a a6 59 36 57 1e cd 70 c5 72 5a a8 1a 52
0110 bb 2a 1b 33 c7 93 f3 cd 82 b0 0d d3 00 07 d4 f2
0120 35 7b 21 01 43 9c 69 e1 ea 02 a7 9b 43 46 e9 7c
0130 ad ac 5f a4 21 60 75 2f b9 c2 55 ba ec 34 3b f2
0140 75 44 03 7f e4 b9 70 44 a6 23 2a 45 dd c8 c0 d4
0150 18 b6 96 e3 5a eb 06 44 28 ed 45 f9 32 36 cb 97


http.request.method==GET
No. Time Source Destination Protocol Length Info
1163 8.399996300 10.85.16.108 192.178.158.138 HTTP 465 GET /time/1/current?cup2key=9:R0ahhH94FsQvN7L80yeNKsSmWD_WV2ywE1sRuc1lt6I&cup2hreq=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca4
6237 55.874746000 10.85.16.108 13.107.213.72 HTTP 857 GET / HTTP/1.1
47968 171.077851600 10.85.16.108 34.223.124.45 HTTP 564 GET /online HTTP/1.1
48299 174.457700600 10.85.16.108 34.223.124.45 HTTP 565 GET /online/ HTTP/1.1
48345 174.797539500 10.85.16.108 34.223.124.45 HTTP 500 GET /favicon.ico HTTP/1.1
51142 204.992501500 10.85.16.108 13.107.246.72 HTTP 919 GET / HTTP/1.1
Frame 1163: Packet, 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface \Device\
Ethernet II, Src: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:
Internet Protocol Version 4, Src: 10.85.16.108, Dst: 192.178.158.138
Transmission Control Protocol, Src Port: 52563, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
0000 f8 e4 3b 35 2d a0 ac d5 64 8b c2 05 08 00 45 00 ··;5-··· d·····E·
0010 01 c3 4f 8c 40 00 80 06 2f ab 0a 55 10 6c c0 b2 ··O·@··· /··U·l··
0020 9e 8a cd 53 00 50 8b 90 2f 2f 4e 8c 36 ba 50 18 ···S·P·· //N·6·P·
0030 00 ff 45 17 00 00 47 45 54 20 2f 74 69 6d 65 2f ··E···GE T /time/
0040 31 2f 63 75 72 72 65 6e 74 3f 63 75 70 32 6b 65 1/curren t?cup2ke
0050 79 3d 39 3a 52 30 61 68 68 48 39 34 46 73 51 76 y=9:R0ah hH94FsQv
0060 4e 37 4c 38 30 79 65 4e 4b 73 53 6d 57 44 5f 57 N7L80yeN KsSmWD_W
0070 56 32 79 77 45 31 73 52 75 63 31 6c 74 36 49 26 V2ywE1sR uc1lt6I&
0080 63 75 70 32 68 72 65 71 3d 65 33 62 30 63 34 34 cup2hreq =e3b0c44
0090 32 39 38 66 63 31 63 31 34 39 61 66 62 66 34 63 298fc1c1 49afbf4c
00a0 38 39 39 36 66 62 39 32 34 32 37 61 65 34 31 65 8996fb92 427ae41e
00b0 34 36 34 39 62 39 33 34 63 61 34 39 35 39 39 31 4649b934 ca495991
00c0 62 37 38 35 32 62 38 35 35 20 48 54 54 50 2f 31 b7852b85 5 HTTP/1
00d0 2e 31 0d 0a 48 6f 73 74 3a 20 63 6c 69 65 6e 74 .1··Host : client
00e0 73 32 2e 67 6f 6f 67 6c 65 2e 63 6f 6d 0d 0a 43 s2.googl e.com··C
00f0 6f 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d onnectio n: keep-
0100 61 6c 69 76 65 0d 0a 50 72 61 67 6d 61 3a 20 6e alive··P ragma: n
0110 6f 2d 63 61 63 68 65 0d 0a 43 61 63 68 65 2d 43 o-cache·· Cache-C
0120 6f 6e 74 72 6f 6c 3a 20 6e 6f 2d 63 61 63 68 65 ontrol: no-cache
0130 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f ··User-A gent: Mo
0140 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 6f zilla/5. 0 (Windo
0150 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e 36 ws NT 10 .0; Win6

Explanation :-

from the Wireshark capture with its filter the server response from IP 142.251.156.119 to my IP 10.85.16.108 has a packet length of 1070 bytes.

Protocal :- TLSv 1.3, Info - Application Data

Q3.) Answer the following When you access the site http://neverssl.com/.

A. How many HTTP Get requests do you observe? List down the Get requests.

Ans :- HTTP Get request

List - Get /time /1/ current ? cop? key = -- HTTP /1.1

proof : on screenshot info column HTTP /1.1

B.) What version of HTTP the server is running ?

Ans :- HTTP /1.1


C.) for the HTTP Get request :-


(i) Total number of tcp segments received : 2 segments


(ii) Total amount of Data in HTTP response : 74 bytes

D.) What are the sequence numbers in the TCP 3-way handshake?

=) filter use : IP adder == 192.178.158.138 and tcp.flags.syn == 1. screenshot


ile Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.addr==192.178.158.138 and tcp.flags.syn==1
o. Time Source Destination Protocol Length Info
597 7.960081900 10.85.16.108 192.178.158.138 TCP 66 58703 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
836 8.151562800 10.85.16.108 192.178.158.138 TCP 66 51599 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
1122 8.340904300 10.85.16.108 192.178.158.138 TCP 66 52563 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
1161 8.399447500 192.178.158.138 10.85.16.108 TCP 66 80 → 52563 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1351 8.747357700 192.178.158.138 10.85.16.108 TCP 66 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1352 8.747358100 192.178.158.138 10.85.16.108 TCP 66 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1548 9.052470600 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1549 9.054921900 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1896 11.072118300 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1897 11.086178000 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
2685 15.102015800 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
2686 15.118531700 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
3452 23.309895000 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
3459 23.423139900 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
4833 39.693602800 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
4840 39.806508800 192.178.158.138 10.85.16.108 TCP 66 [TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
8275 67.545997500 10.85.16.108 192.178.158.138 TCP 66 63561 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
8292 67.604753000 192.178.158.138 10.85.16.108 TCP 66 443 → 63561 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
Frame 1161: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{
Ethernet II, Src: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:a0), Dst: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:
Internet Protocol Version 4, Src: 192.178.158.138, Dst: 10.85.16.108
Transmission Control Protocol, Src Port: 80, Dst Port: 52563, Seq: 0, Ack: 1, Len: 0
0000 ac d5 64 8b c2 05 f8 e4 3b 35 2d a0 08 00 45 80
0010 00 34 00 00 40 00 7a 06 86 46 c0 b2 9e 8a 0a 55
0020 10 6c 00 50 cd 53 4e 8c 36 b9 8b 90 2f 2f 80 12
0030 ff ff e7 89 00 00 02 04 05 84 01 01 04 02 01 03
0040 03 08
lab02.pcapng
Packets: 54632 · Displayed: 18 (0.0%)
Profile: Defaul
30°C
ENG
06:31 PM


Wireshark · Packet 6237 · lab02.pcapng
Frame 6237: Packet, 857 bytes on wire (6856 bits), 857 bytes captured (6856 bits) on interface \Device\NPF_{D93454E8-1742-4E92-B78F-3B2A145942F2}, id 0
Ethernet II, Src: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:a0)
Internet Protocol Version 4, Src: 10.85.16.108, Dst: 13.107.213.72
Transmission Control Protocol, Src Port: 55754, Dst Port: 80, Seq: 1, Ack: 1, Len: 803
Hypertext Transfer Protocol
0000 f8 e4 3b 35 2d a0 ac d5 64 8b c2 05 08 00 45 00 ··;5-··· d·····E·
0010 03 4b 6b 7f 40 00 80 06 8e b9 0a 55 10 6c 0d 6b ·Kk·@··· ···U·l·k
0020 d5 48 d9 ca 00 50 f0 43 41 70 b7 f4 4b 3a 50 18 ·H···P·C Ap··K:P·
0030 00 ff 51 08 00 00 47 45 54 20 2f 20 48 54 54 50 ··Q···GE T / HTTP
0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 77 77 77 2e /1.1··Ho st: www.
0050 63 6f 72 6e 65 6c 6c 2e 65 64 75 0d 0a 43 6f 6e cornell. edu··Con
0060 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c nection: keep-al
0070 69 76 65 0d 0a 55 70 67 72 61 64 65 2d 49 6e 73 ive··Upg rade-Ins
0080 65 63 75 72 65 2d 52 65 71 75 65 73 74 73 3a 20 ecure-Re quests:
0090 31 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 1··User- Agent: M
00a0 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 ozilla/5 .0 (Wind
00b0 6f 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e ows NT 1 0.0; Win
00c0 36 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 64; x64) AppleWe
00d0 62 4b 69 74 2f 35 33 37 2e 33 36 20 28 4b 48 54 bKit/537 .36 (KHT
00e0 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 20 ML, like Gecko)
00f0 43 68 72 6f 6d 65 2f 31 34 33 2e 30 2e 30 2e 30 Chrome/1 43.0.0.0
0100 20 53 61 66 61 72 69 2f 35 33 37 2e 33 36 0d 0a Safari/ 537.36··
0110 41 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 6d Accept: text/htm
0120 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 68 l,applic ation/xh
0130 74 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 74 tml+xml, applicat
0140 69 6f 6e 2f 78 6d 6c 3b 71 3d 30 2e 39 2c 69 6d ion/xml; q=0.9,im
0150 61 67 65 2f 61 76 69 66 2c 69 6d 61 67 65 2f 77 age/avif ,image/w
0160 65 62 70 2c 69 6d 61 67 65 2f 61 70 6e 67 2c 2a ebp,imag e/apng,*
o.: 6237 · Time: 55.874746000 · Source: 10.85.16.108 · Destination: 13.107.213.72 · Protocol: HTTP · Length: 857 · Info: GET / HTTP/1.1
Show packet bytes
Layout: Vertical (Stacked)
Close
Help


Frame 1163: Packet, 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface \Device\NPF_{D93454E8-1742-4E92-B78F-3B2A145942F2}, id 0
Ethernet II, Src: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:a0)
Internet Protocol Version 4, Src: 10.85.16.108, Dst: 192.178.158.138
Transmission Control Protocol, Src Port: 52563, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
0000 f8 e4 3b 35 2d a0 ac d5 64 8b c2 05 08 00 45 00 ··;5-··· d·····E·
0010 01 c3 4f 8c 40 00 80 06 2f ab 0a 55 10 6c c0 b2 ··O·@··· /··U·l··
0020 9e 8a cd 53 00 50 8b 90 2f 2f 4e 8c 36 ba 50 18 ···S·P·· //N·6·P·
0030 00 ff 45 17 00 00 47 45 54 20 2f 74 69 6d 65 2f ··E···GE T /time/
0040 31 2f 63 75 72 72 65 6e 74 3f 63 75 70 32 6b 65 1/curren t?cup2ke
0050 79 3d 39 3a 52 30 61 68 68 48 39 34 46 73 51 76 y=9:R0ah hH94FsQv
0060 4e 37 4c 38 30 79 65 4e 4b 73 53 6d 57 44 5f 57 N7L80yeN KsSmWD_W
0070 56 32 79 77 45 31 73 52 75 63 31 6c 74 36 49 26 V2ywE1sR uc1lt6I&
0080 63 75 70 32 68 72 65 71 3d 65 33 62 30 63 34 34 cup2hreq =e3b0c44
0090 32 39 38 66 63 31 63 31 34 39 61 66 62 66 34 63 298fc1c1 49afbf4c
00a0 38 39 39 36 66 62 39 32 34 32 37 61 65 34 31 65 8996fb92 427ae41e
00b0 34 36 34 39 62 39 33 34 63 61 34 39 35 39 39 31 4649b934 ca495991
00c0 62 37 38 35 32 62 38 35 35 20 48 54 54 50 2f 31 b7852b85 5 HTTP/1
00d0 2e 31 0d 0a 48 6f 73 74 3a 20 63 6c 69 65 6e 74 .1··Host : client
00e0 73 32 2e 67 6f 6f 67 6c 65 2e 63 6f 6d 0d 0a 43 s2.googl e.com··C
00f0 6f 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d onnectio n: keep-
0100 61 6c 69 76 65 0d 0a 50 72 61 67 6d 61 3a 20 6e alive··P ragma: n
0110 6f 2d 63 61 63 68 65 0d 0a 43 61 63 68 65 2d 43 o-cache· ·Cache-C
0120 6f 6e 74 72 6f 6c 3a 20 6e 6f 2d 63 61 63 68 65 ontrol: no-cache
0130 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f ··User-A gent: Mo
0140 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 6f zilla/5. 0 (Windo
0150 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e 36 ws NT 10 .0; Win6
0160 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 62 4; x64) AppleWeb
1: 1163 · Time: 8.399996300 · Source: 10.85.16.108 · Destination: 192.178.158.138 · Protocol: HTTP · Length: 465 · Info: GET /time/1/current?cup2key=9:R0ahhH94FsQvN7L80yeNKsSmWD_WV2ywE1sRuc1lt6I&cup2hreq=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855 HTTP/1.1
Show packet bytes
Layout: Vertical (Stacked)
Close
Help