



SOEN 6461
SOFTWARE DESIGN METHODOLOGY
winter 2017

Deliverable 1

Declaration

We, the members of the team, have read and understood the Communal Work Protocol, and agree to abide by it, without any exception, under any circumstances, whatsoever.

Team H

Nikita Baranov
Gurpreet Raju
Kirtan solanki
Ajeeta kaveti
Navdeep
Jyotsna rana
Rajan Takiar

1 TABLE OF CONTENTS

2	Introduction.....	3
2.1	Project overview.....	3
2.2	Project scope	3
2.3	Document preview	3
3	Overall description.....	3
3.1	Product Perspective:.....	3
3.2	Product features.....	4
4	System features	6
4.1	Use case diagram.....	6
4.2	Fully dressed scenarios for above system.	7
4.3	Domain model diagram for system: -.....	9
4.4	Sequence diagram	10
5	external interface requirements.....	13
5.1	User Interfaces.....	13
5.2	hardware interface	17
5.3	software interface	17
5.4	communication interface	17
5.5	constraints.....	17
6	Other non-functional requirements	17
6.1	Performance: -	17
6.2	security	18
6.3	software quality attribute.....	18
6.4	maintainability.....	18
6.5	Reliability	18
7	Appendix A: glossary	18
8	Appendix B: references.....	19

2 INTRODUCTION

The purpose of the system is to provide bridge between client and stock market. Customer can view the chart of loser and gainer from stock market through system. Methodology of system allows the client to select specific time for stock movement with chart so client can conclude whether to purchase stocks from share market.

2.1 PROJECT OVERVIEW

The purpose of this document is to present the design of the stock market analysis, It will provide details on the architectural design, the software interface design, and the internal module design. The architectural design will describe the software architecture that was chosen for the system and a class diagram of this architecture. The software interface design will have screen shots of the graphical user interface and how the users interact with the system. Finally, the internal module design will describe in detail the different modules using class diagrams.

2.2 PROJECT SCOPE

This project made up of creating moving average charts that depends on stock market by selecting specific time. The system modules include client's registration, edit profile of client, select moving average period of system and view the chart of the system. So, through the system client can see the moving average of stock market and make decision.

2.3 DOCUMENT PREVIEW

This document uses the IEEE standard Times New Roman size 12 fonts. Bold/Underline is used to convey important terms. Every requirement statement will have its own priority.

3 OVERALL DESCRIPTION

3.1 PRODUCT PERSPECTIVE:

The Stock market analysis application being developed for profit RUS Software Engineering Company is a new self-contained product. It contains the following features:

Moving averages: user can add simple moving averages on chart, and can customize the time frame for each one.

chart: Displays the stock analysis

indicator: Allows you to select an indicator.

3.2 PRODUCT FEATURES

3.2.1 Moving average:

- Select moving average
- Adjust time period

3.2.2 Chart:

Create a new chart

3.2.3 Indicator:

Displays the moving average

3.2.4 User Classes and Characteristics:

The users of the stock market analysis application will vary from Software Engineering students to Software Engineering professionals. We will categorize the users of the stock market analysis application as Power Users, Intermediate Users and End Users. The Power User is highly educated, experienced and has a high level of technical expertise. He/She is most likely a professional Software Engineer possibly a leader of a group of Software Engineers working on a project. He/She will have the highest security/privilege level and will use the product more than any other user. Therefore, the Software Engineer is the favoured user class of the stock market analysis application. The Intermediate User is educated, has some technical expertise and some experience. He/She is a working Software Engineering professional or Graduate Student, and will have some privileged access. He/She will use the product some of the time. The End User has low or no technical expertise and low privileges. Possibly a student or customer, he/she will use the product very minimally and just for reference.

3.2.5 Operating Environment

The operating system will be Microsoft Windows 7 running java virtual machine. Eclipse SDK Version 3.2.1 will be used. Other software components include Eclipse Java Development Tools, Eclipse Plug-In development environment, etc.

3.2.6 Design and Implementation Constraints

The programming language used to implement the stock market analysis will be Java. The user will have limited access to login and choose the indicator which includes: simple moving average, exponential moving average, money flow index, relative strength index will also have limited access. There will also be some user restrictions on the charts. Future upgrades and maintenance of the software will be handled by profit RUS Software Company

3.2.7 User Documentation

The user documentation standard we will use is List or Reference. The commands will be listed alphabetically and indexed. This standard will appeal to the advanced user.

3.2.8 Assumptions and Dependencies:

The development requires the Microsoft Windows operating system. There will be 2 user types: Registered users and unregistered users. There will be limited access to the system. At this point, it is not clear whether or not we will use software components from another project.

3.2.9 Budget

The objective of the project plan and measure is to give lucid view of the project which helps to increase the project planning and increase the visibility of the project. Plan and measurement also give the status of the project and inform the sponsor and senior about project.

Time schedule

Velocity of project = no of story point / no of story point completed by iteration

No of story point = 8

No of story point completed by iteration = 2

Velocity = $8/2 = 4$ iterations.

Budget schedule

Iteration	Number	Days	Hours	Men	Estimated Cost	Margin
Iteration	0	12	84	7	11760	+-10%
Iteration	1	10	70	7	9800	+-10%
Iteration	2	12	84	7	11760	+-10%
Iteration	3	12	84	7	11760	+-10%
Total	3	34	238	-	45080	

Detailed scheduling

1) Scope planning meeting

Project team member present the stories that require to be completed in that iteration. In this meeting project brief introduction is given. Time for this meeting is 1 hour.

2) Stand-up meeting


This meeting is held every day and discuss about previous day work and work detail about present day. Write down Limitation and new other obstacle will encountered by team. Time for this meeting is ten minutes

3) Backlog grooming meeting

Purpose of this meeting is to identify new user stories that added by team. This meeting held in each and every iteration. Time limitation for this meeting is 1 hour.

4 SYSTEM FEATURES

4.1 USE CASE DIAGRAM



4.2 FULLY DRESSED SCENARIOS FOR ABOVE SYSTEM.

Number	1
Name	Registration
Priority	First
Primary actor	Client
Secondary actor	Database
Summary	Client able to register
Preconditions	Internet connection, email id
Postconditions	Client success fully registered
Trigger	Client
Scenarios	User will open ----- User will register in the system. User provides email id and password. User will able to view his/her profile. User allow to edit profile.
Exceptions	3.1 customer registration is not valid 3.2 customer provides another email-id.

Number	2
Name	Log in
Priority	First
Primary actor	Client
Secondary actor	Database
Summary	Client able to login
Preconditions	Internet connection, email id, password
Postconditions	Client success fully logged in
Trigger	Client clicks on login button
Scenarios	User will login in the system. User provides email id and password. User will able to view his/her profile. User allow to edit profile.
Exceptions	2.1 customer login is not valid. 2.2 customer provides incorrect email-id. 2.3 customer provides incorrect password.

Number	3
Name	My watch list
Priority	Second
Primary actor	Client
Secondary actor	Database
Summary	Client see MA chart
Preconditions	Valid login
Postconditions	Client able to see price, MA chart
Trigger	Client write ma period


Scenarios	User will login in the system. User will add MA period. User can change MA period. User can see MA graph.
Exceptions	1.1 customer login is not valid. 2.2 customer provides incorrect MA period.

Number	4
Name	Change MA period
Priority	Third
Primary actor	Client
Secondary actor	Database
Summary	Client can change indicator of MA period.
Preconditions	Valid login
Postconditions	Client able to see price, MA chart
Trigger	Client write MA period.
Scenarios	User will login in the system. User will add MA period. User can change MA period. User can see MA graph.

Number	5
Name	Log out
Priority	First
Primary actor	Client
Secondary actor	Database
Summary	Client able to logout
Preconditions	Logged in
Postconditions	Client success fully logged out
Trigger	Client clicks on logout button
Scenarios	User will login in the system. User provides email id and password. User will able to view his/her profile. User allow to edit profile. User will add MA period. User can change MA period. User can see MA graph User log out from system.
Exceptions	customer unable to log out due to low internet connection.


Priority 1> first =low 2> second =medium 3> third =high

4.3 DOMAIN MODEL DIAGRAM FOR SYSTEM: -




4.4 SEQUENCE DIAGRAM


4.4.1 Registration




4.4.2 Login




4.4.3 Client View MA



4.4.4 Logout



4.4.5 System Sequence Diagram:




5 EXTERNAL INTERFACE REQUIREMENTS

5.1 USER INTERFACES

5.1.1 login

This interface contains two major things one is user email id and another is password from user. Also, user has three attempt to enter correct password.


Screen shot for login



5.1.2 stock view

This interface shows the panel that contains the main four functions 1)select name of the stock 2)staring and end date for moving average period from user 3)next button for viewing the chart 4) last option allows user to add share stock for watch.

Screen shot for stock view



5.1.3 Technical analysis view

This interface shows the chart for selected moving average period which is selected by user. The line chart represents the losing or gaining stock. This panel also shows the back button that allows user to go back and change the moving average period.

Screenshot for technical analysis view



```
Projects - Java - StockMarketAnalysis/src/Model/Data.java - Eclipse
File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer
src
  Controller
    LoginController.java
    StockController.java
    TechnicalAnalysisContro
  Main
    Main.java
    Chart.java
    Data.java
    DTSTest.java
    Indicator.java
    LineChart.java
    Login.java
    SMAIndicator.java
    Stock.java
    TechnicalAnalysis.java
  View
    LoginView.java
    StockView.java
    TechnicalAnalysisViewJa
  JRE System Library [JavaSE-1.8]
  Referenced Libraries
  lib

Main.java
1 package Model;
2
3 import java.io.BufferedReader;
4
5 public class Data {
6
7     public LinkedList<String[]> getData(String[] timeperiod) throws Exception {
8         LinkedList<String[]> linkedlist = new LinkedList<String[]>();
9
10        String[] datefrom = timeperiod[0].split(","); // format MM,DD,YYYY
11        String[] dateto = timeperiod[1].split(","); // format MM,DD,YYYY
12        String urlString = "http://chart.finance.yahoo.com/table.csv?s=GOOGL&a="+ d
13        //System.out.println(urlString);
14        URL oracle = new URL(urlString);
15        URLConnection url = oracle.openConnection();
16        BufferedReader in = new BufferedReader(new InputStreamReader(url.getInputStream()));
17        String inputline;
18        while ((inputline = in.readLine()) != null)
19        {
20            String[] line = inputline.split(",");
21            System.out.println(line[0] + " " + line[1] + " " + line[2] + " " + line[3] + " "
22            linkedlist.add(line);
23        }
24        in.close();
25
26        linkedlist.removeFirst();
27
28        return linkedlist;
29    }
30
31    public static void main(String[] arg) throws Exception{
32        Data data = new Data();
33        String[] time = {"01,01,2016","01,01,2017"};
34        data.getData(time);
35    }
36
37 }
38
39
40

<terminated> Data (1) [Java Application] C:\Program Files\Java\jre1.8.0_101\bin\javaw.exe (Mar 4, 2017, 11:46:28 P
Date Open High Low Close Volume Adj Close
2017-02-01 824.00 824.00 812.25 815.23999 2244300 815.23999
2017-01-31 819.50 823.07007 813.40002 820.19000 2015400 820.19000
2017-01-30 837.05998 837.22998 821.03002 823.83007 3512000 823.83007
2017-01-27 859.00 867.00 841.90002 845.03002 3740600 845.03002
2017-01-26 859.04998 861.00 850.52002 856.97998 3076000 856.97998
2017-01-25 853.54998 858.78997 849.73999 858.45002 1655400 858.45002
2017-01-24 846.97998 851.52002 842.28002 849.53002 1686200 849.53002
2017-01-23 831.60998 845.53997 828.70002 844.42999 2453600 844.42999
2017-01-20 829.09002 829.23999 824.59997 828.16998 1277300 828.16998
2017-01-19 829.00 831.00 823.96002 824.36999 1068500 824.36999
2017-01-18 829.79998 829.80998 824.08007 829.02002 1026000 829.02002
2017-01-17 830.00 830.17999 823.20002 827.46002 1439700 827.46002
2017-01-13 831.00 834.65002 829.52002 830.94002 1288000 830.94002
2017-01-12 828.38005 830.38005 821.01001 829.53002 1349500 829.53002
2017-01-11 826.61999 829.90002 821.46997 829.85998 1320200 829.85998
2017-01-10 827.07007 829.40997 823.14001 826.01001 1194500 826.01001
2017-01-09 826.36999 830.42999 821.61999 827.17999 1406800 827.17999
2017-01-06 814.98999 828.96002 811.50 825.21002 2009600 825.21002
2017-01-05 807.50 813.73999 805.91998 813.02002 1326600 813.02002
2017-01-04 809.89001 813.42999 804.10998 807.77002 1505200 807.77002
2017-01-03 800.61999 811.44002 796.89001 808.01001 1956200 808.01001
2016-12-30 803.21002 823.28997 789.61999 792.45002 1728300 792.45002
2016-12-29 802.33007 805.75 798.14001 802.88005 1056500 802.88005
2016-12-28 813.33007 813.33007 802.44002 804.57007 1199700 804.57007
2016-12-27 808.67999 816.00 805.79998 809.92999 974400 809.92999
2016-12-23 808.01001 810.96997 805.10998 807.79998 764100 807.79998
2016-12-22 809.09997 811.07007 806.03002 809.67999 1315600 809.67999
2016-12-21 815.71997 815.71997 805.09997 812.20002 1245400 812.20002
2016-12-20 813.36999 816.48999 811.00 815.20002 1270200 815.20002
2016-12-19 809.28002 816.21997 804.50 812.50 1256600 812.50
2016-12-16 818.30998 819.20002 808.11999 809.84007 1750100 809.84007
2016-12-15 817.35998 823.00 812.00 815.65002 1768500 815.65002
2016-12-14 815.91998 824.26001 812.78002 817.89001 1769700 817.89001
2016-12-13 812.39001 824.29998 811.94002 815.34002 2103300 815.34002
2016-12-12 804.82007 811.34997 804.53002 807.90002 1627300 807.90002
2016-12-09 799.29998 809.95002 798.04998 809.45002 1894000 809.45002
2016-12-08 792.95002 799.00 787.90997 795.16998 1608300 795.16998
2016-12-07 779.95002 792.00 773.53002 791.46997 2018300 791.46997
2016-12-06 780.19000 785.28002 773.32007 776.17999 1729800 776.17999
```


5.2 HARDWARE INTERFACE

Minimum requirements:

	Minimum requirement
OS	Windows xp
RAM	256
Platform	JVM

5.3 SOFTWARE INTERFACE

Client on computer

Any operating system(any)

Development end

OS(windows), JVM, java

5.4 COMMUNICATION INTERFACE

System uses HTTP protocol.

5.5 CONSTRAINTS

- Only authenticate persons are allow to access system.
- User interface is only in English.
- Login system is to identify users.
- system is desktop application.

6 OTHER NON-FUNCTIONAL REQUIREMENTS

6.1 PERFORMANCE: -

Performance allows to know the speed of system or effectiveness of computer system, or network.

System have following criteria for measuring its performance

- email and password authentication
- select stock, select that MA period
- show chart

System does not take more than 10 seconds after user triggers

6.2 SECURITY

System 's criteria for security is email id and password verification of user

6.3 SOFTWARE QUALITY ATTRIBUTE

There are several quality attributes related to the system like

6.4 MAINTAINABILITY

[ISO/IEC, 2011]. The degree of **effectiveness** and **efficiency** with which a software product can be modified by the intended maintainers. System should be enough flexible to allow the future enhancement without interrupt workflow.

6.5 RELIABILITY

[ISO/IEC, 2011]. The degree to which a software product performs specified functions, under specified conditions, for a specified period. System should be able to quickly recover from errors.

7 APPENDIX A: GLOSSARY

Term	Definition
Maintainability	Characteristic of design and implementation which describe the possibility that a failed equipment, machine, or system can be restored to its normal operable state within a given time, using the given practices and procedures.
Effectiveness	The degree to which something is successful in producing a desired result; success.
HTTPS protocol	HTTPS also called HTTP (Hypertext Transfer Protocol) Secure is a protocol for secure communication over a computer network. [1]
MA	Moving average of system.

actors	External entities
Usecase diagram	Shows interaction between user and system
Database	Stores information about various stock
User	Any individual that using system
Stock market	Allows share issued and trade of it in market

8 APPENDIX B: REFERENCES

[1]<https://en.wikipedia.org/wiki/HTTPS>

Team contribution

Team Member	Contributions
Grupreet	3.2 UC3, 3.3, 3.4 4, 5, Appendix A, Appendix B
Nikita	3.2 UC3, 3.3, 3.4 4, 4
Kirtan	2, 3.1,3.2 UC2
Ajeeta	1, 3.1, 3.2 UC4, 3.4 1
Jyotsana	3.2 UC2, 3.4 5
Navdeep	3.3
Rajan	3.2 UC1,3.4 2