

Cucumber Report

Sep 23, 2023, 7:50:04 PM

Start : Sep 23, 7:49:46.924 PM

End : Sep 23, 7:50:03.540 PM

Duration : 16.616 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 10
FAILED - 2
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Country Functionality</u>	16.503 s	2	0	2	0	14	7	2	5
<u>Data Table Example</u>	0.099 s	1	0	1	0	3	3	0	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Regression	3	0	3	0	2	0	2	0
@Smoke	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Country Functionality</u>	2	0	2	0	16.503 s
2	<u>Data Table Example</u>	1	0	1	0	0.099 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country Functionality</u>	<u>Create a country with parameters</u>	8	7	1	0	16.478 s
2	<u>Country Functionality</u>	<u>Delete a country</u>	6	0	1	5	0.009 s
3	<u>Data Table Example</u>	<u>Single Data Table</u>	3	3	0	0	0.098 s

Country Functionality

FAILED	DURATION - 16.503 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 14 Pass - 7 Fail - 2 Skip - 5	
/ 7:49:46.924 PM // 7:50:03.427 PM /					

Create a country with parameters



FAILED	DURATION - 16.478 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 7:49:46.927 PM // 7:50:03.405 PM /				
Country Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.879 s
2	And Enter username and password	PASSED	5.282 s
3	And Click on login button	PASSED	0.051 s
4	And Navigate to Country page	PASSED	2.435 s
5	And Click on add button	PASSED	0.685 s
6	And Enter "Batch 8" as country name and "BTC" as country code	PASSED	0.761 s
7	When Click on save button	PASSED	0.118 s
8	Then Success message should be displayed	FAILED	4.251 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30c2ff454f847518475be1a8fef4282b, findElement {using=xpath, value=//div[contains(text(),'successfully')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\baran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64381}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64381/devtoo..., se.cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 30c2ff454f847518475be1a8fef4282b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4230) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.String.valueOf(String.java:4230) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227) at Utilities.MyMethods.waitUntilVisible(MyMethods.java:35) at Utilities.MyMethods.assertText(MyMethods.java:30) at StepDefinitions.CountrySteps.successMessageShouldBeDisplayed(CountrySteps.java:38) at ?.Success message should be displayed(file:///C:/Users/baran/IdeaProjects/Cucumber/src/test/java/FeatureFiles/Country.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - StepDefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30c2ff454f847518475be1a8fef4282b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\baran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64381}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64381/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 30c2ff454f847518475be1a8fef4282b</p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at StepDefinitions.Hooks.afterScenario(Hooks.java:26) </pre>		

Delete a country



<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 7:50:03.418 PM // 7:50:03.427 PM /				
Country Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30c2ff454f847518475be1a8fef4282b, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\baran\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64381}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64381/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 30c2ff454f847518475be1a8fef4282b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at StepDefinitions.LoginSteps.navigate_to_campus(LoginSteps.java:21) at ?.Navigate to Campus(file:///C:/Users/baran/IdeaProjects/Cucumber/src/test/java/FeatureFiles/Country.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	And Enter username and password	SKIPPED	0.000 s
3	And Click on login button	SKIPPED	0.000 s
4	And Navigate to Country page	SKIPPED	0.000 s
5	When Delete a country	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30c2ff454f847518475be1a8fef4282b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\baran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64381}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64381/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 30c2ff454f847518475be1a8fef4282b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at StepDefinitions.Hooks.afterScenario(Hooks.java:26)		

Data Table Example

FAILED	DURATION - 0.099 s	Scenarios		Steps	
/ 7:50:03.441 PM // 7:50:03.540 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 0	

Single Data Table

FAILED	DURATION - 0.098 s		Steps	
/ 7:50:03.442 PM // 7:50:03.540 PM /			Total - 3	
Data Table Example			Pass - 3	
@Smoke @Regression			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Go to the WebPage	PASSED	0.001 s
2	And Fill the form with valid data	PASSED	0.005 s
	John		
	Snow		
	2345 Winter St.		
	8563241256		
3	Then Save the form	PASSED	0.001 s
	AFTER - StepDefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.091 s
	org.apache.poi.openxml4j.exceptions.NotOfficeXmlFileException: No valid entries or contents found, this is not a valid OOXML (Office Open XML) file		
	at org.apache.poi.openxml4j.util.ZipArchiveThresholdInputStream.getNextEntry(ZipArchiveThresholdInputStream.java:156)		

#	Step / Hook Details	Status	Duration
	<pre> at org.apache.poi.openxml4j.util.ZipInputStreamZipEntrySource.<init>(ZipInputStreamZipEntrySource.java:94) at org.apache.poi.openxml4j.opc.ZipPackage.<init>(ZipPackage.java:132) at org.apache.poi.openxml4j.opc.OPCPackage.open(OPCPackage.java:319) at org.apache.poi.xssf.usermodel.XSSFWorkbookFactory.create(XSSFWorkbookFactory.java:97) at org.apache.poi.xssf.usermodel.XSSFWorkbookFactory.create(XSSFWorkbookFactory.java:36) at org.apache.poi.ss.usermodel.WorkbookFactory.lambda\$create\$2(WorkbookFactory.java:224) at org.apache.poi.ss.usermodel.WorkbookFactory.wp(WorkbookFactory.java:329) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:224) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:185) at Utilities.Excel.writeInExcel(Excel.java:73) at StepDefinitions.Hooks.afterScenario(Hooks.java:29) Caused by: java.util.zip.ZipException: Unexpected record signature: 0XC000808 at org.apache.commons.compress.archivers.zip.ZipArchiveInputStream.getNextZipEntry(ZipArchiveInputStream.java:296) at org.apache.poi.openxml4j.util.ZipArchiveThresholdInputStream.getNextEntry(ZipArchiveThresholdInputStream.java:152) at org.apache.poi.openxml4j.util.ZipInputStreamZipEntrySource.<init>(ZipInputStreamZipEntrySource.java:94) at org.apache.poi.openxml4j.opc.ZipPackage.<init>(ZipPackage.java:132) at org.apache.poi.openxml4j.opc.OPCPackage.open(OPCPackage.java:319) at org.apache.poi.xssf.usermodel.XSSFWorkbookFactory.create(XSSFWorkbookFactory.java:97) at org.apache.poi.xssf.usermodel.XSSFWorkbookFactory.create(XSSFWorkbookFactory.java:36) at org.apache.poi.ss.usermodel.WorkbookFactory.lambda\$create\$2(WorkbookFactory.java:224) at org.apache.poi.ss.usermodel.WorkbookFactory.wp(WorkbookFactory.java:329) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:224) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:185) at Utilities.Excel.writeInExcel(Excel.java:73) at StepDefinitions.Hooks.afterScenario(Hooks.java:29) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:481) at org.testng.internal.thread.ThreadUtil.lambda\$execute\$0(ThreadUtil.java:58) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1623)</pre>		