Cucumber Report

| Start : Oct 21, 12:39:53.307 PM	End : Oct 21, 12:41:08.021 PM	Duration : 1 m 14.714 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 56 FAILED - 2 SKIPPED - 2

Features: 2 — 50 %

Scenarios: 6 — 66 %

Steps: 60 — 93 %

#	Feature Name	T	P	F	S	Duration
1	Customers	3	1	2	0	1 m 14.714 s
2	Login nopCommerce Application	3	3	0	0	47.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Customers	Search Customer by EmailId	11	9	1	1	56.485 s
2	Customers	Add new Customer	13	13	0	0	1 m 14.655 s
3	Customers	Search Customer by Name	12	10	1	1	54.523 s
4	Login nopCommerce Application	SuccessFul Login with Valid Credentials	8	8	0	0	47.206 s
5	Login nopCommerce Application	Data Driven Login	8	8	0	0	47.087 s
6	Login nopCommerce Application	Data Driven Login	8	8	0	0	47.248 s

(F)- Customers

FAILED	DURATION - 1 m 14.714 s	Scenarios	Steps
/ 12:39:53.307 PM // 12:41:08.021 PM /		Total - 3 Pass - 1 Fail - 2 Skip - 0	Total - 36 Pass - 32 Fail - 2 Skip - 2

(S)- Search Customer by EmailId

FAILED	DURATION - 56.485 s	Steps
/ 12:39:53.320 PM // 12:40:49.805 PM /		Total - 11 Pass - 9 Fail - 1 Skip - 1
Customers		
@Regression		

| #	Step / Hook Details	Status	Duration
1	Given - Given User Launch the Chrome browser	PASSED	0.344 s
2	When - When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	6.967 s
3	And - And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	2.506 s
4	And - And Click on Login	PASSED	14.419 s
5	Then - Then User can view Dashboard	PASSED	0.082 s
6	When - When User click on customer menu	PASSED	3.586 s
7	And - And Click on customer menu Items	PASSED	12.237 s
8	And - And Enter customer Email	PASSED	1.888 s
9	When - When Click on Search button	PASSED	3.491 s
10	Then - Then User Should found Email in the Search table	FAILED	0.680 s

	java.lang.AssertionError: expected [false] but found [true]
	    at org.testng.Assert.fail(Assert.java:96)
	    at org.testng.Assert.failNotEquals(Assert.java:776)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:137)
	    at org.testng.Assert.assertEquals(Assert.java:118)
	    at org.testng.Assert.assertEquals(Assert.java:568)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:578) at stepDefinition.Steps.user_should_found_email_in_the_search_table(Steps.java:234) at ?.User Should found Email in the Search table(file:///D:/Drishyam%20(2015)%20%5BBluRay%5D%20%5B1080p%5D%20%5BYTS.AM%5D/new%20eclipse/nopCommerceV003_Cucumber/./Features/Customers.feature:26) * Not displayable characters are replaced by '?'.		
11	And - And Close/Quit the browser	SKIPPED	0.001 s
	AFTER - stepDefinition.Steps.teardown(io.cucumber.java.Scenario)	PASSED	0.336 s
	Search_Customer_by_EmailId 		

(S)- Add new Customer

PASSED	DURATION - 1 m 14.655 s		Steps	
/ 12:39:53.366 PM // 12:41:08.021 PM /			Total - 13	
Customers			Pass - 13	
@Sanity			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given - Given User Launch the Chrome browser	PASSED	0.003 s
2	When - When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	6.432 s
3	And - And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	1.579 s
4	And - And Click on Login	PASSED	13.423 s
5	Then - Then User can view Dashboard	PASSED	0.017 s
6	When - When User click on customer menu	PASSED	3.260 s
7	And - And Click on customer menu Items	PASSED	12.954 s
8	And - And Click on Add new button	PASSED	7.033 s
9	Then - Then User can view Add new Customer Page	PASSED	3.009 s

#	Step / Hook Details	Status	Duration
10	When - When User enter customer info	PASSED	8.074 s
11	And - And Click on save button	PASSED	5.440 s
12	Then - Then User can view confirmation message "The new customer has been added successfully."	PASSED	0.401 s
13	And - And Close/Quit the browser	PASSED	0.793 s

(S)- Search Customer by Name

FAILED	DURATION - 54.523 s
/ 12:39:53.387 PM // 12:40:47.910 PM /	
Customers	
@Regression	

Steps
Total - 12
Pass - 10
Fail - 1
Skip - 1

12

| #	Step / Hook Details	Status	Duration
1	Given - Given User Launch the Chrome browser	PASSED	0.005 s
2	When - When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	8.127 s
3	And - And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	1.608 s
4	And - And Click on Login	PASSED	11.618 s
5	Then - Then User can view Dashboard	PASSED	0.021 s
6	When - When User click on customer menu	PASSED	3.248 s
7	And - And Click on customer menu Items	PASSED	12.971 s
8	And - And Enter Customer FirstName	PASSED	1.545 s
9	And - And Enter Customer LastName	PASSED	0.786 s
10	When - When Click on Search button	PASSED	3.639 s
11	Then - Then User Should found Name in the Search table	FAILED	0.142 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//table[@id='customers-grid']//tbody/tr[1]/td[3]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-7DJ18U3D', ip: '192.168.1.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 106.0.5249.61 (511755355844..., userDataDir: C:\Users\GURUPR~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50026}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	cf3b65c67675b215da78e76434ac8e06 *** Element info: {Using=xpath, value=//table[@id='customers-grid']//tbody/tr[1]/td[3]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:185) at org.openqa.selenium.remote.RemoteWebElement.findElementByXPath(RemoteWebElement.java:261) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:181) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.$Proxy24.findElement(Unknown Source) at pageObjects.SearchCustomerPage.SearchCustomersByName(SearchCustomerPage.java:161) at stepDefinition.Steps.user_should_found_name_in_the_search_table(Steps.java:253) at ?.User Should found Name in the Search table(file:///D:/Drishyam%20(2015)%20%5BBluRay%5D%20%5B1080p%5D%20%5BYTS.AM%5D/new%20eclipse/nopCommerceV003_Cucumber/./Features/Customers.feature:36) * Not displayable characters are replaced by '?'.		
12	And - And Close/Quit the browser	SKIPPED	0.001 s
	AFTER - stepDefinition.Steps.teardown(io.cucumber.java.Scenario) Search_Customer_by_Name 	PASSED	0.359 s

(F)- Login nopCommerce Application

PASSED	*DURATION - 47.268 s*	Scenarios		Steps	
		Total - 3		Total - 24	
/ 12:39:53.361 PM // 12:40:40.629 PM /		Pass - 3	**3**	Pass - 24	**24**
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- SuccessFul Login with Valid Credentials

PASSED	*DURATION - 47.206 s*		Steps	
/ 12:39:53.362 PM // 12:40:40.568 PM /			Total - 8	
Login nopCommerce Application			Pass - 8	**8**
			Fail - 0	
@Sanity			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given User Launch the Chrome browser	PASSED	0.002 s
2	When - When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	6.262 s
3	And - And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	1.388 s
4	And - And Click on Login	PASSED	12.773 s
5	Then - Then Page title Should be "Dashboard / nopCommerce administration"	PASSED	3.175 s
6	When - When User Click on Logout Link	PASSED	6.784 s
7	Then - Then Page Title Should bee "Your store. Login"	PASSED	0.561 s
8	And - And Close/Quit the browser	PASSED	3.908 s

(S)- Data Driven Login

PASSED	DURATION - 47.087 s
/ 12:39:53.378 PM // 12:40:40.465 PM /	
Login nopCommerce Application	
@Regression	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given - Given User Launch the Chrome browser	PASSED	0.003 s
2	When - When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	6.642 s
3	And - And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	2.111 s
4	And - And Click on Login	PASSED	13.299 s
5	Then - Then Page title Should be "Dashboard / nopCommerce administration"	PASSED	3.140 s
6	When - When User Click on Logout Link	PASSED	6.821 s
7	Then - Then Page Title Should bee "Your store. Login"	PASSED	0.400 s
8	And - And Close/Quit the browser	PASSED	3.417 s

(S)- Data Driven Login

PASSED	DURATION - 47.248 s
/ 12:39:53.381 PM // 12:40:40.629 PM /	
Login nopCommerce Application	
@Regression	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given - Given User Launch the Chrome browser	PASSED	0.002 s
2	When - When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	4.344 s
3	And - And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	2.252 s
4	And - And Click on Login	PASSED	14.075 s
5	Then - Then Page title Should be "Dashboard / nopCommerce administration"	PASSED	3.226 s

#	Step / Hook Details	Status	Duration
6	When - When User Click on Logout Link	PASSED	7.497 s
7	Then - Then Page Title Should bee "Your store. Login"	PASSED	0.421 s
8	And - And Close/Quit the browser	PASSED	2.118 s

(Step) AFTER - stepDefinition.Steps.
teardown(io.cucumber.java.Scenario)

(S) Search Customer by EmailId

(F) Customers

(Step) AFTER - stepDefinition.Steps.
teardown(io.cucumber.java.Scenario)

(S) Search Customer by Name

(F) Customers