

Project Executable Files

Date	29 September 2026
Team ID	SWTID-2026-1374
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	3 Marks

Project Executable Files

This section requires submission of all executable and deployable files for your project. Ensure all files are properly organized, named, and uploaded to the specified submission platform. The evaluator must be able to run or deploy your solution using the provided files and instructions.

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes / No / NA)
1	Complete source code (all files and folders)	Yes
2	README / Setup Guide (instructions to run the project)	Yes
3	requirements.txt / package.json / dependency file	NA
4	Database schema / seed files (if applicable)	NA
5	Environment configuration file (.env.example or similar)	NA
6	Deployed application URL (if hosted)	Yes
7	APK / Executable binary (if applicable for mobile/desktop apps)	NA
8	Dockerfile / Containerization config (if applicable)	NA
9	Test files and test results	Yes
10	Demo video or walkthrough (if required)	NA

Step 2: File / Folder Structure

Provide an overview of your project's file and folder structure below:

```
Script-Controlled ACL (ServiceNow configuration)
|-- User Administration
|   |-- Users - EEE User (eeeuser@gmail.com)
|   |-- Roles - bb1, bb2, bb3, bb4
|-- System Definition
|   |-- Tables - Institution Details (u_institution_details)
|-- System Security -> Access Control (ACL)
|   |-- READ ACL - bb1, Advanced, script + Branch is EEE
|   |-- CREATE ACL - bb2
|   |-- WRITE ACL - bb3
|   |-- DELETE ACL - bb4
|-- Documentation (PDF)
|   |-- Project Documentation
|   |-- Project Executable Files
|   |-- Performance Testing
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	ServiceNow instance URL: [add your instance URL here]
Login Credentials (Demo)	User ID: EEE User (eeeuser@gmail.com) Password: [add demo password]
Platform / Hosting Provider	ServiceNow (cloud-hosted instance)
Repository Link	Not applicable – configured directly in the ServiceNow instance. [Add link if the update set is exported to GitHub]
Demo Video Link	[Add demo video link, if required]

Step 4: Run Instructions

Provide clear, step-by-step instructions for the evaluator to run your project locally:

Pre-requisites:

A ServiceNow instance with admin access and a web browser (Chrome / Edge / Firefox).

Steps:

Step 1: Log in to the ServiceNow instance as admin.

Step 2: Create the user EEE User (User Administration → Users → New; First Name: EEE, Last Name: User, Email: eeeuser@gmail.com).

Step 3: Create the roles bb1, bb2, bb3, bb4 (User Administration → Roles → New) and assign the required roles to EEE User.

Step 4: Create the table Institution Details, Name: u_institution_details, Extends table: False (System Definition → Tables → New); add the student fields.

Step 5: Create records with different Branch values: EEE, ECE, CSE.

Step 6: Create the ACLs (System Security → Access Control (ACL) → New): READ (bb1, Advanced, script + Branch is EEE), CREATE (bb2), WRITE (bb3), DELETE (bb4).

Step 7: Impersonate EEE User and open the Institution Details list to verify that only EEE records are visible.

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	The Read ACL script checks the roles admin and bb1 directly, so changing the role needs an edit of the script.	Update the role name in the ACL script and the ACL required role together.
2	The data condition is fixed to "Branch is EEE"; records of other branches (ECE, CSE) are visible only to admin users.	Add more conditions or ACLs for other branches if needed.
3	Newly assigned roles take effect only after the user logs in again.	Log out and log in (or re-impersonate) after assigning roles.