

Tables (22)

Name	Type	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(80) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
name	varchar(80)	"name" varchar(80) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "first_name" varchar(30) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "last_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
first_name	varchar(30)	"first_name" varchar(30) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
auth_user_groups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
		CREATE TABLE "auth_user_user_permissions" ("id"

Name	Type	Schema
auth_user_user_permissions		integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
catalog_author		CREATE TABLE "catalog_author" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "first_name" varchar(100) NOT NULL, "last_name" varchar(100) NOT NULL, "date_of_birth" date NULL, "date_of_death" date NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
first_name	varchar(100)	"first_name" varchar(100) NOT NULL
last_name	varchar(100)	"last_name" varchar(100) NOT NULL
date_of_birth	date	"date_of_birth" date
date_of_death	date	"date_of_death" date
catalog_book		CREATE TABLE "catalog_book" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(200) NOT NULL, "summary" text NOT NULL, "isbn" varchar(13) NOT NULL, "author_id" integer NULL REFERENCES "catalog_author" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
title	varchar(200)	"title" varchar(200) NOT NULL
summary	text	"summary" text NOT NULL
isbn	varchar(13)	"isbn" varchar(13) NOT NULL
author_id	integer	"author_id" integer
catalog_book_genre		CREATE TABLE "catalog_book_genre" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "book_id" integer NOT NULL REFERENCES "catalog_book" ("id") DEFERRABLE INITIALLY DEFERRED, "genre_id" integer NOT NULL REFERENCES "catalog_genre" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
book_id	integer	"book_id" integer NOT NULL
genre_id	integer	"genre_id" integer NOT NULL
catalog_bookinstance		CREATE TABLE "catalog_bookinstance" ("id" char(32) NOT NULL PRIMARY KEY, "imprint" varchar(200) NOT NULL, "due_back" date NULL, "book_id" integer NULL REFERENCES "catalog_book" ("id") DEFERRABLE INITIALLY DEFERRED, "borrower_id" integer NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "status" varchar(1) NOT NULL)
id	char(32)	"id" char(32) NOT NULL
imprint	varchar(200)	"imprint" varchar(200) NOT NULL
due_back	date	"due_back" date
book_id	integer	"book_id" integer
borrower_id	integer	"borrower_id" integer
status	varchar(1)	"status" varchar(1) NOT NULL
catalog_genre		CREATE TABLE "catalog_genre" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT

Name	Type	Schema
name	varchar(200)	"name" varchar(200) NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "action_time" datetime NOT NULL, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
action_time	datetime	"action_time" datetime NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
employee		CREATE TABLE "employee" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "email_id" varchar(20) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
email_id	varchar(20)	"email_id" varchar(20) NOT NULL
social_auth_association		CREATE TABLE "social_auth_association" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "server_url" varchar(255) NOT NULL, "handle" varchar(255) NOT NULL, "secret" varchar(255) NOT NULL, "issued" integer NOT NULL, "lifetime" integer NOT NULL, "assoc_type" varchar(64) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
server_url	varchar(255)	"server_url" varchar(255) NOT NULL
handle	varchar(255)	"handle" varchar(255) NOT NULL
secret	varchar(255)	"secret" varchar(255) NOT NULL

Name	Type	Schema
issued	integer	"issued" integer NOT NULL
lifetime	integer	"lifetime" integer NOT NULL
assoc_type	varchar(64)	"assoc_type" varchar(64) NOT NULL
social_auth_code		CREATE TABLE "social_auth_code" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "email" varchar(254) NOT NULL, "code" varchar(32) NOT NULL, "verified" bool NOT NULL, "timestamp" datetime NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
email	varchar(254)	"email" varchar(254) NOT NULL
code	varchar(32)	"code" varchar(32) NOT NULL
verified	bool	"verified" bool NOT NULL
timestamp	datetime	"timestamp" datetime NOT NULL
social_auth_nonce		CREATE TABLE "social_auth_nonce" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "server_url" varchar(255) NOT NULL, "timestamp" integer NOT NULL, "salt" varchar(65) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
server_url	varchar(255)	"server_url" varchar(255) NOT NULL
timestamp	integer	"timestamp" integer NOT NULL
salt	varchar(65)	"salt" varchar(65) NOT NULL
social_auth_partial		CREATE TABLE "social_auth_partial" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "token" varchar(32) NOT NULL, "next_step" smallint unsigned NOT NULL, "backend" varchar(32) NOT NULL, "data" text NOT NULL, "timestamp" datetime NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
token	varchar(32)	"token" varchar(32) NOT NULL
next_step	smallint unsigned	"next_step" smallint unsigned NOT NULL
backend	varchar(32)	"backend" varchar(32) NOT NULL
data	text	"data" text NOT NULL
timestamp	datetime	"timestamp" datetime NOT NULL
social_auth_usersocialauth		CREATE TABLE "social_auth_usersocialauth" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "provider" varchar(32) NOT NULL, "uid" varchar(255) NOT NULL, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "extra_data" text NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
provider	varchar(32)	"provider" varchar(32) NOT NULL
uid	varchar(255)	"uid" varchar(255) NOT NULL
user_id	integer	"user_id" integer NOT NULL
extra_data	text	"extra_data" text NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name	TEXT	"name" TEXT
seq	TEXT	"seq" TEXT

Indices (30)

Name	Type	Schema
auth_group_permissions_group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")

Name	Type	Schema
group_id		"group_id"
auth_group_permissions_group_id_permission_id_0cd325b0_uniq		CREATE UNIQUE INDEX auth_group_permissions_group_id_permission_id_0cd325b0_uniq ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_permission_id_84c5c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_content_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_content_type_id_codename_01ab375a_uniq		CREATE UNIQUE INDEX auth_permission_content_type_id_codename_01ab375a_uniq ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
auth_user_groups_group_id_97559544		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user_groups_user_id_6a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_groups_user_id_group_id_94350c0c_uniq		CREATE UNIQUE INDEX auth_user_groups_user_id_group_id_94350c0c_uniq ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user_user_permissions_permission_id_1fbb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user_user_permissions_user_id_a95ead1b		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user_user_permissions_user_id_permission_id_14a6b632_uniq		CREATE UNIQUE INDEX auth_user_user_permissions_user_id_permission_id_14a6b632_uniq ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
catalog_book_author_id_b0849980		CREATE INDEX "catalog_book_author_id_b0849980" ON "catalog_book" ("author_id")
author_id		"author_id"
		CREATE INDEX "catalog_book_genre_book_id_e5a77c43" ON

Name	Type	Schema
catalog_book_genre_book_id_e5a77c43		"catalog_book_genre" ("book_id")
book_id		"book_id"
catalog_book_genre_book_id_genre_id_d15f6922_uniq		CREATE UNIQUE INDEX catalog_book_genre_book_id_genre_id_d15f6922_uniq ON "catalog_book_genre" ("book_id", "genre_id")
book_id		"book_id"
genre_id		"genre_id"
catalog_book_genre_genre_id_77d7ffde		CREATE INDEX "catalog_book_genre_genre_id_77d7ffde" ON "catalog_book_genre" ("genre_id")
genre_id		"genre_id"
catalog_bookinstance_book_id_69f93415		CREATE INDEX "catalog_bookinstance_book_id_69f93415" ON "catalog_bookinstance" ("book_id")
book_id		"book_id"
catalog_bookinstance_borrower_id_0d71c37c		CREATE INDEX "catalog_bookinstance_borrower_id_0d71c37c" ON "catalog_bookinstance" ("borrower_id")
borrower_id		"borrower_id"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX django_content_type_app_label_model_76bd3d3b_uniq ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire_date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
social_auth_association_server_url_handle_078bfa2_uniq		CREATE UNIQUE INDEX social_auth_association_server_url_handle_078bfa2_uniq ON "social_auth_association" ("server_url", "handle")
server_url		"server_url"
handle		"handle"
social_auth_code_code_a2393167		CREATE INDEX "social_auth_code_code_a2393167" ON "social_auth_code" ("code")
code		"code"
social_auth_code_email_code_801b2d02_uniq		CREATE UNIQUE INDEX social_auth_code_email_code_801b2d02_uniq ON "social_auth_code" ("email", "code")
email		"email"
code		"code"

Name	Type	Schema
social_auth_code_timestamp_176b341f		CREATE INDEX "social_auth_code_timestamp_176b341f" ON "social_auth_code" ("timestamp")
timestamp		"timestamp"
social_auth_nonce_server_url_timestamp_salt_f6284463_uniq		CREATE UNIQUE INDEX social_auth_nonce_server_url_timestamp_salt_f6284463_uniq ON "social_auth_nonce" ("server_url", "timestamp", "salt")
server_url		"server_url"
timestamp		"timestamp"
salt		"salt"
social_auth_partial_timestamp_50f2119f		CREATE INDEX "social_auth_partial_timestamp_50f2119f" ON "social_auth_partial" ("timestamp")
timestamp		"timestamp"
social_auth_partial_token_3017fea3		CREATE INDEX "social_auth_partial_token_3017fea3" ON "social_auth_partial" ("token")
token		"token"
social_auth_usersocialauth_provider_uid_e6b5e668_uniq		CREATE UNIQUE INDEX social_auth_usersocialauth_provider_uid_e6b5e668_uniq ON "social_auth_usersocialauth" ("provider", "uid")
provider		"provider"
uid		"uid"
social_auth_usersocialauth_user_id_17d28448		CREATE INDEX "social_auth_usersocialauth_user_id_17d28448" ON "social_auth_usersocialauth" ("user_id")
user_id		"user_id"

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------