

Recurrent Neural Networks

TOTAL POINTS 10

1. Suppose your training examples are sentences (sequences of words). Which of the following refers to the j^{th} word in the i^{th} training example?

1 point

1 point


- $\bigcirc \ x^{(i) < j >}$
- $\bigcirc \ x^{< i > (j)}$
- $\bigcirc x^{(j) < i >}$
- $\bigcirc x^{< j > (i)}$
- 2. Consider this RNN:

 $a^{<0>} \longrightarrow \begin{matrix} \hat{y}^{<1>} & \hat{y}^{<2>} & \hat{y}^{<3>} \\ \uparrow & \uparrow & \uparrow \\ \downarrow & \downarrow & \uparrow \\ \uparrow & \uparrow & \uparrow \\ \downarrow & \uparrow & \uparrow & \uparrow \\ \downarrow & \uparrow$

This specific type of architecture is appropriate when:


- O $T_x = T_y$
- $\bigcap T_x < T_y$
- $\bigcap T_x > T_y$
- $\bigcap T_x = 1$
- 3. To which of these tasks would you apply a many-to-one RNN architecture? (Check all that apply).

1 point



- Speech recognition (input an audio clip and output a transcript)
- Sentiment classification (input a piece of text and output a 0/1 to denote positive or negative sentiment)
- Image classification (input an image and output a label)
- Gender recognition from speech (input an audio clip and output a label indicating the speaker's gender)
- 4. You are training this RNN language model.

1 point




At the t^{th} time step, what is the RNN doing? Choose the best answer.

 $\bigcirc \ \ \operatorname{Estimating} P(y^{<1>},y^{<2>},\ldots,y^{< t-1>})$

 $\bigcirc \ \, \text{Estimating}\, P(y^{< t>})$

- \bigcirc Estimating $P(y^{< t>} \mid y^{< 1>}, y^{< 2>}, \ldots, y^{< t-1>})$
- \bigcirc Estimating $P(y^{< t>} \mid y^{< 1>}, y^{< 2>}, \ldots, y^{< t>})$
- 5. You have finished training a language model RNN and are using it to sample random sentences, as follows:

1 point



What are you doing at each time step t?

- (i) Use the probabilities output by the RNN to pick the highest probability word for that time-step as $\hat{y}^{<\xi^*}$. (ii) Then pass the ground-truth word from the training set to the next time-step.
- (i) Use the probabilities output by the RNN to randomly sample a chosen word for that time-step as $\hat{y}^{<\triangleright}$. (ii) Then pass the ground-truth word from the training set to the next time-step.
- (i) Use the probabilities output by the RNN to pick the highest probability word for that time-step as $\hat{y}^{<\circlearrowright}$. (ii) Then pass this selected word to the next time-step.
- 6. You are training an RNN, and find that your weights and activations are all taking on the value of NaN ("Not a Number"). Which of these is the most likely cause of this problem?

1 point

- Vanishing gradient problem.
- Exploding gradient problem.
- ReLU activation function g(.) used to compute g(z), where z is too large.
- Sigmoid activation function g(.) used to compute g(z), where z is too large.
- 7. Suppose you are training a LSTM. You have a 10000 word vocabulary, and are using an LSTM with 100-dimensional activations $a^{<\!\!\!\!\!<\!\!\!\!\!\!>}$. What is the dimension of Γ_u at each time step?

1 point

- 0 1
- 100
- 300
- 0 10000
- 8. Here're the update equations for the GRU.

1 point

GRU

$$\tilde{c}^{< t>} = \tanh(W_c[\Gamma_r * c^{< t-1>}, x^{< t>}] + b_c)$$

$$\Gamma_u = \sigma(W_u[c^{}, x^{}] + b_u)$$

$$\Gamma_r = \sigma(W_r[\;c^{< t-1>},x^{< t>}] + b_r)$$

$$c^{< t>} = \Gamma_{\!u} \! * \tilde{c}^{< t>} + (1 - \Gamma_{\!u}) * c^{< t-1>}$$

$$a^{< t>} = c^{< t>}$$

Alice proposes to simplify the GRU by always removing the Γ_u . I.e., setting Γ_u = 1. Betty proposes to simplify the GRU by removing the Γ_r . I. e., setting Γ_r = 1 always. Which of these models is more likely to work without vanishing gradient problems even when trained on very long input sequences?

- Alice's model (removing Γ_u), because if $\Gamma_r \approx 0$ for a timestep, the gradient can propagate back through that timestep without much decay.
- \cap . Allege model (computing Γ), horszura if Γ , \sim 1 for a timestan, the gradient can be appeared back

	Betty's model (removing Γ_r), because if $\Gamma_u pprox 0$ for a through that timestep without much decay.		
(Betty's model (removing Γ_r), because if $\Gamma_u \approx 1$ for a through that timestep without much decay.	timestep, the gradient can propagate back	
9. H	lere are the equations for the GRU and the LSTM:		1 point
	GRU	LSTM	
	$\tilde{c}^{< t>} = \tanh(W_c[\Gamma_r * c^{< t-1>}, x^{< t>}] + b_c)$	$\bar{c}^{< t>} = \tanh(W_c[a^{< t-1>}, x^{< t>}] + b_c)$	
	$\Gamma_u = \sigma(W_u[c^{< t-1>},x^{< t>}] + b_u)$	$\Gamma_u = \sigma(W_u[a^{< t-1>}, x^{< t>}] + b_u)$	
	$\Gamma_r = \sigma(W_r[\ c^{< t-1>}, x^{< t>}] + b_r)$	$\Gamma_f = \sigma(W_f[a^{< t-1>},x^{< t>}]+b_f)$	
	$c^{< t>} = \Gamma_u * \tilde{c}^{< t>} + (1 - \Gamma_u) * c^{< t - 1>}$	$\Gamma_o = \sigma(W_o[a^{< t-1>},x^{< t>}] + b_o)$	
	$a^{< t>} = c^{< t>}$	$c^{< t>} = \Gamma_u * \tilde{c}^{< t>} + \Gamma_f * c^{< t-1>}$	
		$a^{< t>} = \Gamma_o * c^{< t>}$	
(Γ_u and $1-\Gamma_u$ Γ_u and Γ_r Γ_u and Γ_u		
	Γ_u and Γ_r		
10. YY X Y	Γ_u and Γ_r $1-\Gamma_u$ and Γ_u	ther, which you represent as a sequence as log's mood, which you represent as	1 poin
10. Y Y x y	$\Gamma_u \text{ and } \Gamma_r$ $1 - \Gamma_u \text{ and } \Gamma_u$ $\Gamma_r \text{ and } \Gamma_u$ ou have a pet dog whose mood is heavily dependent ou've collected data for the past 365 days on the weather $(x^{-1}, \dots, x^{-365})$. You've also collected data on your $(x^{-1}, \dots, y^{-365})$. You'd like to build a model to map for the past 365 and 100 and	ther, which you represent as a sequence as log's mood, which you represent as rom $x o y$. Should you use a Unidirectional	1 poin
10. YY x y R	$\Gamma_u \text{ and } \Gamma_r$ $1 - \Gamma_u \text{ and } \Gamma_u$ $\Gamma_r \text{ and } \Gamma_u$ ou have a pet dog whose mood is heavily dependent ou've collected data for the past 365 days on the wea $(1, \dots, x^{365})$. You've also collected data on your $(1, \dots, y^{365})$. You've also collected data on your of the property of the prope	ther, which you represent as a sequence as log's mood, which you represent as rom $x \to y$. Should you use a Unidirectional of mood on day't to take into account more	1 poin
10. YY x y R	$\Gamma_u \text{ and } \Gamma_r$ $1 - \Gamma_u \text{ and } \Gamma_u$ ou have a pet dog whose mood is heavily dependent ou've collected data for the past 365 days on the weak $^{<1>}, \dots, x^{<365>}$. You've also collected data on your of $^{<1>}, \dots, y^{<365>}$. You'd like to build a model to map find the past 365 days on the weak $^{<1>}, \dots, y^{<365>}$. You'd like to build a model to map find on the problem?	ther, which you represent as a sequence as log's mood, which you represent as rom $x \to y$. Should you use a Unidirectional of mood on day t to take into account more on to compute more accurate gradients.	1 poin
10. YY Y X X Y R R	$\Gamma_u \text{ and } \Gamma_r$ $1 - \Gamma_u \text{ and } \Gamma_u$ $\Gamma_r \text{ and } \Gamma_u$ ou have a pet dog whose mood is heavily dependent ou've collected data for the past 365 days on the weak $^{<1}$ >,, $x^{<365}$ >. You've also collected data on your of $^{<1}$ >,, $y^{<365}$ >. You'd like to build a model to map find the past 365 days on the weak $^{<1}$ >,, $y^{<365}$ >. You'd like to build a model to map find on the problem? Bidirectional RNN, because this allows the prediction information. Bidirectional RNN, because this allows backpropagation of the problem of the problem? Unidirectional RNN, because the value of $y^{}$ depends on the problem of the pr	ther, which you represent as a sequence as log's mood, which you represent as $x o y$. Should you use a Unidirectional of mood on day t to take into account more on to compute more accurate gradients. ds only on $x^{<1>},\dots,x^{}$, but not on	1 poin
10. YY X X Y R R	$\Gamma_u \text{ and } \Gamma_r$ $1 - \Gamma_u \text{ and } \Gamma_u$ $\Gamma_r \text{ and } \Gamma_u$ ou have a pet dog whose mood is heavily dependent ou've collected data for the past 365 days on the weak (1),, $x^{<365}$. You've also collected data on your of (1),, $y^{<365}$. You'd like to build a model to map for NN or Bidirectional RNN for this problem? Bidirectional RNN, because this allows the prediction information. Bidirectional RNN, because this allows backpropagation of the problem of	ther, which you represent as a sequence as log's mood, which you represent as rom $x \to y$. Should you use a Unidirectional of mood on day t to take into account more on to compute more accurate gradients. ds only on $x^{<1>},\dots,x^{}$, but not on ds only on $x^{}$, and not other days' weather.	1 poin
10. YY XX XX RR	$\Gamma_u \text{ and } \Gamma_r$ $1 - \Gamma_u \text{ and } \Gamma_u$ $\Gamma_r \text{ and } \Gamma_u$ ou have a pet dog whose mood is heavily dependent ou've collected data for the past 365 days on the weak (1),, x^{-365} . You've also collected data on your of (1),, y^{-365} . You've like to build a model to map for NN or Bidirectional RNN for this problem? Bidirectional RNN, because this allows the prediction information. Bidirectional RNN, because this allows backpropagation of the problem? Unidirectional RNN, because the value of $y^{-(t)}$ depends $x^{-(t+1)}, \dots, x^{-365}$. Unidirectional RNN, because the value of $y^{-(t)}$ depends	ther, which you represent as a sequence as log's mood, which you represent as rom $x \to y$. Should you use a Unidirectional of mood on day t to take into account more on to compute more accurate gradients. ds only on $x^{<1>},\dots,x^{}$, but not on ds only on $x^{}$, and not other days' weather.	1 point