Rajalakshmi Engineering College

Name: Gurucharan Chandramohan
Email: 240801092@rajalakshmi.edu.in
Roll no: 2116240801092
Phone: 6379544451
Branch: REC
Department: I ECE FA
Batch: 2028
Degree: B.E - ECE

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Bob is tasked with developing a company's employee record management system. The system needs to maintain a list of employee records using a doubly linked list. Each employee is represented by a unique integer ID.

Help Bob to complete a program that adds employee records at the front, traverses the list, and prints the same for each addition of employees to the list.

Input Format

The first line of input consists of an integer N, representing the number of employees.

The second line consists of N space-separated integers, representing the employee IDs.

Output Format

For each employee ID, the program prints "Node Inserted" followed by the current state of the doubly linked list in the next line, with the data values of each node separated by spaces.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 4
101 102 103 104
Output: Node Inserted
101
Node Inserted
102 101
Node Inserted
103 102 101
Node Inserted
104 103 102 101

Answer

```cpp
#include <iostream>
using namespace std;

struct node {
    int info;
    struct node* prev, * next;
};

struct node* start = NULL;

// You are using GCC
void traverse() {
    printf("Node Inserted\n");
    struct node*temp=start;
    while(temp!=NULL){
        printf("%d ",temp->info);
        temp=temp->next;
    }
    printf("\n");
```

```
        //type your code here
    }

    void insertAtFront(int data) {
        //type your code here
        struct node*newnode=(struct node*)malloc(sizeof(struct node));
        newnode->info=data;
        newnode->next=NULL;
        newnode->prev=NULL;
        if(start==NULL) start=newnode;
        else{
        newnode->next=start;
        start->prev=newnode;
        start=newnode;}
    }

    int main() {
        int n, data;
        cin >> n;
        for (int i = 0; i < n; ++i) {
            cin >> data;
            insertAtFront(data);
            traverse();
        }
        return 0;
    }
```

Status : Correct   *Marks : 10/10*