x: 1

t: 17/7/26

LINUX & WINDOWS COMMANDS

AIM: To study & execute various linux commands for File & directory management, text processing & basic networking operations.

→ Study of various commands used in Linux pwd

Description: prints the current working directory

Output:

```
pwd
/home/liveuser
mkdir
```

Description: creates a new directory

Output:

```
mkdir Fedora
ls
Desktop  Documents  downloads  Fedora
cd
```

Description: changes the current directory

Output:

```
$ cd Fedora
```

$pwd
/home/liveuser/.fedora
touch filename.txt.

Description: Creates an empty file
output:
$ touch example.txt
$ ls
example.txt
echo "Hi" > filename.txt.

Description: writes text into a file.
Output:
$ echo "Hi" > example.txt
cat filename.txt

Description: Displays the contents of the file
Output:
$ cat example.txt
Hi
grep

Description: Searches for a specific Pattern in a file

Output: $ grep "Hi" example.txt
Hi
wc

Description: Displays the no. of lines, words & bytes in a file.

Output:
$ wc example.txt
1 1 3 example.txt

WC-l

Description: counts the no. of. lines in a File.

Output:

```
$wc -l example.txt
  1 example.txt
  wc -w
```

Description: counts the no. of. words in a file.

Output:

```
$ wc -w example.txt
  1 example.txt
  wc -w
```

Description: counts the no. of. bytes in a File.

Output:

```
$wc -c example.txt
3 example.txt
wc -L
```

Description: counts the no. of characters in a File.

output:

```
$wc -m example.txt
  3 example.txt
  wc -L
```

Description: displays the length of the Longest line in a file

Output:

```
$wc -l example.txt
2 example.txt
```

Basic networking commands

hostname

Description: display the system is hostname

Output:

```
$hostname
localhost_line
```

route.

Description: display the routing table

Output:

```
$route
Kernel IP routing table
```

net state.

Description: shows network connections and routing information

Output:

```
$net state
Active Internet connection
```

ip address show

Description: displays IP address & network interface details

Output:

```
$ ip address show
1: lo:
2: enp0s3:
ns lookup
```

Description: finds the IP Address of a domain

Output:

```
$ns lookup www.google.com
name: www.google.com
Address: 142.250.xxx.xxx
if config
```

Description: Displays network int enforce configuration

Output:

```
int config
en pos 3
int 1°.0.2.15
Ping
```

Description: Tests connectivity to a host

Output: Ping www.google.com
64 bytes from...
amp

Description: displays the ARP cache

Output:

arp - 9

- gateway (10. 0. 2. 2)

traceroute

Description: displays the route taken by Packets to reach a destination

Output:

$ traceroute www. google. com

1 - gateway

2 . . .

Result: Thus the linux & windows commands are studied & executed Successfully.