Exp: 6

BUILDING ANONYMOUS FTP SCANNER USING FTPLIB MODULE

Aim: To create a python-based FTP Scanner using FTPLIB module

* check if a public FTP server allows anonymous Login
* lists contents of directories on server

Procedure:

* Import built-in Ftplib module
* write two python scripts:
  * Sender side: connects to FTP server
  * Receiver side: connects anonymously
* Run scripts in Google colab
* observe login status, server msg

code:

-> Sender

```
def anonymousLogin(hostname):
    try:
      ftp = ftplib.FTP(hostname)
          = ftp.login('anonymous', 'anonymous')
      Print (response)
      IF "230" in response:
    Print ("[+]" + str(hostname) + "FTP
      Anonymous Login Suceeded.")
    Print ("Welcome Message: \n", ftp.getwelcome())
    Print ("\n Directory listing:")
      ftp.dir()
      ftp.quit()
```

```
else:
    Print("[-]" + str(hostname) + "FTP Anonymous
    Login failed.")
except Exception as e: print("[-]" + str(hostname)
    + "FTP Anonymous Login failed.")
    Print("Error:", str(e))

'ftp.be.debian.org'
anonymous Login (hostname)
```

→ Receiver:

```
import ftplib
def check_anonymous_connection (host, path):
    try:
        with Ftplib.FTP (host) as connection:
            connection.login ('anonymous', 'anonymous')
        Print(F"\n listing directory: {path}")
        connection.cwd (path)
        for name, details in connection.mlsd():
        Print(name, details ['type'],
        details.get ('size', 'N/A'))
except Exception as e:
        Print("Error:", str(e))

FTP_SERVER_URL='ftp.be.debian.org'
DOWNLOAD_DIR_PATH='/pub/linux/kernel
check_anonymous_connection(FTP_server_URL,
    DOWNLOAD_DIR_PATH)
```

Output:

Sender side:

Ftp.be.debian.org FTP Anonymous Login Suceeded.

Welcome Message:

220 Pro FTPD Server (mirror.as35701.net)

Directory Listing:

drwxr-xr-x 9 ftp

Receiver side:

welcome: 220 Pro FTPD Server

listing directory: /pub/linux/kernel/v5.x/

linux-5.10.1.tar.x2 file 113072564 linux-5.10.2.tar.x2 file 113167444

Result:

* Script Successfully connected to FTP server (Ftp.be.debian.org)
* Verified anonymous login is Allowed
* directory contents & were retrieved & displayed
* This proves that the server provides Public Access & is working correctly