

BOOTSTRAP_WEEK2_Day – 4_Hands On - Gurunath Rageni

Level-1 Problem 1: Responsive Personal Portfolio Homepage

Scenario:

You are designing a responsive personal portfolio homepage for a fresher web developer who wants to showcase profile information, skills, and contact details.

Requirements

- Integrate Bootstrap 5 using CDN.
- Create a responsive layout using container, rows, and columns.
- Use Bootstrap grid system with appropriate breakpoints.
- Include components such as navbar, cards (for skills), and buttons.
- Use utility classes for spacing, alignment, and colors.

Technical Constraints

- Must use Bootstrap 5 CDN (no local files).
- No custom CSS except minimal styling if required.
- Use grid system (row and col classes) properly.
- Ensure responsiveness across mobile, tablet, and desktop.

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>Personal Portfolio</title>

  <meta name="viewport" content="width=device-width, initial-scale=1">


  <!-- Bootstrap 5 CDN -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
</head>
```

```
<body>
```

```
<!-- ===== Navbar ===== -->
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
```

```
<div class="container">
```

```
<a class="navbar-brand fw-bold" href="#">Gurunath</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
```

```
<ul class="navbar-nav ms-auto">
```

```
<li class="nav-item"><a class="nav-link active" href="#home">Home</a></li>
```

```
<li class="nav-item"><a class="nav-link" href="#skills">Skills</a></li>
```

```
<li class="nav-item"><a class="nav-link" href="#contact">Contact</a></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- ===== Hero Section ===== -->
```

```
<section id="home" class="py-5 bg-light text-center">
```

```
<div class="container">
```

```
<div class="row align-items-center">
```

```
<div class="col-lg-6 col-md-12 mb-4">
```

`<h1 class="fw-bold">Hi, I'm Gurunath 🙋‍♂️</h1>`

`<p class="lead">`

`Fresher Web Developer passionate about building responsive and dynamic web applications.`

`</p>`

`<button class="btn btn-primary me-2">Hire Me</button>`

`<button class="btn btn-outline-dark">Download Resume</button>`

`</div>`

`<div class="col-lg-6 col-md-12">`

``

`</div>`

`</div>`

`</div>`

`</section>`

`<!-- ===== Skills Section ===== -->`

`<section id="skills" class="py-5">`

`<div class="container">`

`<h2 class="text-center mb-5">My Skills</h2>`

`<div class="row g-4">`

`<div class="col-md-4 col-sm-6">`

`<div class="card h-100 text-center shadow-sm">`

`<div class="card-body">`

`<h5 class="card-title">HTML & CSS</h5>`

`<p class="card-text">Building responsive layouts using modern web standards.</p>`

</div>

</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="card h-100 text-center shadow-sm">

<div class="card-body">

<h5 class="card-title">JavaScript</h5>

<p class="card-text">Creating dynamic and interactive web applications.</p>

</div>

</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="card h-100 text-center shadow-sm">

<div class="card-body">

<h5 class="card-title">Bootstrap</h5>

<p class="card-text">Designing responsive UI quickly using Bootstrap grid system.</p>

</div>

</div>

</div>

</div>

</div>

</section>

<!-- ===== Contact Section ===== -->

<section id="contact" class="py-5 bg-light">

<div class="container text-center">

<h2 class="mb-4">Contact Me</h2>

<p>Email: gurunath@example.com</p>

<p>Phone: +91 9876543210</p>

<button class="btn btn-success">Send Message</button>

</div>

</section>

<!-- ===== Footer ===== -->

<footer class="bg-dark text-white text-center py-3">

<div class="container">

<p class="mb-0">© 2026 Gurunath | All Rights Reserved</p>

</div>

</footer>

<!-- Bootstrap JS -->


<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>

</body>

</html>

Code Screenshots:



```
File Edit Selection View Go ...
GurunathRagani_NetFSD_upGrad_B4_Python

EXPLORER
OPEN EDITORS
index.html WEEK 2Day3_handson.js... M
index.html WEEK 2Day4_handson_Bootstrap... M
style.css WEEK 2Day3_handson.js(Pv... M
GURUNATHRAGANI_NETFSD_UPGRAD_B4_PYTHON
WEEK_1
WEEK_2
Day1_handson.js
Day2_handson.js
Day3_handson.js
Day4_handson_Bootstrap
Document
Practice
Problem1
index.html
Problem2
Problem3
Problem4
promise
index.html
WEEK_3
OUTLINE
TIMELINE
PROJECTS

index.html WEEK 2Day3_handson.js... M
index.html WEEK 2Day4_handson_Bootstrap... M
style.css WEEK 2Day3_handson.js(Pv... M

WEEK_2 > Day4_handson_Bootstrap > Problem1 > index.html > html > body > nav.navbar.navbar-expand-lg.navbar-dark.bg-dark > div.container

2 <html lang="en">
12 <body>
34 <section id="home" class="py-5 bg-light text-center">
35 <div class="container">
36 <div class="row align-items-center">
37 </div>
38 </div>
39 </section>
40
41 <!-- ===== Skills Section ===== -->
42 <section id="skills" class="py-5">
43 <div class="container">
44 <h2 class="text-center mb-5">My Skills</h2>
45
46 <div class="row g-4">
47
48 <div class="col-md-4 col-sm-6">
49 <div class="card h-100 text-center shadow-sm">
50 <div class="card-body">
51 <h5 class="card-title">HTML & CSS</h5>
52 <p class="card-text">Building responsive layouts using modern web standards.</p>
53 </div>
54 </div>
55
56 <div class="col-md-4 col-sm-6">
57 <div class="card h-100 text-center shadow-sm">
58 <div class="card-body">
59 <h5 class="card-title">JavaScript</h5>
60 </div>
61 </div>
62 </div>
63
64 </div>
65 </section>
66
67 </body>
68 </html>
69
70
71
72
73
74
75
76
```

```
File Edit Selection View Go ...
GurunathRagani_NetFSD_upGrad_B4_Python

EXPLORER
OPEN EDITORS
index.html WEEK 2Day3_handson.js... M
index.html WEEK 2Day4_handson_Bootstrap... M
style.css WEEK 2Day3_handson.js(Pv... M
GURUNATHRAGANI_NETFSD_UPGRAD_B4_PYTHON
WEEK_1
WEEK_2
Day1_handson.js
Day2_handson.js
Day3_handson.js
Day4_handson_Bootstrap
Document
Practice
Problem1
index.html
Problem2
Problem3
Problem4
promise
index.html
WEEK_3
OUTLINE
TIMELINE
PROJECTS


index.html WEEK 2Day3_handson.js... M
index.html WEEK 2Day4_handson_Bootstrap... M
style.css WEEK 2Day3_handson.js(Pv... M

WEEK_2 > Day4_handson_Bootstrap > Problem1 > index.html > html > body > nav.navbar.navbar-expand-lg.navbar-dark.bg-dark > div.container

2 <html lang="en">
12 <body>
15 <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
16 <div class="container">
23 <div class="collapse navbar-collapse" id="navbarNav">
29 </div>
30 </div>
31 </nav>
32
33 <!-- ===== Hero Section ===== -->
34 <section id="home" class="py-5 bg-light text-center">
35 <div class="container">
36 <div class="row align-items-center">
37
38 <div class="col-lg-6 col-md-12 mb-4">
39 <h1 class="fw-bold">Hi, I'm Gurunath </h1>
40 <p class="lead">
41 Fresher Web Developer passionate about building responsive and dynamic web applic
42 </p>
43 <button class="btn btn-primary me-2">Hire Me</button>
44 <button class="btn btn-outline-dark">Download Resume</button>
45 </div>
46
47 <div class="col-lg-6 col-md-12">
48 
51 </div>
52 </div>
53 </div>
54 </section>
55
56 </body>
57 </html>
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
```

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <title>Personal Portfolio</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1">
7
8   <!-- Bootstrap 5 CDN -->
9   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">
10 </head>
11 <body>
12
13   <!-- ===== Navbar ===== -->
14   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
15     <div class="container">
16       <a class="navbar-brand fw-bold" href="#">Gurunath</a>
17
18       <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
19         <span class="navbar-toggler-icon"></span>
20     </button>
21
22     <div class="collapse navbar-collapse" id="navbarNav">
23       <ul class="navbar-nav ms-auto">
24         <li class="nav-item"><a class="nav-link active" href="#home">Home</a></li>
25         <li class="nav-item"><a class="nav-link" href="#skills">Skills</a></li>
26         <li class="nav-item"><a class="nav-link" href="#contact">Contact</a></li>
27       </ul>
28     </div>
29   </nav>
```

Code Output:



Explanation: This portfolio website is built using Bootstrap 5 to create a fully responsive layout with a navbar, hero section, skills cards, contact section, and footer. It utilizes the Bootstrap grid system (container, row, col-*) and utility classes for spacing, alignment, and styling. Components like the responsive navbar, cards, buttons, and collapse menu are implemented using predefined Bootstrap classes to ensure mobile-first responsiveness. The design follows a structured section-based layout, improving readability, scalability, and professional UI presentation.

Level-1 Problem 2: Product Listing Page Using Bootstrap

Scenario:

Create a responsive product listing page for an online electronics store displaying multiple products in card format.

Requirements

- Use Bootstrap grid to display products in 1 column (mobile), 2 columns (tablet), and 4 columns (desktop).
- Each product should be displayed using Bootstrap Card component.
- Include buttons such as “Add to Cart” and “View Details”.
- Use spacing utilities and background color utilities.

Technical Constraints

- Must use Bootstrap CDN.
- Use built-in Bootstrap classes only.
- Proper use of container, row, and col classes.

Expectations:

- Fully responsive layout.
- Equal card height alignment.
- Proper spacing using margin and padding utilities.

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>Electronics Store</title>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<!-- Bootstrap 5 CDN -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
</head>
```

```
<body class="bg-light">
```

```
<!-- ===== Header ===== -->
```

```
<div class="container py-5">
```

```
<h1 class="text-center mb-4">Electronics Store</h1>
```

```
<!-- ===== Product Grid ===== -->
```

```
<div class="row g-4">
```

```
<!-- Product 1 -->
```

```
<div class="col-12 col-md-6 col-lg-3">
```

```
<div class="card h-100 shadow-sm">
```

```

```

```
<div class="card-body d-flex flex-column">
```

```
<h5 class="card-title">Laptop</h5>
```

```
<p class="card-text">High performance laptop for coding and gaming.</p>
```

```
<div class="mt-auto">
```

```
<button class="btn btn-primary w-100 mb-2">Add to Cart</button>
```

```
<button class="btn btn-outline-secondary w-100">View Details</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

<!-- Product 2 -->

<div class="col-12 col-md-6 col-lg-3">

<div class="card h-100 shadow-sm">

<div class="card-body d-flex flex-column">

<h5 class="card-title">Smartphone</h5>

<p class="card-text">Latest generation smartphone with advanced features.</p>

<div class="mt-auto">

<button class="btn btn-primary w-100 mb-2">Add to Cart</button>

<button class="btn btn-outline-secondary w-100">View Details</button>

</div>

</div>

</div>

</div>

<!-- Product 3 -->

<div class="col-12 col-md-6 col-lg-3">

<div class="card h-100 shadow-sm">

<div class="card-body d-flex flex-column">

<h5 class="card-title">Headphones</h5>

<p class="card-text">Noise cancelling wireless headphones.</p>

<div class="mt-auto">

<button class="btn btn-primary w-100 mb-2">Add to Cart</button>

<button class="btn btn-outline-secondary w-100">View Details</button>

</div>

</div>

</div>

</div>

```

<!-- Product 4 -->

<div class="col-12 col-md-6 col-lg-3">

  <div class="card h-100 shadow-sm">

    <div class="card-body d-flex flex-column">

      <h5 class="card-title">Smartwatch</h5>

      <p class="card-text">Track your fitness and notifications easily.</p>

      <div class="mt-auto">

        <button class="btn btn-primary w-100 mb-2">Add to Cart</button>

        <button class="btn btn-outline-secondary w-100">View Details</button>

      </div>

    </div>

  </div>

</div>

</div>

</div>

</div>

</div>

</div>

<!-- Bootstrap JS -->



<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></scr
ipt>


</body>

</html>


```

Code screenshots:





Output Screenshots:



Explanation:

This webpage implements a responsive product grid using Bootstrap 5's grid system, leveraging col-12, col-md-6, and col-lg-3 classes to ensure proper layout across mobile, tablet, and desktop screens. Each product is structured using Bootstrap's card component for consistent UI design and spacing.

Flexbox utilities like d-flex and mt-auto are used to align buttons at the bottom of each card, maintaining equal height and visual balance. The layout follows a mobile-first approach, improving scalability and responsiveness for an e-commerce interface.

Level-2 Problem 3: College Event Management Dashboard

Scenario:

Design a responsive dashboard for managing college events including event list, add event form, and navigation.

📌 Requirements

- Use Bootstrap navbar with collapse functionality.
- Implement responsive grid layout for dashboard sections.
- Use form components for event registration.
- Implement modal for adding new events.

- Use Bootstrap utilities for alignment and spacing.

Technical Constraints

- Use Bootstrap 5 CDN.
- No external UI frameworks.
- Proper breakpoint usage (sm, md, lg, xl).
- Modal must work using Bootstrap JS bundle.

Expectations:

- Dashboard layout adapts across devices.
- Modal opens and closes correctly.
- Form fields use proper Bootstrap validation styling.

Code:

<!--Level-2 Problem 3: College Event Management Dashboard

Scenario:

Design a responsive dashboard for managing college events including event list, add event form, and navigation.

Requirements

- Use Bootstrap navbar with collapse functionality.
- Implement responsive grid layout for dashboard sections.
- Use form components for event registration.
- Implement modal for adding new events.
- Use Bootstrap utilities for alignment and spacing.

Technical Constraints

- Use Bootstrap 5 CDN.
- No external UI frameworks.
- Proper breakpoint usage (sm, md, lg, xl).
- Modal must work using Bootstrap JS bundle.

Expectations:

- Dashboard layout adapts across devices.
- Modal opens and closes correctly.
- Form fields use proper Bootstrap validation styling.

Learning Outcome

- Implement advanced components like modals.
- Create structured responsive dashboards.
- Apply responsive behaviors effectively.

-->

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>College Event Dashboard</title>
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<!-- Bootstrap 5 CDN -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
</head>
```

```
<body class="bg-light">
```

```
<!-- ===== Navbar ===== -->
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
```

```
<div class="container">
```

```
<a class="navbar-brand fw-bold" href="#">College Events</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
```

```
<ul class="navbar-nav ms-auto">
```

```
<li class="nav-item"><a class="nav-link active" href="#">Dashboard</a></li>
```

```
<li class="nav-item"><a class="nav-link" href="#">Events</a></li>
```

```
<li class="nav-item"><a class="nav-link" href="#">Registrations</a></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- ===== Dashboard Content ===== -->
```

```
<div class="container py-5">
```

```
<!-- Header + Button -->
```

```
<div class="d-flex justify-content-between align-items-center mb-4">
```

```
<h2>Event Dashboard</h2>
```

```
<button class="btn btn-success" data-bs-toggle="modal" data-bs-target="#addEventModal">
```

```
  + Add Event
```

```
</button>
```

```
</div>
```

```
<!-- Responsive Grid -->
```

```
<div class="row g-4">
```

```
<!-- Event Card 1 -->
```

```
<div class="col-12 col-md-6 col-lg-4 col-xl-3">
```

```
  <div class="card shadow-sm h-100">
```

```
    <div class="card-body">
```

```
      <h5 class="card-title">Tech Fest 2026</h5>
```

```
      <p class="card-text">Date: March 15, 2026</p>
```

```
      <span class="badge bg-success">Open</span>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
<!-- Event Card 2 -->
```

```
<div class="col-12 col-md-6 col-lg-4 col-xl-3">
```

```
  <div class="card shadow-sm h-100">
```

```
    <div class="card-body">
```

```
      <h5 class="card-title">Cultural Night</h5>
```

```
      <p class="card-text">Date: April 10, 2026</p>
```

```
      <span class="badge bg-warning text-dark">Upcoming</span>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

<!-- Event Card 3 -->

<div class="col-12 col-md-6 col-lg-4 col-xl-3">

<div class="card shadow-sm h-100">

<div class="card-body">

<h5 class="card-title">Hackathon</h5>

<p class="card-text">Date: May 5, 2026</p>

Closed

</div>

</div>

</div>

</div>

</div>

<!-- ===== Modal for Adding Event ===== -->

<div class="modal fade" id="addEventModal" tabindex="-1">

<div class="modal-dialog">

<div class="modal-content">

<div class="modal-header">

<h5 class="modal-title">Add New Event</h5>

<button type="button" class="btn-close" data-bs-dismiss="modal"></button>

</div>

<div class="modal-body">

<form class="needs-validation" novalidate>

<div class="mb-3">

<label class="form-label">Event Name</label>

<input type="text" class="form-control" required>

<div class="invalid-feedback">

Please enter event name.

</div>

</div>

<div class="mb-3">

<label class="form-label">Event Date</label>

<input type="date" class="form-control" required>

<div class="invalid-feedback">

Please select a date.

</div>

</div>

<div class="mb-3">

<label class="form-label">Event Type</label>

<select class="form-select" required>

<option value="">Choose...</option>

<option>Technical</option>

<option>Cultural</option>

<option>Sports</option>

</select>

<div class="invalid-feedback">

Please select event type.

</div>

</div>

<button type="submit" class="btn btn-primary w-100">

Save Event

</button>

</form>

</div>

```

    </div>

</div>

</div>

<!-- ===== Bootstrap JS Bundle (Required for Modal) ===== -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></scr
ipt>

<!-- Bootstrap Validation Script -->

<script>

(() => {

    'use strict'

    const forms = document.querySelectorAll('.needs-validation')

    Array.from(forms).forEach(form => {

        form.addEventListener('submit', event => {

            if (!form.checkValidity()) {

                event.preventDefault()

                event.stopPropagation()

            }

            form.classList.add('was-validated')

        }, false)

    })

})();



</script>

</body>

</html>

```

Code Screenshot:



This screenshot shows a VS Code editor window with the Explorer sidebar on the left. The Explorer sidebar shows a project structure with folders for WEEK_1, WEEK_2, and WEEK_3. The WEEK_2 folder is expanded, showing subfolders for Day1_handson_js, Day2_handson_js, Day3_handson_js, and Day4_handson_Bootstrap. The Day4_handson_Bootstrap folder is expanded, showing files like Document, Practice, Problem1, Problem2, Problem3, Problem4, promise, and index.html. The index.html file is selected and its content is displayed in the main editor area. The code is an HTML snippet for a Bootstrap modal form. It includes a form with three fields: Event Name (text input), Event Date (date input), and Event Type (select dropdown). The form is enclosed in a modal dialog with a close button. The code is as follows:

```
39 <html lang="en">
40 <body class="bg-light">
121 <div class="modal fade" id="addEventModal" tabindex="-1">
122 <div class="modal-dialog">
123 <div class="modal-content">
132
133 <div class="mb-3">
134 <label class="form-label">Event Name</label>
135 <input type="text" class="form-control" required>
136 <div class="invalid-feedback">
137 Please enter event name.
138 </div>
139 </div>
140
141 <div class="mb-3">
142 <label class="form-label">Event Date</label>
143 <input type="date" class="form-control" required>
144 <div class="invalid-feedback">
145 Please select a date.
146 </div>
147 </div>
148
149 <div class="mb-3">
150 <label class="form-label">Event Type</label>
151 <select class="form-select" required>
152 <option value="">Choose...</option>
153 <option>Technical</option>
154 <option>Cultural</option>
155 <option>Sports</option>
156 </select>
157 </div>
158
159 <div class="modal-footer">
160 <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
161 <button type="button" class="btn btn-primary" data-dismiss="modal">Save</button>
162 </div>
163 </div>
164 </div>
165 </div>
166 </body>
167 </html>
```

This screenshot shows a VS Code editor window with the Explorer sidebar on the left. The Explorer sidebar shows a project structure with folders for WEEK_1, WEEK_2, and WEEK_3. The WEEK_2 folder is expanded, showing subfolders for Day1_handson_js, Day2_handson_js, Day3_handson_js, and Day4_handson_Bootstrap. The Day4_handson_Bootstrap folder is expanded, showing files like Document, Practice, Problem1, Problem2, Problem3, Problem4, promise, and index.html. The index.html file is selected and its content is displayed in the main editor area. The code is an HTML snippet for a Bootstrap card and modal. It includes a card with a title, text, and a close button. The card is enclosed in a modal dialog with a close button. The code is as follows:

```
39 <html lang="en">
40 <body class="bg-light">
71 <div class="container py-5">
82 <div class="row g-4">
107 <div class="col-12 col-md-6 col-lg-4 col-xl-3">
108 <div class="card shadow-sm h=100">
109 <div class="card-body">
110 <h5 class="card-title">Hackathon</h5>
111 <p class="card-text">Date: May 5, 2026</p>
112 <span class="badge bg-danger">Closed</span>
113 </div>
114 </div>
115 </div>
116 </div>
117 </div>
118 </div>
119 </div>
120 <!-- ===== Modal for Adding Event ===== -->
121 <div class="modal fade" id="addEventModal" tabindex="-1">
122 <div class="modal-dialog">
123 <div class="modal-content">
124
125 <div class="modal-header">
126 <h5 class="modal-title">Add New Event</h5>
127 <button type="button" class="btn-close" data-bs-dismiss="modal"></button>
128 </div>
129
130 <div class="modal-body">
131 <form class="needs-validation" novalidate>
```


This screenshot shows the VS Code editor with the Explorer sidebar on the left displaying a project structure for 'GURUNATHRAGINI.NETFSD.UPGRAD.B4.PYTHON'. The main editor area shows the 'index.html' file, which contains Bootstrap HTML code for event cards. The code includes a container with a row of four columns, each containing an event card. The first card is titled 'Cultural Night' and the second is titled 'Hackathon'. The status bar at the bottom indicates the file is signed out and the port is 5500.


```
39 <html lang="en">
40 <body class="bg-light">
41 <div class="container py-5">
42 <div class="row g-4">
43 <div class="col-12 col-md-6 col-lg-4 col-xl-3">
44 </div>
45 <!-- Event Card 2 -->
46 <div class="col-12 col-md-6 col-lg-4 col-xl-3">
47 <div class="card shadow-sm h-100">
48 <div class="card-body">
49 <h5 class="card-title">Cultural Night</h5>
50 <p class="card-text">Date: April 10, 2026</p>
51 <span class="badge bg-warning text-dark">Upcoming</span>
52 </div>
53 </div>
54 <!-- Event Card 3 -->
55 <div class="col-12 col-md-6 col-lg-4 col-xl-3">
56 <div class="card shadow-sm h-100">
57 <div class="card-body">
58 <h5 class="card-title">Hackathon</h5>
59 <p class="card-text">Date: May 5, 2026</p>
60 <span class="badge bg-danger">Closed</span>
61 </div>
62 </div>
63 </div>
64 </div>
65 </div>
66 </div>
67 </div>
68 </div>
69 </div>
70 </div>
71 </div>
72 </div>
73 </div>
74 </div>
75 </div>
76 </div>
77 </div>
78 </div>
79 </div>
80 </div>
81 </div>
82 </div>
83 </div>
84 </div>
85 </div>
86 </div>
87 </div>
88 </div>
89 </div>
90 </div>
91 </div>
92 </div>
93 </div>
94 </div>
95 </div>
96 </div>
97 </div>
98 </div>
99 </div>
100 </div>
101 </div>
102 </div>
103 </div>
104 </div>
105 </div>
106 </div>
107 </div>
108 </div>
109 </div>
110 </div>
111 </div>
112 </div>
113 </div>
114 </div>
115 </div>
116 </div>
117 </div>
```

This screenshot shows the VS Code editor with the Explorer sidebar on the left displaying the same project structure. The main editor area shows the 'index.html' file, which contains Bootstrap HTML code for a dashboard. The code includes a container with a row of four columns, each containing a dashboard card. The first card is titled 'Event Dashboard' and the second is titled 'Tech Fest 2026'. The status bar at the bottom indicates the file is signed out and the port is 5500.

```
39 <html lang="en">
40 <body class="bg-light">
41 <div class="container py-5">
42 <div class="row g-4">
43 <div class="col-12 col-md-6 col-lg-4 col-xl-3">
44 </div>
45 <!-- Header + Button -->
46 <div class="col-12 col-md-6 col-lg-4 col-xl-3">
47 <div class="card shadow-sm h-100">
48 <div class="card-body">
49 <h5 class="card-title">Event Dashboard</h5>
50 <p class="card-text">+ Add Event</p>
51 <span class="badge bg-success">Open</span>
52 </div>
53 </div>
54 <!-- Responsive Grid -->
55 <div class="col-12 col-md-6 col-lg-4 col-xl-3">
56 <div class="card shadow-sm h-100">
57 <div class="card-body">
58 <h5 class="card-title">Tech Fest 2026</h5>
59 <p class="card-text">Date: March 15, 2026</p>
60 <span class="badge bg-success">Open</span>
61 </div>
62 </div>
63 </div>
64 </div>
65 </div>
66 </div>
67 </div>
68 </div>
69 </div>
70 </div>
71 </div>
72 </div>
73 </div>
74 </div>
75 </div>
76 </div>
77 </div>
78 </div>
79 </div>
80 </div>
81 </div>
82 </div>
83 </div>
84 </div>
85 </div>
86 </div>
87 </div>
88 </div>
89 </div>
90 </div>
91 </div>
92 </div>
93 </div>
94 </div>
95 </div>
96 </div>
97 </div>
98 </div>
99 </div>
100 </div>
101 </div>
102 </div>
103 </div>
104 </div>
105 </div>
106 </div>
107 </div>
108 </div>
109 </div>
110 </div>
111 </div>
112 </div>
113 </div>
114 </div>
115 </div>
116 </div>
117 </div>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>College Event Dashboard</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Bootstrap 5 CDN -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">
</head>
<body class="bg-light">
  <!-- ===== Navbar ===== -->
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container">
      <a class="navbar-brand fw-bold" href="#">College Events</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item"><a class="nav-link active" href="#">Dashboard</a></li>
          <li class="nav-item"><a class="nav-link" href="#">Events</a></li>
          <li class="nav-item"><a class="nav-link" href="#">Registrations</a></li>
        </ul>
      </div>
    </div>
  </nav>
  <div class="container mt-4">
    <h2>Event Dashboard</h2>
    <div class="d-flex justify-content-end">
      <button class="btn btn-success">+ Add Event</button>
    </div>
    <div class="row">
      <div class="col-md-4">
        <div class="card">
          <div class="card-body">
            <h3>Tech Fest 2026</h3>
            <p>Date: March 15, 2026</p>
            <div class="d-flex justify-content-end">
              <button class="btn btn-success">Open</button>
            </div>
          </div>
        </div>
      </div>
      <div class="col-md-4">
        <div class="card">
          <div class="card-body">
            <h3>Cultural Night</h3>
            <p>Date: April 10, 2026</p>
            <div class="d-flex justify-content-end">
              <button class="btn btn-warning">Upcoming</button>
            </div>
          </div>
        </div>
      </div>
      <div class="col-md-4">
        <div class="card">
          <div class="card-body">
            <h3>Hackathon</h3>
            <p>Date: May 5, 2026</p>
            <div class="d-flex justify-content-end">
              <button class="btn btn-danger">Closed</button>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

Output Screenshot:



Explanation:

This dashboard is built using Bootstrap 5 to create a fully responsive layout with a collapsible navbar, grid-based event cards, and utility classes for spacing and alignment. The responsive grid (col-12 col-md-6 col-lg-4 col-xl-3) ensures proper adaptation across mobile, tablet, and desktop breakpoints.

Level-2 Problem 4: E-Commerce Landing Page with Advanced Features

Scenario:

Build a professional e-commerce landing page with hero section, product carousel, offcanvas menu, and themed design.

Requirements

- Use responsive navbar with offcanvas menu.
- Implement Bootstrap Carousel for featured products.
- Create multiple sections using grid system.
- Use forms for newsletter subscription.
- Apply Bootstrap utilities for display control and alignment.
- Customize theme using Bootstrap variables or custom overrides.

Technical Constraints

- Bootstrap 5 CDN required.
- Proper responsive behavior implementation.
- Offcanvas and Carousel must function correctly.
- Maintain consistent color theme.

Expectations:

- Professional UI design.
- Smooth functioning carousel and offcanvas menu.
- Responsive layout for all devices.

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>ShopElite - E-Commerce</title>

  <meta name="viewport" content="width=device-width, initial-scale=1">


  <!-- Bootstrap 5 CDN -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
<style>
```

```
/* ===== Custom Theme Variables ===== */
```

```
:root {
```

```
  --bs-primary: #4e73df;
```

```
  --bs-secondary: #f6c23e;
```

```
}
```

```
.hero {
```

```
  background: linear-gradient(135deg, #4e73df, #1cc88a);
```

```
  color: white;
```

```
  padding: 120px 0;
```

```
}
```

```
.section-padding {
```

```
  padding: 80px 0;
```

```
}
```

```
.card:hover {
```

```
  transform: translateY(-5px);
```

```
  transition: 0.3s ease;
```

```
}
```

```
footer {
```

```
  background-color: #212529;
```

```
  color: white;
```

```
  padding: 30px 0;
```

```
}
```

```
</style>
```

</head>

<body>

<!-- ===== NAVBAR ===== -->

<nav class="navbar navbar-expand-lg navbar-dark bg-primary fixed-top">

<div class="container">

ShopElite

<!-- Offcanvas Toggle -->

<button class="navbar-toggler" type="button"

data-bs-toggle="offcanvas"

data-bs-target="#offcanvasMenu">

</button>

<!-- Desktop Menu -->

<div class="collapse navbar-collapse d-none d-lg-flex">

<ul class="navbar-nav ms-auto">

<li class="nav-item">Home

<li class="nav-item">Products

<li class="nav-item">Newsletter

</div>

</div>

</nav>

<!-- ===== OFFCANVAS MENU ===== -->

<div class="offcanvas offcanvas-end" tabindex="-1" id="offcanvasMenu">

<div class="offcanvas-header">

<h5 class="offcanvas-title">Menu</h5>

```

        <button type="button" class="btn-close" data-bs-dismiss="offcanvas"></button>
    </div>
    <div class="offcanvas-body">
        <ul class="navbar-nav">
            <li class="nav-item"><a class="nav-link" href="#home">Home</a></li>
            <li class="nav-item"><a class="nav-link" href="#products">Products</a></li>
            <li class="nav-item"><a class="nav-link" href="#newsletter">Newsletter</a></li>
        </ul>
    </div>
</div>

<!-- ===== HERO SECTION ===== -->
<section id="home" class="hero text-center">
    <div class="container">
        <h1 class="display-4 fw-bold">Upgrade Your Tech Today</h1>
        <p class="lead">Premium gadgets at unbeatable prices</p>
        <a href="#products" class="btn btn-light btn-lg mt-3">Shop Now</a>
    </div>
</section>

<!-- ===== CAROUSEL ===== -->
<section class="section-padding bg-light">
    <div class="container">
        <h2 class="text-center mb-5">Featured Products</h2>

        <div id="featuredCarousel" class="carousel slide" data-bs-ride="carousel">
            <div class="carousel-inner">

                <div class="carousel-item active text-center">
                    

```

```
<h5 class="mt-3">Gaming Laptop</h5>

</div>

<div class="carousel-item text-center">

  <h5 class="mt-3">Smart Watch</h5>

</div>

<div class="carousel-item text-center">

  <h5 class="mt-3">Wireless Headphones</h5>

</div>

</div>

<button class="carousel-control-prev" type="button"

  data-bs-target="#featuredCarousel"

  data-bs-slide="prev">

  <span class="carousel-control-prev-icon"></span>

</button>

<button class="carousel-control-next" type="button"

  data-bs-target="#featuredCarousel"

  data-bs-slide="next">

  <span class="carousel-control-next-icon"></span>

</button>

</div>

</div>

</section>
```

<!-- ===== PRODUCT GRID ===== -->

<section id="products" class="section-padding">

<div class="container">

<h2 class="text-center mb-5">Latest Products</h2>

<div class="row g-4">

<div class="col-12 col-md-6 col-lg-3">

<div class="card h-100 shadow-sm">

<div class="card-body d-flex flex-column text-center">

<h5 class="card-title">Laptop</h5>

<p class="card-text">\$999</p>

<button class="btn btn-primary mt-auto">Add to Cart</button>

</div>

</div>

</div>

<div class="col-12 col-md-6 col-lg-3">

<div class="card h-100 shadow-sm">

<div class="card-body d-flex flex-column text-center">

<h5 class="card-title">Smartphone</h5>

<p class="card-text">\$699</p>

<button class="btn btn-primary mt-auto">Add to Cart</button>

</div>

</div>

</div>

<div class="col-12 col-md-6 col-lg-3">

<div class="card h-100 shadow-sm">


```


<div class="card-body d-flex flex-column text-center">

  <h5 class="card-title">Tablet</h5>

  <p class="card-text">$499</p>

  <button class="btn btn-primary mt-auto">Add to Cart</button>

</div>

</div>

</div>

<div class="col-12 col-md-6 col-lg-3">

  <div class="card h-100 shadow-sm">

    <div class="card-body d-flex flex-column text-center">

      <h5 class="card-title">Camera</h5>

      <p class="card-text">$799</p>

      <button class="btn btn-primary mt-auto">Add to Cart</button>

    </div>

  </div>

</div>

</div>

</div>

</section>
```

```
<!-- ===== NEWSLETTER ===== -->
```

```
<section id="newsletter" class="section-padding bg-light">
```

```
<div class="container text-center">
```

```
<h2 class="mb-4">Subscribe to Our Newsletter</h2>
```

```
<form class="row justify-content-center">
```

```
<div class="col-12 col-md-6">
```

```
        <input type="email" class="form-control mb-3" placeholder="Enter your email"
required>
```

```
        <button class="btn btn-secondary w-100">Subscribe</button>
```

```
    </div>
```

```
</form>
```

```
</div>
```

```
</section>
```

```
<!-- ===== FOOTER ===== -->
```

```
<footer class="text-center">
```

```
    <div class="container">
```

```
        <p class="mb-0">© 2026 ShopElite | All Rights Reserved</p>
```

```
    </div>
```

```
</footer>
```

```
<!-- Bootstrap JS Bundle -->
```

```
<script
```

```
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></scr
ipt>
```

```
</body>
```

```
</html>
```

Code Screenshot:

File Edit Selection View Go ... GurunathRagani_Net/SD_upGrad_B4_Python

EXPLORER

- OPEN EDITORS
 - index.html WEEK 2/Day3_handson.js...
 - index.html WEEK 2/Day4_handson_Bootstrap...
 - # style.css WEEK 2/Day3_handson.js/Py...
- GURUNATHRAGANI_NET/SD_UPGRAD_B4_PYTHON
 - WEEK_1
 - WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
 - Document
 - Practice
 - Problem1
 - Problem2
 - Problem3
 - index.html
 - Problem4
 - index.html
 - promise
 - index.html
 - WEEK_3
 - OUTLINE
 - TIMELINE
 - PROJECTS

WEEK_2 > Day4_handson_Bootstrap > Problem4 > index.html > html > body > section#newsletter.section-padding.bg-light > div.container.text

```
2 <html lang="en">
41 <body>
200 <footer class="text-center">
201 <div class="container">
203 </div>
204 </footer>
205
206 <!-- Bootstrap JS Bundle -->
207 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
208
209 </body>
210 </html>
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 187, Col 40 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier

File Edit Selection View Go ... GurunathRagani_Net/SD_upGrad_B4_Python

EXPLORER

- OPEN EDITORS
 - index.html WEEK 2/Day3_handson.js...
 - index.html WEEK 2/Day4_handson_Bootstrap...
 - # style.css WEEK 2/Day3_handson.js/Py...
- GURUNATHRAGANI_NET/SD_UPGRAD_B4_PYTHON
 - WEEK_1
 - WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
 - Document
 - Practice
 - Problem1
 - Problem2
 - Problem3
 - index.html
 - Problem4
 - index.html
 - promise
 - index.html
 - WEEK_3
 - OUTLINE
 - TIMELINE
 - PROJECTS

WEEK_2 > Day4_handson_Bootstrap > Problem4 > index.html > html > body > section#newsletter.section-padding.bg-light > div.container.text

```
131 <section id="products" class="section-padding">
132 <div class="container">
135 <div class="row g-4">
180 </div>
181 </div>
182 </section>
183
184
185 <!-- ***** NEWSLETTER ***** -->
186 <section id="newsletter" class="section-padding bg-light">
187 <div class="container text-center">
188 <h2 class="mb-4">Subscribe to Our Newsletter</h2>
189
190 <form class="row justify-content-center">
191 <div class="col-12 col-md-6">
192 <input type="email" class="form-control mb-3" placeholder="Enter your email" required>
193 <button class="btn btn-secondary w-100">Subscribe</button>
194 </div>
195 </form>
196 </div>
197 </section>
198
199 <!-- ***** FOOTER ***** -->
200 <footer class="text-center">
201 <div class="container">
202 <p class="mb-0">© 2026 ShopElite | All Rights Reserved</p>
203 </div>
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 187, Col 40 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier

File Edit Selection View Go ... Q GurunathRagani_NetFSd_upGrad_B4_PYTHON

EXPLORER

OPEN EDITORS

- index.html WEEK 2\Day3_handson.js... M
- index.html WEEK 2\Day4_handson_Bootstrap... X
- style.css WEEK 2\Day3_handson.js\Pr... M

GURUNATHRAGANI_NETFSD_UPGRAD_B4_PYTHON

- WEEK_1
- WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
- Document
- Practice
- Problem1
- Problem2
- Problem3
- index.html
- Problem4
- index.html
- promise
- index.html
- WEEK_3

OUTLINE

TIMELINE

PROJECTS

index.html ...\Problem1 M

index.html ...\Problem4 X

style.css M

WEEK 2 > Day4_handson_Bootstrap > Problem4 > index.html > html > head > style > .hero

```
2 <html lang="en">
41 <body>
131 <section id="products" class="section-padding">
132 <div class="container">
135 <div class="row g-4">
156 </div>
157 </div>
158
159 <div class="col-12 col-md-6 col-lg-3">
160 <div class="card h-100 shadow-sm">
161 
162 <div class="card-body d-flex flex-column text-center">
163 <h5 class="card-title">Tablet</h5>
164 <p class="card-text">$499</p>
165 <button class="btn btn-primary mt-auto">Add to Cart</button>
166 </div>
167 </div>
168
169 <div class="col-12 col-md-6 col-lg-3">
170 <div class="card h-100 shadow-sm">
171 
172 <div class="card-body d-flex flex-column text-center">
173 <h5 class="card-title">Camera</h5>
174 <p class="card-text">$799</p>
175 <button class="btn btn-primary mt-auto">Add to Cart</button>
176 </div>
177 </div>
178
179 </div>
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 19, Col 44 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier 15:15 03-03-2026

File Edit Selection View Go ... Q GurunathRagani_NetFSd_upGrad_B4_PYTHON

EXPLORER

OPEN EDITORS

- index.html WEEK 2\Day3_handson.js... M
- index.html WEEK 2\Day4_handson_Bootstrap... X
- style.css WEEK 2\Day3_handson.js\Pr... M

GURUNATHRAGANI_NETFSD_UPGRAD_B4_PYTHON

- WEEK_1
- WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
- Document
- Practice
- Problem1
- Problem2
- Problem3
- index.html
- Problem4
- index.html
- promise
- index.html
- WEEK_3

OUTLINE

TIMELINE

PROJECTS

index.html ...\Problem1 M

index.html ...\Problem4 X

style.css M

WEEK 2 > Day4_handson_Bootstrap > Problem4 > index.html > html > head > style > .hero

```
2 <html lang="en">
41 <body>
129 <!-- ===== PRODUCT GRID ===== -->
130
131 <section id="products" class="section-padding">
132 <div class="container">
133 <h2 class="text-center mb-5">Latest Products</h2>
134
135 <div class="row g-4">
136
137 <div class="col-12 col-md-6 col-lg-3">
138 <div class="card h-100 shadow-sm">
139 
140 <div class="card-body d-flex flex-column text-center">
141 <h5 class="card-title">Laptop</h5>
142 <p class="card-text">$999</p>
143 <button class="btn btn-primary mt-auto">Add to Cart</button>
144 </div>
145 </div>
146
147 <div class="col-12 col-md-6 col-lg-3">
148 <div class="card h-100 shadow-sm">
149 
150 <div class="card-body d-flex flex-column text-center">
151 <h5 class="card-title">Smartphone</h5>
152 <p class="card-text">$699</p>
153 <button class="btn btn-primary mt-auto">Add to Cart</button>
154 </div>
155 </div>
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 19, Col 44 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier 15:15 03-03-2026

File Edit Selection View Go ... Q GurunathRagani_NetFSD_UpGrad_B4_Python

EXPLORER

OPEN EDITORS

- index.html WEEK 2Day3_handson.js...
- index.html WEEK 2Day4_handson_Bootstrap...
- style.css WEEK 2Day3_handson.js...

GURUNATHRAGANI_NETFSD_UPGRAD_B4_PYTHON

- WEEK_1
- WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
 - Document
 - Practice
 - Problem1
 - Problem2
 - Problem3
 - index.html
 - Problem4
 - index.html
 - promise
 - index.html
- WEEK_3

OUTLINE

TIMELINE

PROJECTS

index.html ...Problem1 M

index.html ...Problem4 X

style.css M

WEEK 2 > Day4_handson_Bootstrap > Problem4 > index.html > html > head > style > .hero

```
2 <html lang="en">
41 <body>
91 <section class="section-padding bg-light">
92 <div class="container">
95 <div id="featuredCarousel" class="carousel slide" data-bs-ride="carousel">
106
107
108
109
110
111
112
113
114
115
116 <button class="carousel-control-prev" type="button"
117 data-bs-target="#featuredCarousel"
118 data-bs-slide="prev">
119 <span class="carousel-control-prev-icon"></span>
120 </button>
121
122 <button class="carousel-control-next" type="button"
123 data-bs-target="#featuredCarousel"
124 data-bs-slide="next">
125 <span class="carousel-control-next-icon"></span>
126 </button>
127 </div>
128 </section>
129
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 19, Col 44 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier

File Edit Selection View Go ... Q GurunathRagani_NetFSD_UpGrad_B4_Python

EXPLORER

OPEN EDITORS

- index.html WEEK 2Day3_handson.js...
- index.html WEEK 2Day4_handson_Bootstrap...
- style.css WEEK 2Day3_handson.js...

GURUNATHRAGANI_NETFSD_UPGRAD_B4_PYTHON

- WEEK_1
- WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
 - Document
 - Practice
 - Problem1
 - Problem2
 - Problem3
 - index.html
 - Problem4
 - index.html
 - promise
 - index.html
- WEEK_3

OUTLINE

TIMELINE

PROJECTS

index.html ...Problem1 M

index.html ...Problem4 X

style.css M

WEEK 2 > Day4_handson_Bootstrap > Problem4 > index.html > html > head > style > .hero

```
2 <html lang="en">
41 <body>
88
89 <!-- ===== HERO SECTION ===== -->
90 <section id="home" class="hero text-center">
91 <div class="container">
92 <h1 class="display-4 fw-bold">Upgrade Your Tech Today</h1>
93 <p class="lead">Premium gadgets at unbeatable prices</p>
94 <a href="#products" class="btn btn-light btn-lg mt-3">Shop Now</a>
95 </div>
96 </section>
97
98 <!-- ===== CAROUSEL ===== -->
99 <section class="section-padding bg-light">
100 <div class="container">
101 <h2 class="text-center mb-5">Featured Products</h2>
102
103 <div id="featuredCarousel" class="carousel slide" data-bs-ride="carousel">
104 <div class="carousel-inner">
105
106 <div class="carousel-item active text-center">
107 
108 <h5 class="mt-3">Gaming Laptop</h5>
109 </div>
110
111 <div class="carousel-item text-center">
112 
113 <h5 class="mt-3">Smart Watch</h5>
114 </div>
115 </div>
116
117 <button class="carousel-control-prev" type="button"
118 data-bs-target="#featuredCarousel"
119 data-bs-slide="prev">
120 <span class="carousel-control-prev-icon"></span>
121 </button>
122
123 <button class="carousel-control-next" type="button"
124 data-bs-target="#featuredCarousel"
125 data-bs-slide="next">
126 <span class="carousel-control-next-icon"></span>
127 </button>
128 </div>
129 </section>
130
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 19, Col 44 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier

File Edit Selection View Go ... Q GurunathRagani_Net/SD_upGrad_B4_Python

EXPLORER

OPEN EDITORS

- index.html WEEK 2/Day3_handson.js...
- index.html WEEK 2/Day4_handson_Bootstrap...
- style.css WEEK 2/Day3_handson.js/Py...

GURUNATHRAGANI_NET/SD_UPGRAD_B4_PYTHON

- WEEK_1
- WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
- Document
- Practice
- Problem1
- Problem2
- Problem3
- Problem4
 - index.html
 - promise
 - index.html
- WEEK_3

OUTLINE

TIMELINE

PROJECTS

index.html ...Problem4 M

WEEK 2 > Day4_handson_Bootstrap > Problem4 > index.html > html > head > style > .hero

```
2 <html lang="en">
3 <body>
44 <nav class="navbar navbar-expand-lg navbar-dark bg-primary fixed-top">
45 <div class="container">
56 <div class="collapse navbar-collapse d-none d-lg-flex">
57 <ul class="navbar-nav ms-auto">
58 <li class="nav-item"><a class="nav-link" href="#home">Home</a></li>
59 <li class="nav-item"><a class="nav-link" href="#products">Products</a></li>
60 <li class="nav-item"><a class="nav-link" href="#newsletter">Newsletter</a></li>
61 </ul>
62 </div>
63 </div>
64 </nav>
65
66 <!-- ===== OFFCANVAS MENU ===== -->
67 <div class="offcanvas offcanvas-end tabindex="-1" id="offcanvasMenu">
68 <div class="offcanvas-header">
69 <h5 class="offcanvas-title">Menu</h5>
70 <button type="button" class="btn-close" data-bs-dismiss="offcanvas"></button>
71 </div>
72 <div class="offcanvas-body">
73 <ul class="navbar-nav">
74 <li class="nav-item"><a class="nav-link" href="#home">Home</a></li>
75 <li class="nav-item"><a class="nav-link" href="#products">Products</a></li>
76 <li class="nav-item"><a class="nav-link" href="#newsletter">Newsletter</a></li>
77 </ul>
78 </div>
79 </div>
80
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 19, Col 44 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier

File Edit Selection View Go ... Q GurunathRagani_Net/SD_upGrad_B4_Python

EXPLORER

OPEN EDITORS

- index.html WEEK 2/Day3_handson.js...
- index.html WEEK 2/Day4_handson_Bootstrap...
- style.css WEEK 2/Day3_handson.js/Py...

GURUNATHRAGANI_NET/SD_UPGRAD_B4_PYTHON

- WEEK_1
- WEEK_2
 - Day1_handson.js
 - Day2_handson.js
 - Day3_handson.js
 - Day4_handson_Bootstrap
- Document
- Practice
- Problem1
- Problem2
- Problem3
- Problem4
 - index.html
 - promise
 - index.html
- WEEK_3

OUTLINE

TIMELINE


PROJECTS

index.html ...Problem4 M


WEEK 2 > Day4_handson_Bootstrap > Problem4 > index.html > html > head > style > .hero

```
2 <html lang="en">
3 <head>
11 <style>
28 .card:hover {
30 transition: 0.3s ease;
31 }
32
33 footer {
34 background-color: #212529;
35 color: white;
36 padding: 30px 0;
37 }
38 </style>
39 </head>
40
41 <body>
42
43 <!-- ===== NAVBAR ===== -->
44 <nav class="navbar navbar-expand-lg navbar-dark bg-primary fixed-top">
45 <div class="container">
46 <a class="navbar-brand fw-bold" href="#">ShopElite</a>
47
48 <!-- Offcanvas Toggle -->
49 <button class="navbar-toggler" type="button"
50 data-bs-toggle="offcanvas"
51 data-bs-target="#offcanvasMenu">
52 <span class="navbar-toggler-icon"></span>
53 </button>
54
```

main* 35°C Sunny Indexing completed. gurunath (3 hours ago) In 19, Col 44 Spaces: 4 UTF-8 CRLF HTML Signed out Port: 5500 Prettier



Output Screenshot:



Explanation: This dashboard is built using Bootstrap 5 to create a fully responsive layout with a collapsible navbar, grid-based event cards, and utility classes for spacing and alignment. The responsive grid (col-12 col-md-6 col-lg-4 col-xl-3) ensures proper adaptation across mobile, tablet, and desktop breakpoints.

A Bootstrap modal is implemented using the data-bs-toggle and data-bs-target attributes, functioning through the Bootstrap JS bundle without custom modal logic. Form validation

is handled using Bootstrap's validation classes (needs-validation, was-validated) combined with native HTML5 validation to provide structured feedback styling.

A Bootstrap modal is implemented using the data-bs-toggle and data-bs-target attributes, functioning through the Bootstrap JS bundle without custom modal logic. Form validation is handled using Bootstrap's validation classes (needs-validation, was-validated) combined with native HTML5 validation to provide structured feedback styling.

Explanation:

This dashboard is built using Bootstrap 5 to create a fully responsive layout with a collapsible navbar, grid-based event cards, and utility classes for spacing and alignment. The responsive grid (col-12 col-md-6 col-lg-4 col-xl-3) ensures proper adaptation across mobile, tablet, and desktop breakpoints.

A Bootstrap modal is implemented using the data-bs-toggle and data-bs-target attributes, functioning through the Bootstrap JS bundle without custom modal logic. Form validation is handled using Bootstrap's validation classes (needs-validation, was-validated) combined with native HTML5 validation to provide structured feedback styling.



R. Gurunath <gurunath918231@gmail.com>

2:56 PM (9
minutes ago)

to me

<!--Problem 1 (Level-1): Student Feedback Form Interaction

Scenario:

A training institute wants to collect feedback from students through a simple web form. They want to enhance user experience using jQuery to validate inputs and display messages dynamically without reloading the page.

Requirements

- Create a feedback form with fields: Name, Email, Course Rating (dropdown), and Comments.
- Use jQuery selectors to capture form inputs.

- On clicking the Submit button, validate that Name and Email are not empty.
- Display a success message dynamically below the form using jQuery DOM manipulation.
- Clear the form fields after successful submission.

🔗 Technical Constraints

- Use jQuery CDN for integration.
- Use basic jQuery syntax: `$(selector).action()`.
- Do not use plain JavaScript for validation (only jQuery methods).
- No backend integration required.

Expectations:

- Proper use of jQuery selectors and event handling.
- Clean and readable code structure.
- Validation messages should be user-friendly.

Learning Outcome:

- Understand jQuery syntax and selectors.
- Learn basic DOM manipulation using jQuery.-->