

HTML5_Day - 2 Hands On - Gurunath Rageni

Problem 1

Assessment Goal: Validate understanding of links and form elements.

Hands-on Tasks:

1. Create two HTML pages and link them using navigation links
2. Add a navigation bar with Home and Contact links
3. Create a registration form with:
 - o Name
 - o Email
 - o Password
 - o Gender (radio buttons)
 - o Course selection (dropdown)
4. Use required and placeholder attributes

Code:

```
<!--Gurunath Rageni Day2_P1-->
<!DOCTYPE html>
<html>
  <head>
    <title>locations</title>
  </head>
  <body>
    <h1>Locations</h1>
    <ol>
      <li><a href="menu.html">Hyderabad</a></li>
      <li><a href="menu.html">Banglore</a></li>
      <li><a href="menu.html">Chennai</a></li>
      <li><a href="menu.html">Mumbai</a></li>
    </ol>
  </body>
</html>
```

```
<!DOCTYPE html>

<html>

  <head>

    <title>Menus</title>

  </head>

  <body>

    <h1>Menu Items</h1>

    <ol>

      <li>Biryani</li>

      <li>Fried Rice</li>

      <li>Meals</li>

      <li>Fried Chicken</li>

    </ol>

  </body>

</html>
```

```
<!--Gurunath Rageni Day2_P1-->

<!DOCTYPE html>

<html lang="en">

  <head>

    <title>Restaurant Details</title>

  </head>

  <body>

    <h1>Restaurant Details</h1>

    <nav>

      <li><a href="types.html">Restraunts</a>|</li>

      <li><a href="locations.html">Location</a></li>

      <li><a href="menu.html">Menuitems</a></li>

    </nav>

  </body>

</html>

<!DOCTYPE html>
```

```
<html>

  <head>

    <title>Restaurants</title>

  </head>

  <body>

    <h1>Restaurants</h1>

    <ol>

      <li><a href="locations.html">KFC</a></li>

      <li><a href="locations.html">MCDonalds</a></li>

      <li><a href="locations.html">TacoBell</a></li>

      <li><a href="locations.html">BurgerKings</a></li>

    </ol>

  </body>

</html>
```

Code Screenshots:

`<> navbar.html` X

WEEK_1 > Day2_handson_HTML5 > Problem1 > `<> navbar.html` > ...

```
1  <!--Gurunath Rageni Day2_P1-->
2  <!DOCTYPE html>
3  <html lang="en">
4  <head>
5  |   <title>Restaurant Details</title>
6  </head>
7  <body>
8  |   <h1>Restaurant Details</h1>
9  |   <nav>
10 |     <li><a href="types.html">Restraunts</a>|</li>
11 |     <li><a href="locations.html">Location</a></li>
12 |     <li><a href="menu.html">Menuitems</a></li>
13 |   </nav>
14 </body>
15 </html>
```

`<> types.html` X

WEEK_1 > Day2_handson_HTML5 > Problem1 > `<> types.html` >  html

```
1  <!DOCTYPE html>
2  <html>
3  |   <head>
4  |   |   <title>Restaurants</title>
5  |   </head>
6  |   <body>
7  |   |   <h1>Restaurants</h1>
8  |   |   <ol>
9  |   |   |   <li><a href="locations.html">KFC</a></li>
10 |   |   |   <li><a href="locations.html">MCDonalds</a></li>
11 |   |   |   <li><a href="locations.html">TacoBell</a></li>
12 |   |   |   <li><a href="locations.html">BurgerKings</a></li>
13 |   |   </ol>
14 |   </body>
15 </html>
```

<> menu.html X

WEEK_1 > Day2_handson_HTML5 > Problem1 > <> menu.html > ...


```
1  <!DOCTYPE html>
2  <html>
3      <head>
4          <title>Menus</title>
5      </head>
6      <body>
7          <h1>Menu Items</h1>
8          <ol>
9              <li>Biryani</li>
10             <li>Fried Rice</li>
11             <li>Meals</li>
12             <li>Fried Chicken</li>
13         </ol>
14     </body>
15 </html>
```

<> locations.html X

WEEK_1 > Day2_handson_HTML5 > Problem1 > <> locations.html >  html


```
1  <!--Gurunath Rageni Day2_P1-->
2  <!DOCTYPE html>
3  <html>
4      <head>
5          <title>locations</title>
6      </head>
7      <body>
8          <h1>Locations</h1>
9          <ol>
10             <li><a href="menu.html">Hyderabad</a></li>
11             <li><a href="menu.html">Bangalore</a></li>
12             <li><a href="menu.html">Chennai</a></li>
13             <li><a href="menu.html">Mumbai</a></li>
14         </ol>
15     </body>
16 </html>
```

Output Screenshots:




Restaurant Details

[Restraunts](#)
[Location](#)
[Menuitems](#)



Locations

1. [Hyderabad](#)
2. [Banglore](#)
3. [Chennai](#)
4. [Mumbai](#)



Menu Items

1. Biryani
2. Fried Rice
3. Meals
4. Fried Chicken

Explanation:

In this Problem, I created a simple multi-page restaurant website using HTML. The website consists of separate pages for restaurants, locations, and menu items, all connected through anchor tags for smooth navigation. I used the `<nav>` element to design a basic navigation menu that allows users to move between different sections of the site. Ordered lists are used to neatly display the restaurants, city locations, and available food items. This project demonstrates the implementation of internal linking and structured webpage organization using fundamental HTML concepts.

Problem 2: Simple Website Navigation System (Level-1)

Scenario

A small coaching institute wants a basic static website with multiple pages so students can easily navigate between sections like Home, Courses, and Contact.

Requirements

- Create 3 HTML pages:
 - index.html (Home)
 - courses.html
 - contact.html
- Use:
 - <nav> element to create a navigation menu
 - <a> anchor tags for navigation
- Navigation menu should appear on all pages
- Use relative paths to link pages
- Include at least:
 - One internal anchor link (#section)
 - One external link (e.g., institute's social media)

Technical Constraints

- Only HTML5
- No CSS or JavaScript
- Navigation must be semantic (<nav>)

Code:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Coaching Institute - Contact</title>
```

```
</head>
```

```
<body>
```

<header>

<h1>Contact Us</h1>

</header>

<nav>

Home |

Courses |

Contact

</nav>

<hr>

<section>

<h2>Get in Touch</h2>

<p>Email: info@abccoaching.com</p>

<p>Phone: +91 9182318765</p>

<p>Location: Hyderabad, India</p>

<!-- External Link -->

<p>

Visit our

Instagram Page

</p>

</section>

</body>

</html>

```
<!DOCTYPE html>

<html>

<head>

    <title>Coaching Institute - Courses</title>

</head>

<body>


    <header>

        <h1>Our Courses</h1>

    </header>


    <nav>

        <a href="index.html">Home</a> |

        <a href="courses.html">Courses</a> |

        <a href="contact.html">Contact</a>

    </nav>


    <hr>


    <section>

        <h2>Available Courses</h2>


        <ul>

            <li>Python Programming</li>

            <li>Data Structures</li>

            <li>Web Development</li>

            <li>Competitive Exam Preparation</li>

        </ul>


        <!-- Internal Anchor -->

        <h3 id="details">Course Details</h3>
```

<p>Each course includes practical sessions and assignments.</p>

<p>View Course Details</p>

</section>

</body>

</html>

Code Screenshots:

```
index.html X
WEEK_1 > Day2_handson_HTML5 > Problem2 > index.html > html > body > nav
1  <!--Gurunath Rageni Day2_P2-->
2  <!DOCTYPE html>
3  <html>
4  <head>
5  |   <title>JSpiders Institute - Home</title>
6  </head>
7  <body>
8  |
9  |   <header>
10 |     <h1>JSpiders Coaching Institute</h1>
11 |   </header>
12 |
13 |   <nav>
14 |     <a href="index.html">Home</a> |
15 |     <a href="courses.html">Courses</a> |
16 |     <a href="contact.html">Contact</a>
17 |   </nav>
18 |
19 |   <hr>
20 |
21 |   <section>
22 |     <h2>Welcome to Our Institute</h2>
23 |     <p>We provide quality education for competitive exams and programming skills.</p>
24 |
25 |     <h3 id="about">About Us</h3>
26 |     <p>Our institute has experienced faculty and structured learning programs.</p>
27 |
28 |     <!-- Internal Anchor Link -->
29 |     <p><a href="#about">Go to About Section</a></p>
```

courses.html M contact.html ●

WEEK_1 > Day2_handson_HTML5 > Problem2 > <> contact.html > html > body > section

```

1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>Coaching Institute - Contact</title>
5  </head>
6  <body>
7      <header>
8          <h1>Contact Us</h1> </header>
9      <nav>
10         <a href="index.html">Home</a> |
11         <a href="courses.html">Courses</a> |
12         <a href="contact.html">Contact</a>
13     </nav>
14     <hr>
15     <section>
16         <h2>Get in Touch</h2>
17         <p>Email: info@abccoaching.com</p>
18         <p>Phone: +91 9182318765</p>
19         <p>Location: Hyderabad, India</p>
20         <p>
21             Visit our
22             <a href="https://www.instagram.com" target="_blank">
23                 Instagram Page
24             </a>
25         </p>
26     </section>
27 </body>
28 </html>

```

courses.html M X

WEEK_1 > Day2_handson_HTML5 > Problem2 > <> courses.html > html > body > header

```

1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>Coaching Institute - Courses</title>
5  </head>
6  <body>
7      <header>
8          <h1>Our Courses</h1>
9      </header>
10     <nav>
11         <a href="index.html">Home</a> |
12         <a href="courses.html">Courses</a> |
13         <a href="contact.html">Contact</a>
14     </nav>
15     <hr>
16     <section>
17         <h2>Available Courses</h2>
18         <ul>
19             <li>Python Programming</li>
20             <li>Data Structures</li>
21             <li>Web Development</li>
22             <li>Competitive Exam Preparation</li>
23         </ul>
24         <h3 id="details">Course Details</h3>
25         <p>Each course includes practical sessions and assignments.</p>
26         <p><a href="#details">View Course Details</a></p>
27     </section>
28 </body>
29 </html>

```

```

30
31         <!-- External Link -->
32         <p>
33             Follow us on
34             <a href="https://www.instagram.com" target="_blank">
35                 Facebook
36             </a>
37         </p>
38     </section>
39
40 </body>
41 </html>
42

```

Output Screenshot:



JSpiders Coaching Institute

[Home](#) | [Courses](#) | [Contact](#)

Welcome to Our Institute


We provide quality education for competitive exams and programming skills.

About Us

Our institute has experienced faculty and structured learning programs.

[Go to About Section](#)

Follow us on [Facebook](#)



Our Courses

[Home](#) | [Courses](#) | [Contact](#)

Available Courses

- Python Programming
- Data Structures
- Web Development
- Competitive Exam Preparation

Course Details

Each course includes practical sessions and assignments.

[View Course Details](#)



Contact Us

[Home](#) | [Courses](#) | [Contact](#)

Get in Touch

Email: info@abccoaching.com

Phone: +91 9182318765

Location: Hyderabad, India

Visit our [Instagram Page](#)

Explanation:

In this Problem, I developed a simple multi-page coaching institute website using HTML. The website includes separate pages for Home, Courses, and Contact, all connected through a navigation menu using anchor tags for easy movement between pages. I implemented both internal links (using id-based anchors to navigate within the same page) and external links that open social media pages in a new tab. The structure uses semantic elements like `<header>`, `<nav>`, and `<section>` to organize the content properly. This project demonstrates the use of internal navigation, external linking, and structured webpage layout using basic HTML concepts.

Problem 3: Student Registration Form with Input Types (Level-1)

Scenario

An institute wants a basic student registration form with built-in validation to reduce incorrect submissions.

Requirements

Create an HTML webpage that includes:

Create a form with following input types:

- text (Name)
- email
- tel
- number (Age)
- date

Use **HTML5 built-in validation**:

- required
- min, max

- pattern (for phone number)

Add submit button

Technical Constraints

- HTML5 only
- No JavaScript validation
- Use proper <label> tags

Code:

```
<!-- Gurunath Rageni -->

<!-- Problem 3 - Student Registration Form (Level-1) -->

<!DOCTYPE html>

<html>

<head>

  <title>Student Registration Form</title>

</head>

<body>


  <h1>Student Registration Form</h1>


  <form action="#" method="post">


    <!-- Name -->

    <label for="name">Full Name:</label><br>

    <input type="text" id="name" name="name"

      placeholder="Enter your full name"

      required>

    <br><br>


    <!-- Email -->

    <label for="email">Email:</label><br>

    <input type="email" id="email" name="email">
```

```
        placeholder="your@gmail.com"
        required>
<br><br>

<!-- Phone -->
<label for="phone">Phone Number:</label><br>
<input type="tel" id="phone" name="phone"
        placeholder="10-digit mobile number"
        pattern="[0-9]{10}"
        required>
<br><br>

<!-- Age -->
<label for="age">Age:</label><br>
<input type="number" id="age" name="age"
        min="18" max="60"
        required>
<br><br>

<!-- Date of Birth -->
<label for="dob">Date of Birth:</label><br>
<input type="date" id="dob" name="dob"
        required>
<br><br>

<!-- Submit Button -->
<input type="submit" value="Register">

</form>
</body>
</html>
```

Code Screenshots:

```
<> registrationform.html ●
WEEK_1 > Day2_handson_HTML5 > Problem3 > <> registrationform.html > ...
1  <!-- Gurunath Rageni -->
2  <!-- Problem 3 - Student Registration Form (Level-1) -->
3  <!DOCTYPE html>
4  <html>
5  <head>
6  |   <title>Student Registration Form</title>
7  </head>
8  <body>
9
10 |   <h1>Student Registration Form</h1>
11
12 |   <form action="#" method="post">
13
14 |       <!-- Name -->
15 |       <label for="name">Full Name:</label><br>
16 |       <input type="text" id="name" name="name"
17 |           placeholder="Enter your full name"
18 |           required>
19 |       <br><br>
20
21 |       <!-- Email -->
22 |       <label for="email">Email:</label><br>
23 |       <input type="email" id="email" name="email"
24 |           placeholder="your@gmail.com"
25 |           required>
26 |       <br><br>
27
28 |       <!-- Phone -->
29 |       <label for="phone">Phone Number:</label><br>
```

```

30      <input type="tel" id="phone" name="phone"
31             placeholder="10-digit mobile number"
32             pattern="[0-9]{10}"
33             required>
34      <br><br>
35
36      <!-- Age -->
37      <label for="age">Age:</label><br>
38      <input type="number" id="age" name="age"
39             min="18" max="60"
40             required>
41      <br><br>
42
43      <!-- Date of Birth -->
44      <label for="dob">Date of Birth:</label><br>
45      <input type="date" id="dob" name="dob"
46             required>
47      <br><br>
48
49      <!-- Submit Button -->
50      <input type="submit" value="Register">
51
52  </form>
53 </body>
54 </html>

```

Output Screenshot:

The screenshot shows a web browser window titled "Student Registration Form". The address bar displays the file path: C:/Users/gurun/OneDrive/Desktop/GurunathRageni_NetFSD_upGrad_B4_Python/WEEK_1/Day2_handson_HTML5/Problem3/registrationform.html. The form itself is titled "Student Registration Form" and contains the following elements:

- Full Name:** A text input field with the placeholder "Enter your full name".
- Email:** A text input field with the placeholder "your@gmail.com".
- Phone Number:** A text input field with the placeholder "10-digit mobile number".
- Age:** A number input field.
- Date of Birth:** A date input field with the placeholder "dd-mm-yyyy" and a calendar icon.
- Register:** A submit button.

Explanation:

In this project, I created a Student Registration Form using HTML to collect basic user information. The form includes various input types such as text, email, telephone, number, and date to ensure appropriate data collection. I applied built-in HTML validation features like

required, pattern, min, and max attributes to enforce proper input rules. Placeholders are used to guide users on what information to enter in each field. This project demonstrates the implementation of form creation and basic client-side validation using fundamental HTML concepts.

Problem 4: Multi-Page Website with Breadcrumb Navigation (Level-2)

Scenario

A training portal website has multiple levels of pages and users often get confused about where they are. The company wants breadcrumbs for better navigation.

Requirements

Pages:

- Home
- Courses
- Web Development
- HTML Course

Implement:

- <nav> for main menu
- Breadcrumb navigation using anchor tags

Example:

Home > Courses > Web Development > HTML

Use:

- **Hierarchical linking**
- **Relative paths**

Breadcrumb should update based on page hierarchy

Technical Constraints

- HTML5 only
- No CSS frameworks
- Semantic elements preferred

Code:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Home - Training Portal</title>
```

```
</head>
```

```
<body>
```

```
<nav>
```

```
<a href="index.html">Home</a> |
```

```
<a href="courses.html">Courses</a>
```

```
</nav>
```

```
<h1>Welcome to Training Portal</h1>
```

```
<p>You are here: Home</p>
```

```
</body>
```

```
</html>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<title>webdev</title>
```

```
</head>
```

```
<body>
```

```
<nav>
```

```
<a href="index.html">Home</a>
```

```
<a href="courses.html">Courses</a>
```

```
</nav>
```

```
<p>
```

```
<a href="index.html">Home</a>>
```

```
<a href="courses.html">Courses</a>>
```

```
<a href="webdev.html">Webdevelopment</a>>HTML
```

```
</p>
```

```
<h1>

  Welcome to HTML course

</h1>

<p>This course will teach you from scratch</p>

</body>

</html>
```

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <title>Courses</title>

  </head>

  <body>

    <nav>

      <a href="index.html">Home</a>|

      <a href="courses.index">Courses</a>

    </nav>

    <p>

      <a href="index.html">Home</a>>Courses

    </p>

    <h1>

      Our Courses

    </h1>

    <ul>

      <li><a href="webdev.html">Webdevelopment</a></li>

    </ul>

  </body>

</html>

<!DOCTYPE html>

<html lang="en">
```

```
<head>

  <title>webdev</title>

</head>

<body>

  <nav>

    <a href="index.html">Home</a>

    <a href="courses.html">Courses</a>

  </nav>


  <p>

    <a href="index.html">Home</a>>

    <a href="courses.html">Courses</a>>

    <a href="webdev.html">Webdevelopment</a>>Python

  </p>

  <h1>

    Welcome to Python course

  </h1>

  <p>This course will teach you from scratch</p>

</body>

</html>
```

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <title>webdev</title>

  </head>

  <body>

    <nav>

      <a href="index.html">Home</a>

      <a href="courses.html">Courses</a>

    </nav>
```

<p>

 Home>

 Courses>Webdevelopment

</p>

<h3>Our Courses</h3>

 HTML

 Python

</body>

</html>

Code Screenshot:

```
<> registrationform.html M    <> webdev.html X
WEEK_1 > Day2_handson_HTML5 > Problem4 > <> webdev.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3      <head>
4          <title>webdev</title>
5      </head>
6      <body>
7          <nav>
8              <a href="index.html">Home</a>
9              <a href="courses.html">Courses</a>
10         </nav>
11
12         <p>
13             <a href="index.html">Home</a>>
14             <a href="courses.html">Courses</a>>Webdevelopment
15         </p>
16
17         <h3>Our Courses</h3>
18         <ol>
19             <li><a href="html1.html">HTML</a></li>
20             <li><a href="Python.html">Python</a></li>
21         </ol>
22     </body>
23 </html>
```

<> registrationform.html M

<> python.html X

WEEK_1 > Day2_handson_HTML5 > Problem4 > <> python.html > ...

```
1  <!DOCTYPE html>
2  <html lang="en">
3      <head>
4          <title>webdev</title>
5      </head>
6      <body>
7          <nav>
8              <a href="index.html">Home</a>
9              <a href="courses.html">Courses</a>
10         </nav>
11
12         <p>
13             <a href="index.html">Home</a>>
14             <a href="courses.html">Courses</a>>
15             <a href="webdev.html">Webdevelopment</a>>Python
16         </p>
17         <h1>
18             Welcome to Python course
19         </h1>
20         <p>This course will teach you from scratch</p>
21     </body>
22 </html>
23
```

<> registrationform.html M

<> index.html X

WEEK_1 > Day2_handson_HTML5 > Problem4 > <> index.html > ...

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Home - Training Portal</title>
5  </head>
6  <body>
7  |
8  |   <nav>
9  |   |   <a href="index.html">Home</a> |
10 |   |   <a href="courses.html">Courses</a>
11 |   </nav>
12 |
13 |   <h1>Welcome to Training Portal</h1>
14 |
15 |   <p>You are here: Home</p>
16 |
17 </body>
18 </html>
19
```

<> registrationform.html M

<> html1.html X

WEEK_1 > Day2_handson_HTML5 > Problem4 > <> html1.html > ...

```
1  <!DOCTYPE html>
2  <html lang="en">
3      <head>
4          <title>webdev</title>
5      </head>
6      <body>
7          <nav>
8              <a href="index.html">Home</a>
9              <a href="courses.html">Courses</a>
10         </nav>
11
12         <p>
13             <a href="index.html">Home</a>>
14             <a href="courses.html">Courses</a>>
15             <a href="webdev.html">Webdevelopment</a>>HTML
16         </p>
17         <h1>
18             Welcome to HTML course
19         </h1>
20         <p>This course will teach you from scratch</p>
21     </body>
22 </html>
23
```


```
<> registrationform.html M <> courses.html X
WEEK_1 > Day2_handson_HTML5 > Problem4 > <> courses.html > html
1  <!DOCTYPE html>
2  <html lang="en">
3      <head>
4          <title>Courses</title>
5      </head>
6      <body>
7          <nav>
8              <a href="index.html">Home</a>|
9              <a href="courses.index">Courses</a>
10         </nav>
11         <p>
12             <a href="index.html">Home</a>>Courses
13         </p>
14         <h1>
15             Our Courses
16         </h1>
17         <ul>
18             <li><a href="webdev.html">Webdevelopment</a></li>
19         </ul>
20     </body>
21
22 </html>
```

Output Screenshot:



Welcome to Training Portal




You are here: Home



[Home](#) [Courses](#)
[Home](#) > [Courses](#) > Webdevelopment

Our Courses

1. [HTML](#)
2. [Python](#)



Explanation:

In this Problem, I developed a structured multi-page Training Portal website using HTML with proper navigation and breadcrumb implementation. The website includes separate pages for Home, Courses, Web Development, and individual course pages like HTML and Python, all connected using anchor tags. I implemented breadcrumb navigation (Home > Courses > Web Development > Course Name) to clearly indicate the user's current location within the website hierarchy. Ordered and unordered lists are used to display available courses in an organized manner. This project demonstrates multi-level page linking, hierarchical navigation, and basic website structure using core HTML concepts.

Problem 5: Course Enrollment Form with Advanced HTML Elements

Scenario

An online learning platform wants to enhance user experience by showing course progress, skill levels, and suggested inputs while filling the form.

Requirements

Create an enrollment form using:

- `<datalist>` for course suggestions
- `<progress>` to show enrollment completion
- `<meter>` to indicate skill level (Beginner–Advanced)

Include modern input types:

- email
- range
- number

Use built-in validation

Technical Constraints

- HTML5 only
- No JavaScript or CSS
- Must use semantic elements

Code:

```
<!DOCTYPE html>

<html>

<head>

  <title>Course Enrollment Form</title>

</head>

<body>


  <header>

    <h1>Online Course Enrollment</h1>

    <p>Fill in the details to enroll in your preferred course</p>

  </header>
```

<main>

<section>

<h2>Enrollment Form</h2>

<form>

<!-- Name -->

<label for="fullname">Full Name:</label>

<input type="text" id="fullname" name="fullname" required>

<!-- Email -->

<label for="email">Email Address:</label>

<input type="email" id="email" name="email" required>

<!-- Course with Datalist -->

<label for="course">Select Course:</label>

<input list="course-options" id="course" name="course" required>

<datalist id="course-options">

<option value="HTML Fundamentals">

<option value="CSS Mastery">

<option value="JavaScript Basics">

<option value="Python Programming">

<option value="Data Structures & Algorithms">

</datalist>

<!-- Number Input -->

<label for="experience">Years of Experience:</label>


```
<input type="number" id="experience" name="experience" min="0" max="20" required>
<br><br>

<!-- Skill Level Meter -->
<label for="skill">Skill Level (Beginner to Advanced):</label><br>
<meter id="skill" min="0" max="100" value="60"
  low="30" high="80" optimum="90">
  60 out of 100
</meter>
<br><br>

<!-- Range Input -->
<label for="commitment">Weekly Study Commitment (Hours):</label><br>
<input type="range" id="commitment" name="commitment"
  min="1" max="40" value="10">
<br><br>

<!-- Progress Bar (Static) -->
<label>Enrollment Completion Progress:</label><br>
<progress value="70" max="100">70%</progress>
<br><br>

<!-- Submit -->
<button type="submit">Enroll Now</button>

</form>

</section>

</main>

<footer>
  <p>&copy; 2026 Online Learning Platform</p>
</footer>

</body>
```

</html>

Code Screenshot:

```
<> registrationform.html M <> courses.html <> index.html X
WEEK_1 > Day2_handson_HTML5 > Problem5 > <> index.html > html > body > main > section > form
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Course Enrollment Form</title>
5  </head>
6  <body>
7
8  |   <header>
9  |   |   <h1>Online Course Enrollment</h1>
10 |   |   <p>Fill in the details to enroll in your preferred course</p>
11 |   </header>
12
13 |   <main>
14
15 |   |   <section>
16 |   |   |   <h2>Enrollment Form</h2>
17
18 |   |   |   <form>
19 |   |   |   |   <!-- Name -->
20 |   |   |   |   <label for="fullname">Full Name:</label><br>
21 |   |   |   |   <input type="text" id="fullname" name="fullname" required><br><br>
22 |   |   |   |
23 |   |   |   |   <!-- Email -->
24 |   |   |   |   <label for="email">Email Address:</label><br>
25 |   |   |   |   <input type="email" id="email" name="email" required><br><br>
26 |   |   |   |
27 |   |   |   |   <!-- Course with Datalist -->
28 |   |   |   |   <label for="course">Select Course:</label><br>
29 |   |   |   |
```

```

30     <input list="course-options" id="course" name="course" required>
31
32     <datalist id="course-options">
33         <option value="HTML Fundamentals">
34         <option value="CSS Mastery">
35         <option value="JavaScript Basics">
36         <option value="Python Programming">
37         <option value="Data Structures & Algorithms">
38     </datalist>
39     <br><br>
40
41     <!-- Number Input -->
42     <label for="experience">Years of Experience:</label><br>
43     <input type="number" id="experience" name="experience" min="0" max="20" req
44     <br><br>
45
46     <!-- Skill Level Meter -->
47     <label for="skill">Skill Level (Beginner to Advanced):</label><br>
48     <meter id="skill" min="0" max="100" value="60"
49         low="30" high="80" optimum="90">
50         60 out of 100
51     </meter>
52     <br><br>


```

```

53
54     <!-- Range Input -->
55     <label for="commitment">Weekly Study Commitment (Hours):</label><br>
56     <input type="range" id="commitment" name="commitment"
57         min="1" max="40" value="10">
58     <br><br>
59
60     <!-- Progress Bar (Static) -->
61     <label>Enrollment Completion Progress:</label><br>
62     <progress value="70" max="100">70%</progress>
63     <br><br>
64
65     <!-- Submit -->
66     <button type="submit">Enroll Now</button>
67 </form>
68 </section>
69 </main>
70 <footer>
71     <p>&copy; 2026 Online Learning Platform</p>
72 </footer>
73 </body>
74 </html>

```

Output Screenshot:



The screenshot shows a web browser window with the title "Course Enrollment Form". The address bar displays the file path: `C:/Users/gurun/OneDrive/Desktop/GurunathRageni_NetFSD_upGrad_B4_Python/WEEK_1/Day2_handson_HTML5/Problem5/index.html`. The page content is titled "Online Course Enrollment" and includes a subtitle: "Fill in the details to enroll in your preferred course".

Enrollment Form

Full Name:

Email Address:

Select Course:

Years of Experience:

Skill Level (Beginner to Advanced):

Weekly Study Commitment (Hours):

Enrollment Completion Progress:

Explanation:

In this Problem, I created an Online Course Enrollment Form using modern HTML5 elements to enhance user interaction and form functionality. The form collects user details such as name, email, selected course, experience, and study commitment using appropriate input types like email, number, and range. I implemented the `<datalist>` element to provide course suggestions, along with `<meter>` to indicate skill level and `<progress>` to display enrollment completion status. Semantic elements like `<header>`, `<main>`, `<section>`, and `<footer>` are used to structure the webpage properly. This project demonstrates the use of advanced form elements and built-in validation features in HTML5 to create a structured and interactive enrollment system.