


AIM: Design & develop ASP.net web application using master & content page.



Main.Master

```
<%@ Master Language="C#" AutoEventWireup="true"  
CodeBehind="main.master.cs" Inherits="practical_12_13_14_15.main" %>
```

```
<!DOCTYPE html>
```

```
<html>
```

```

<head runat="server">
    <title></title>
    <link rel="stylesheet" href="css/master.css">
    <asp:ContentPlaceHolder ID="head" runat="server">

        </asp:ContentPlaceHolder>
</head>
<body>
    <form id="form1" runat="server">
        <div id="navbar">
            <table id="navbar_tbl">
                <tr>
                    <td style="float:left"></td>
                    <td style="float:left"><p id="web_name">My Web
Site</p></td>
                    <td>
                        <a class="navbar_page"
href="home.aspx">Home</a>
                        <a class="navbar_page" href="about.aspx">About
Us</a>
                        <a class="navbar_page"
href="contact.aspx">Contact Us</a>
                        <a class="navbar_page"
href="register.aspx">Register</a>
                        <a class="navbar_page" href="login.aspx">User
Login</a>
                        <a class="navbar_page"
href="admin_login.aspx">Admin Login</a>
                    </td>
                </tr>
            </table>
        </div>
        <asp:ContentPlaceHolder ID="ContentPlaceHolder1"
runat="server">
            </asp:ContentPlaceHolder>
            <div class="footer">
                <footer>
                    By Vandan Patel
                </footer>
            </div>
        </form>
    </body>
</html>

```

Home.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/main.Master"
AutoEventWireup="true" CodeBehind="home.aspx.cs"
Inherits="practical_12_13_14_15.home" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">

    <table style="width:100%;">
        <tr>
            <td>&nbsp;</td>
            <td>
                <asp:Label ID="welcome_lb" runat="server" Font-
Size="Medium" Text="Label"></asp:Label>
            </td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>
                <asp:Button ID="logout_btn" runat="server"
OnClick="logout_btn_Click" Text="Logout" />
            </td>
            <td>&nbsp;</td>
        </tr>
    </table>

</asp:Content>
```

About.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/main.Master"
AutoEventWireup="true" CodeBehind="about.aspx.cs"
Inherits="practical_12_13_14_15.about" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <link rel="stylesheet" href="css/register.css">
</asp:Content>
```

```

<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
    <div>
        <table>
            <thead>
                <tr>
                    <th>
                        About US
                    </th>
                </tr>
            </thead>
            <tr>
                <td style="border:2px solid;border-
color:blue;padding:5px">Enrollment: 200120111130</td>
            </tr>
            <tr>
                <td style="border:2px solid;border-
color:blue;padding:5px">Name: Vandan Patel</td>
            </tr>
            <tr>
                <td style="border:2px solid;border-
color:blue;padding:5px">Collage: UVPCE</td>
            </tr>
            <tr>
                <td style="border:2px solid;border-
color:blue;padding:5px">Sem: 4</td>
            </tr>
        </table>
    </div>
</asp:Content>

```

Login.aspx

```

<%@ Page Title="" Language="C#" MasterPageFile="~/main.Master"
AutoEventWireup="true" CodeBehind="login.aspx.cs"
Inherits="practical_12_13_14_15.login" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <link rel="stylesheet" href="css/register.css">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
    <div id="register_form">
        <table id="register_form_tbl" runat="server">
            <thead>

```

```

        <tr>
            <th>User Login</th>
        </tr>
    </thead>
    <tr>
        <td><p>Username: </p></td>
        <td style="padding-left:10px;">
            <table>
                <tr>
                    <td>
                        <asp:TextBox CssClass="mytxtbox"
ID="username" runat="server" placeholder="Your Username"
></asp:TextBox>
                    </td>
                    <td>
                        <asp:RequiredFieldValidator
ID="username_rfv" runat="server" ControlToValidate="username"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>
                    </td>
                    <td>
                        <asp:RegularExpressionValidator
ID="username_rev" runat="server" ErrorMessage="Invalid Username"
ControlToValidate="username" Font-Size="Smaller" ForeColor="Red"
ValidationExpression="^(?=[a-zA-Z])[-\w.]{7,20}([a-zA-Z\d]|(?<![ -
.])_)$"></asp:RegularExpressionValidator>
                    </td>
                </tr>
            </table>
        </td>
    </tr>
    <tr>
        <td style="padding-left:10px;"><p>Password: </p></td>
        <td style="padding-left:10px;">
            <table>
                <tr>
                    <td>
                        <asp:TextBox CssClass="mytxtbox"
ID="password" runat="server" textmode="Password" placeholder="Your
Password" ></asp:TextBox>
                    </td>
                    <td>
                        <asp:RequiredFieldValidator
ID="password_rfv" runat="server" ControlToValidate="password"

```

```

ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>
        </td>
    </tr>
</table>
</td>
</tr>
<tr>
    <td></td>
    <td style="padding-top:20px;padding-left:10px;">
        <a href="register.aspx" style="text-
decoration:none;font-size:16px;">If you have not register</a>
    </td>
</tr>
<tr>
    <td></td>
    <td><asp:Button ID="login_btn" runat="server"
Text="Login" OnClick="login_btn_Click" /></td>
</tr>
</table>
</div>
</asp:Content>

```

Admin_login.aspx

```

<%@ Page Title="" Language="C#" MasterPageFile="~/main.Master"
AutoEventWireup="true" CodeBehind="admin_login.aspx.cs"
Inherits="practical_12_13_14_15.admin_login" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <link rel="stylesheet" href="css/register.css">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
    <div id="register_form">
        <table id="register_form_tbl" runat="server">
            <thead>
                <tr>
                    <th>Admin Login</th>
                </tr>
            </thead>
            <tr>
                <td><p>Username: </p></td>
                <td style="padding-left:10px;">
                    <table>
                        <tr>

```

```

        <td>
            <asp:TextBox CssClass="mytxtbox"
ID="adminname" runat="server" placeholder="Your Username"
></asp:TextBox>
        </td>
        <td>
            <asp:RequiredFieldValidator
ID="RequiredFieldValidator2" runat="server"
ControlToValidate="adminname" ErrorMessage="It's Required" Font-
Size="Smaller" ForeColor="Red"></asp:RequiredFieldValidator>
        </td>
    </tr>
    <tr>
        <td>
            <asp:RegularExpressionValidator
ID="RegularExpressionValidator1" runat="server" ErrorMessage="Invalid
Username" ControlToValidate="adminname" Font-Size="Smaller"
ForeColor="Red" ValidationExpression="^(?=[a-zA-Z])[-\w.]{7,20}([a-zA-
Z\d]|(?<![-.])_) $"></asp:RegularExpressionValidator>
        </td>
    </tr>
</table>
</td>
</tr>
<tr>
    <td style="padding-left:10px;"><p>Password: </p></td>
    <td style="padding-left:10px;">
        <table>
            <tr>
                <td>
                    <asp:TextBox CssClass="mytxtbox"
ID="admin_password" runat="server" textmode="Password"
placeholder="Your Password" ></asp:TextBox>
                </td>
                <td>
                    <asp:RequiredFieldValidator
ID="RequiredFieldValidator1" runat="server"
ControlToValidate="admin_password" ErrorMessage="It's Required" Font-
Size="Smaller" ForeColor="Red"></asp:RequiredFieldValidator>
                </td>
            </tr>
        </table>
    </td>
</tr>
</tr>

```

```
                <td><asp:Button ID="admin_login_btn" runat="server"
Text="Login" OnClick="admin_login_btn_Click" /></td>
            </tr>
        </table>
    </div>
</asp:Content>
```

Register.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/main.Master"
AutoEventWireup="true" CodeBehind="register.aspx.cs"
Inherits="practical_12_13_14_15.register" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <link rel="stylesheet" href="css/register.css">

    <style type="text/css">
        .auto-style1 {
            width: 150px;
        }
    </style>
</asp:Content>

<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
    <div class="register_form">
        <table runat="server">
            <thead>
                <tr>
                    <th>Register</th>
                </tr>
            </thead>
            <tr>
```



```

        <td><p>First Name: </p></td>
        <td style="padding-left:10px;">
            <table>
                <tr>
                    <td>
                        <asp:TextBox CssClass="mytxtbox"
ID="frist_name" runat="server" placeholder="Your First
Name"></asp:TextBox>
                    </td>
                    <td>
                        <asp:RequiredFieldValidator
ID="first_name_rfv" runat="server" ControlToValidate="frist_name"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>
                    </td>
                </tr>
            </table>
        </td>
        <td style="padding-left:10px;"><p>Last Name: </p></td>
        <td style="padding-left:10px;">
            <table>
                <tr>
                    <td>
                        <asp:TextBox CssClass="mytxtbox"
ID="last_name" runat="server" placeholder="Your Last
Name"></asp:TextBox>
                    </td>
                    <td>

```

```

                                <asp:RequiredFieldValidator
ID="last_name_rfv" runat="server" ControlToValidate="last_name"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>

                                </td>

                                </tr>

                                </table>

                                </td>
</tr>
<tr>
    <td><p>Username: </p></td>
    <td style="padding-left:10px;">
        <table>
            <tr>
                <td>
                    <asp:TextBox CssClass="mytxtbox"
ID="username" runat="server" placeholder="Your Username"
></asp:TextBox>

                    </td>

                    <td>

                                <asp:RequiredFieldValidator
ID="username_rfv" runat="server" ControlToValidate="username"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>

                                </td>

                                <td>

```

```

                                <asp:RegularExpressionValidator
ID="username_rev" runat="server" ErrorMessage="Invalid Username"
ControlToValidate="username" Font-Size="Smaller" ForeColor="Red"
ValidationExpression="^(?=[a-zA-Z])[-\w.]{7,20}([a-zA-Z\d]|(?![ -
.]))_)$"></asp:RegularExpressionValidator>

                                </td>

                        </tr>

                </table>

</td>

<td style="padding-left:10px;"><p>Password: </p></td>

<td style="padding-left:10px;">

        <table>

                <tr>

                        <td>

                                <asp:TextBox CssClass="mytxtbox"
ID="password" runat="server" textmode="Password" placeholder="Your
Password" ></asp:TextBox>

                                </td>

                                <td>

                                <asp:RequiredFieldValidator
ID="password_rfv" runat="server" ControlToValidate="password"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>

                                </td>

                        </tr>

                </table>

</td>

<td style="padding-left:10px;"><p>Confirm Password:

</p></td>

```

```

        <td style="padding-left:10px;">
            <table>
                <tr>
                    <td>
                        <asp:TextBox CssClass="mytxtbox"
ID="c_password" runat="server" textmode="Password"
placeholder="Confirm Password" ></asp:TextBox>
                    </td>
                    <td>
                        <asp:RequiredFieldValidator
ID="c_password_rfv" runat="server" ControlToValidate="c_password"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>
                    </td>
                    <td>
                        <asp:CompareValidator ID="password_cv"
runat="server" ErrorMessage="Password Not Match"
ControlToCompare="password" ControlToValidate="c_password" Font-
Size="Smaller" ForeColor="Red"></asp:CompareValidator>
                    </td>
                </tr>
            </table>
        </td>
    </tr>
    <tr>
        <td><p>Mobile Number: </p></td>
        <td style="padding-left:10px;">
            <table>
                <tr>

```

```

        <td>

                <asp:TextBox CssClass="mytxtbox"
ID="mobile_number" runat="server" placeholder="Your Mobile
Number"></asp:TextBox>

        </td>

        <td>

                <asp:RequiredFieldValidator
ID="mobile_number_rfv" runat="server"
ControlToValidate="mobile_number" ErrorMessage="It's Required" Font-
Size="Smaller" ForeColor="Red"></asp:RequiredFieldValidator>

        </td>

        <td>

                <asp:RegularExpressionValidator
ID="mobile_number_rev" runat="server" ErrorMessage="Invalid Mobile
Number" Font-Size="Smaller" ForeColor="Red" ValidationExpression="^[7-
9][0-9]{9}$"
ControlToValidate="mobile_number"></asp:RegularExpressionValidator>

        </td>
</tr>
</table>
</td>
<td style="padding-left:10px;"><p>Email: </p></td>
<td style="padding-left:10px;">
        <table>
                <tr>
                        <td>

```

```

                                <asp:TextBox CssClass="mytxtbox"
ID="email" runat="server" placeholder="Your Email"></asp:TextBox>
                                </td>
                                <td>

                                <asp:RequiredFieldValidator
ID="email_rfv" runat="server" ControlToValidate="email"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>

                                </td>
                                <td>

                                <asp:RegularExpressionValidator
ID="email_rev" runat="server" ErrorMessage="Invalid Email" Font-
Size="Smaller" ForeColor="Red" ValidationExpression="\w+([-
+.']\w+)*@\w+([-.\]\w+)*\.\w+([-.\]\w+)*"
ControlToValidate="email"></asp:RegularExpressionValidator>

                                </td>
                                </tr>
                                </table>
                                </td>
                                <td style="padding-left:10px;"><p>Date of Birth:
</p></td>

                                <td style="padding-left:10px;">
                                <table>
                                <tr>
                                <td>

                                <asp:TextBox CssClass="mytxtbox"
ID="dob" runat="server" textmode="Date" ></asp:TextBox>

                                </td>
                                <td>

```

```

                                <asp:RequiredFieldValidator
ID="dob_rfv" runat="server" ControlToValidate="dob" ErrorMessage="It's
Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>

                                </td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                <tr>
                                <td><p>Country: </p></td>
                                <td style="padding-left:10px;">
                                <table>
                                <tr>
                                <td>
                                <asp:DropDownList ID="country"
CssClass="my_cbx" runat="server">
                                <asp:ListItem Value="0">--Select--
                                </asp:ListItem>
                                </asp:DropDownList>
                                </td>
                                <td>
                                <asp:CompareValidator ID="country_rfv"
runat="server" ValueToCompare="0" Operator="NotEqual"
ErrorMessage="It's Required" Font-Size="Smaller" ForeColor="Red"
ControlToValidate="country"></asp:CompareValidator>
                                </td>
                                </tr>
                                </table>

```

```

        </td>
        <td style="padding-left:10px;"><p>State: </p></td>
        <td style="padding-left:10px;">
            <table>
                <tr>
                    <td class="auto-style1">
                        <asp:DropDownList ID="state"
                        CssClass="my_cbx" runat="server">
                            <asp:ListItem Value="0">--Select--
                        </asp:ListItem>
                        </asp:DropDownList>
                    </td>
                    <td>
                        <asp:CompareValidator ID="state_rfv"
                        runat="server" ValueToCompare="0" Operator="NotEqual"
                        ErrorMessage="It's Required" Font-Size="Smaller" ForeColor="Red"
                        ControlToValidate="state"></asp:CompareValidator>
                    </td>
                </tr>
            </table>
        </td>
        <td style="padding-left:10px;"><p>City: </p></td>
        <td style="padding-left:10px;">
            <table>
                <tr>
                    <td>
                        <asp:DropDownList ID="city"
                        CssClass="my_cbx" runat="server">
                            <asp:ListItem Value="0">--Select--
                        </asp:ListItem>

```



```

        </asp:DropDownList>
    </td>
    <td>
        <asp:CompareValidator ID="city_rfv"
runat="server" ValueToCompare="0" Operator="NotEqual"
ErrorMessage="It's Required" Font-Size="Smaller" ForeColor="Red"
ControlToValidate="city"></asp:CompareValidator>
    </td>
</tr>
</table>
</td>
</tr>
<tr>
    <td><p>Address: </p></td>
    <td style="padding-left:10px;">
        <table>
            <tr>
                <td>
                    <asp:TextBox ID="address"
CssClass="my_textarea" runat="server" Columns="25" Rows="6"
TextMode="MultiLine" placeholder="Your Address" ></asp:TextBox>
                </td>
                <td>
                    <asp:RequiredFieldValidator
ID="address_rfv" runat="server" ControlToValidate="address"
ErrorMessage="It's Required" Font-Size="Smaller"
ForeColor="Red"></asp:RequiredFieldValidator>
                </td>
            </tr>
        </table>
    </td>
</tr>

```

```
        </tr>
    </table>
</td>
</tr>
<tr>
    <td></td>
    <td style="padding-top:20px;padding-left:10px;">
        <a href="login.aspx" style="text-
decoration:none;font-size:16px;">If you have already register</a>
    </td>
</tr>
<tr>
    <td>
        <asp:ScriptManager ID="ScriptManager1"
runat="server">
            </asp:ScriptManager>
        </td>
    <td style="padding-top:20px;padding-left:10px;">
        <asp:Button ID="register_btn"
CssClass="register_btn_css" runat="server" Text="Register"
OnClick="register_btn_Click" />
    </td>
</tr>
</table>
</div>
</asp:Content>
```

Master.css

```
body {
    font-family:'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande',
    'Lucida Sans Unicode', Geneva, Verdana, sans-serif;
}
#logo {
    width: 42px;
    height: 42px;
    border-radius: 25px;
}
#navbar {
    background-color: yellowgreen;
    color: white;
    text-align: right;
    margin-bottom: 20px;
    padding: 10px;
    width: 100%;
    height: 50px;
    box-shadow: 6px 12px yellow;
}
#navbar_tbl{
    width:100%;
    height:100%;
}
.navbar_page
{
    color: white;
    background-color: cadetblue;
    padding: 5px;
    margin: 5px;
    text-align: center;
    border-radius: 5px;
    text-decoration: none;
    height: 100%;
    box-shadow: 2px 4px yellow;
    transition: 0.3s;
}
.navbar_page:hover {
    color: black;
    background-color: yellow;
    box-shadow: 2px 4px blueviolet;
}
.footer{
    margin-top:20px;
    height:20px;
    width:100%;
    padding:10px;
```

```
    text-align:center;
    background-color:red;
    color: black;
}
#web_name{
    color:blueviolet;
    margin-left:10px;
    font-size:20px;
    font-style:oblique;
}
```

Register.css

```
.register_form {
    margin-left: auto;
    margin-right: auto;
}
.my_cbx {
    height: 35px;
    width: 150px;
    background-color: silver;
    color: white;
    transition: 0.5s;
    border-radius: 5px;
    box-shadow: 2px 4px yellow;
    font-size: 14px;
}
.my_textarea {
    padding: 5px;
    background-color: silver;
    color: white;
    transition: 0.5s;
    border-radius: 5px;
    box-shadow: 2px 4px yellow;
    font-size: 14px;
    outline: none;
}
.my_textarea::placeholder {
    color: white;
}
.my_textarea:focus {
    border-color: red;
}
```

```
        background-color: white;
        color: silver;
        box-shadow: 0 0 silver;
        outline: none;
    }
    .mytxtbox {
        height: 25px;
        padding: 5px;
        background-color: silver;
        color: white;
        transition: 0.5s;
        border-radius: 5px;
        box-shadow: 2px 4px yellow;
        font-size: 14px;
        outline: none;
    }
    .mytxtbox::placeholder {
        color: white;
    }

    .mytxtbox:focus {
        border-color: silver;
        background-color: white;
        color: silver;
        box-shadow: 0 0 silver;
        outline: none;
    }
}
```

Output:

The screenshot shows a web browser window with the URL `https://localhost:4437/register.aspx`. The page has a green header with the site name 'My Web Site' and navigation links: Home, About Us, Contact Us, Register, User Login, and Admin Login. Below the header, the 'User Login' section contains two input fields: 'Username:' and 'Password:'. A link 'If you have not register' is present, followed by a 'Login' button. At the bottom, a red footer bar contains the text 'By Vandan Patel'.

The screenshot shows a web browser window with the URL `https://localhost:4437/about.aspx`. The page has the same green header and navigation links as the previous page. Below the header, the 'About US' section displays a table with the following information:

Enrollment: 20012011130
Name: Vandan Patel
Collage: UVPCE
Sem: 4

At the bottom, a red footer bar contains the text 'By Vandan Patel'.

The screenshot shows a web browser window with the URL `https://localhost:4437/contact.aspx`. The page has the same green header and navigation links. Below the header, the 'Contact US' section contains three input fields: 'Username:', 'Email:', and 'Message:'. A 'Send' button is located at the bottom of the form. At the bottom, a red footer bar contains the text 'By Vandan Patel'.

The screenshot shows a web browser window with the URL `https://localhost:4437/register.aspx`. The page has a green header with the site name "My Web Site" and navigation links: Home, About Us, Contact Us, Register, User Login, and Admin Login. The main content area is titled "Register" and contains a form with the following fields: First Name, Last Name, Username, Password, Confirm Password, Mobile Number, Email, Date of Birth, Country (dropdown), State (dropdown), City (dropdown), and Address (text area). Below the form, there is a link "If you have already register" and a "Register" button. A red footer bar contains the text "By Vandan Patel".

The screenshot shows a web browser window with the URL `https://localhost:4437/admin_login.aspx`. The page has a green header with the site name "My Web Site" and navigation links: Home, About Us, Contact Us, Register, User Login, and Admin Login. The main content area is titled "Admin Login" and contains a form with the following fields: Username and Password. Below the form, there is a "Login" button. A red footer bar contains the text "By Vandan Patel".

The screenshot shows a web browser window with the URL `https://localhost:4437/userlogin`. The page has a green header with the site name "My Web Site" and navigation links: Home, About Us, Contact Us, Register, User Login, and Admin Login. The main content area is titled "User Login" and contains a form with the following fields: Username and Password. Below the form, there is a link "If you have not register" and a "Login" button. A red footer bar contains the text "By Vandan Patel".

