


EIRC_41_Actual_Power · follows power




best: quadratic · held-out MAE 0.122 → 0.109 (11 % less)




EIRC_43_Actual_Power · follows power




best: power + lag 80 min · held-out MAE 0.134 → 0.131 (2 % less)




EIRC_42_Actual_Power · follows power




best: power + lag 10 min · held-out MAE 0.205 → 0.204 (0 % less)




PLC_hostSetp_ctrl_ctEIRC41_rCurrMonitor · follows power




best: quadratic · held-out MAE 0.585 → 0.464 (21 % less)




EIRC_41_OUT_Analog · follows power




best: quadratic · held-out MAE 0.655 → 0.545 (17 % less)




EIRC_41_CurrentMon · follows power




best: quadratic · held-out MAE 0.602 → 0.502 (17 % less)




EIRC_45_Actual_Power · follows power




best: power + lag 5 min · held-out MAE 0.288 → 0.287 (0 % less)




PLC_hostSetp_ctrl_ctEIRC42_rCurrMonitor · follows power




best: quadratic · held-out MAE 0.809 → 0.715 (12 % less)




EIRC_43_OUT_Analog · follows power




best: quadratic · held-out MAE 0.903 → 0.818 (9 % less)




EIRC_43_CurrentMon · follows power




best: quadratic · held-out MAE 0.837 → 0.765 (9 % less)




PLC_hostSetp_ctrl_ctEIRC43_rCurrMonitor · follows power




best: quadratic · held-out MAE 0.822 → 0.725 (12 % less)




EIRC_42_CurrentMon · follows power




best: quadratic · held-out MAE 0.864 → 0.818 (5 % less)




EIRC_42_OUT_Analog · follows power




best: quadratic · held-out MAE 0.944 → 0.89 (6 % less)




EIRC_45_OUT_Analog · follows power




best: power + lag 5 min · held-out MAE 0.986 → 0.952 (3 % less)




PLC_hostSetp_ctrl_ctEIRC45_rCurrMonitor · follows power




best: quadratic · held-out MAE 0.929 → 0.883 (5 % less)




EIRC_45_CurrentMon · follows power




best: power + lag 5 min · held-out MAE 0.964 → 0.939 (3 % less)




PLC_pv_rFU_Worst_1 · follows power




best: line · held-out MAE 3.19 → 3.19 (0 % less)




B3_0x200C(ohTestStat)_Uac_L1PE/[V] · follows power




best: start + lag 10 min · held-out MAE 9.06 → 4.11 (55 % less)




PLC_pv_rFU_Worst_3 · follows power




best: line · held-out MAE 3.94 → 3.94 (0 % less)




PLC_pv_rFU_Worst_2 · follows power




best: line · held-out MAE 3.97 → 3.97 (0 % less)




TIR_4_1 · follows power




best: start + lag 5 min · held-out MAE 1.27 → 0.633 (50 % less)




PLC_pv_rFU_Worst_5 · follows power




best: line · held-out MAE 4.23 → 4.23 (0 % less)




B1_0x200C(ohTestStat)_Uac_L1PE/[V] · follows power




best: start + lag 10 min · held-out MAE 8.76 → 5.08 (42 % less)




PLC_hostSetp_ctrl_ctEIRC45_SP_TargetValue_Value · follows power




best: quadratic · held-out MAE 1.43 → 1.42 (0 % less)




PLC_hostSetp_ctrl_ctEIRC42_SP_TargetValue_Value · follows power




best: quadratic · held-out MAE 1.43 → 1.42 (0 % less)




PLC_hostSetp_ctrl_ctEIRC43_SP_TargetValue_Value · follows power




best: quadratic · held-out MAE 1.43 → 1.42 (0 % less)




PLC_hostSetp_ctrl_ctEIRC41_SP_TargetValue_Value · follows power




best: quadratic · held-out MAE 1.43 → 1.42 (0 % less)




PLC_hostSetp_ctrl_ctEIRC44_SP_TargetValue_Value · follows power




best: quadratic · held-out MAE 1.43 → 1.42 (0 % less)




B4_0x200C(ohTestStat)_Uac_L1PE/[V] · follows power




best: start + lag 10 min · held-out MAE 10.1 → 5.69 (44 % less)




EIRC_41_SP_Analog · follows power




best: line · held-out MAE 1.46 → 1.46 (0 % less)




EIRC_42_SP_Analog · follows power




best: line · held-out MAE 1.46 → 1.46 (0 % less)




EIRC_43_SP_Analog · follows power




best: line · held-out MAE 1.46 → 1.46 (0 % less)




EIRC_44_SP_Analog · follows power




best: line · held-out MAE 1.46 → 1.46 (0 % less)




EIRC_45_SP_Analog · follows power




best: line · held-out MAE 1.46 → 1.46 (0 % less)




B0_0x200C(ohTestStat)_Uac_L1PE/[V] · follows power




best: start + lag 320 min · held-out MAE 8.89 → 5.22 (41 % less)




pi_EIR_4_5_12 · follows power




best: start + lag 5 min · held-out MAE 1.83 → 1.65 (10 % less)




B2_0x200C(ohTestStat)_Uac_L1PE/[V] · follows power




best: start + lag 80 min · held-out MAE 11.7 → 7.07 (40 % less)




PLC_hostSetp_ctrl_ctEIRC44_rCurrMonitor · follows power




best: start + lag 5 min · held-out MAE 1.47 → 1.35 (8 % less)




EIRC_44_Actual_Power · follows power




best: start + lag 5 min · held-out MAE 0.702 → 0.611 (13 % less)




EIRC_44_CurrentMon · follows power




best: start + lag 5 min · held-out MAE 1.55 → 1.4 (10 % less)




EIRC_44_OUT_Analog · follows power




best: start + lag 5 min · held-out MAE 1.68 → 1.52 (9 % less)




PLC_pv_rFU_Worst_4 · follows power




best: start + lag 5 min · held-out MAE 4.6 → 3.87 (16 % less)




pi_EIR_4_1_21 · follows power




best: start + lag 5 min · held-out MAE 2.09 → 1.95 (7 % less)




PLC_hostSetp_ctrl_ctEIRC44_rVoltMonitor · follows power




best: start + lag 5 min · held-out MAE 11.1 → 8.38 (24 % less)




pi_EIR_4_2_15 · follows power




best: start + lag 5 min · held-out MAE 2.81 → 2.18 (22 % less)




EIRC_44_VoltageMon · follows power




best: start + lag 5 min · held-out MAE 11.4 → 8.63 (25 % less)




TotalVoltage_M4 · follows power




best: start + lag 5 min · held-out MAE 10.5 → 7.74 (26 % less)




PLC_hostSetp_ctrl_ctEIRC45_rVoltMonitor · follows power




best: start + lag 5 min · held-out MAE 15.4 → 11.9 (22 % less)




pi_EIR_4_5_18 · follows power




best: start + lag 5 min · held-out MAE 2.24 → 1.85 (17 % less)




pi_EIR_4_2_12 · follows power




best: start + lag 5 min · held-out MAE 3.63 → 2.71 (25 % less)




TotalVoltage_M5 · follows power




best: start + lag 5 min · held-out MAE 14.4 → 10.7 (26 % less)




B4_0x2008(ohTestStat)_Uac_L1L3/[V] · follows power




best: start + lag 5 min · held-out MAE 14.8 → 11 (26 % less)




EIRC_45_VoltageMon · follows power




best: start + lag 5 min · held-out MAE 16 → 12.8 (20 % less)




pi_EIR_4_5_15 · follows power




best: start + lag 5 min · held-out MAE 3.46 → 2.57 (26 % less)




PLC_hostSetp_ctrl_ctEIRC42_rVoltMonitor · follows power




best: start + lag 5 min · held-out MAE 17.3 → 13.2 (24 % less)




B3_0x2008(ohTestStat)_Uac_L1L3/[V] · follows power




best: start + lag 5 min · held-out MAE 10.7 → 8.2 (24 % less)




TotalVoltage_M2 · follows power




best: start + lag 5 min · held-out MAE 16.5 → 11.9 (28 % less)




pi_EIR_4_4_21 · follows power




best: line · held-out MAE 1.37 → 1.37 (0 % less)




pi_EIR_4_2_21 · follows power




best: start + lag 5 min · held-out MAE 4.12 → 3.03 (26 % less)




B1_0x2008(ohTestStat)_Uac_L1L3/[V] · follows power




best: start + lag 5 min · held-out MAE 16.6 → 12.4 (25 % less)




pi_EIR_4_4_15 · follows power




best: start + lag 5 min · held-out MAE 1.74 → 1.57 (9 % less)




B0_0x2008(ohTestStat)_Uac_L1L3/[V] · follows power




best: start + lag 10 min · held-out MAE 16.4 → 11.7 (29 % less)




TotalVoltage_M1 · follows power




best: start + lag 10 min · held-out MAE 16.2 → 11.7 (28 % less)




pi_EIR_4_1_12 · follows power




best: start + lag 10 min · held-out MAE 4.15 → 2.98 (28 % less)




pi_EIR_4_1_18 · follows power




best: start + lag 5 min · held-out MAE 3.31 → 2.63 (21 % less)




PLC_hostSetp_ctrl_ctEIRC41_rVoltMonitor · follows power




best: start + lag 5 min · held-out MAE 17 → 13.1 (23 % less)




EIRC_42_VoltageMon · follows power




best: start + lag 5 min · held-out MAE 18.6 → 14.5 (22 % less)




EIRC_41_VoltageMon · follows power




best: start + lag 5 min · held-out MAE 18 → 14.3 (20 % less)




ct_FIRC_13_SP_Analog · operator-set / no link




best: start + lag 5 min · held-out MAE 8.03 → 0 (100 % less)




PLC_pv_rRejectionRatio · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0889 → 0 (100 % less)




PLC_hostSetp_ctrl_ctEIRC45_SP_SlewRateAbs · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00165 → 0 (100 % less)




ct_FIRC_111_SO_EnableSignal · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00863 → 0 (100 % less)




ct_FIRC_112_SO_EnableSignal · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00863 → 0 (100 % less)




ct_FIRC_15_SP_Analog · operator-set / no link




best: start + lag 20 min · held-out MAE 0.292 → 0.000613 (100 % less)




pi_QIR_10_23_Press · operator-set / no link




best: start + lag 5 min · held-out MAE 10.2 → 0.171 (98 % less)




pi_QIR_10_24_Press · operator-set / no link




best: start + lag 5 min · held-out MAE 10.2 → 0.195 (98 % less)




PLC_ctrl_ct_FIRC_113_OUT_EnableSignal · operator-set / no link




best: start + lag 320 min · held-out MAE 0.399 → 0.00983 (98 % less)




PLC_ctrl_ct_FIRC_113_SO_EnableSignal · operator-set / no link




best: start + lag 320 min · held-out MAE 0.408 → 0.011 (97 % less)




pi_EIR_4_5_11 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00332 → 0.000303 (91 % less)




pi_EIR_4_5_10 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00212 → 0.000194 (91 % less)




ct_FIRC_111_PV_ProcessValue · operator-set / no link




best: start + lag 320 min · held-out MAE 484 → 33.3 (93 % less)




pi_EIR_4_4_17 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00215 → 0.000271 (87 % less)




ct_FIRC_112_PV_ProcessValue · operator-set / no link




best: start + lag 320 min · held-out MAE 489 → 34.9 (93 % less)




pi_EIR_4_5_20 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0013 → 0.000168 (87 % less)




pi_EIR_4_3_10 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00195 → 0.000265 (86 % less)




pi_EIR_4_3_19 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00211 → 0.000263 (88 % less)




ct_FIRC_112_OUT_Analog · operator-set / no link




best: start + lag 320 min · held-out MAE 504 → 54.3 (89 % less)




ct_FIRC_111_OUT_Analog · operator-set / no link




best: start + lag 320 min · held-out MAE 504 → 54.3 (89 % less)




pi_EIR_4_2_14 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00224 → 0.000328 (85 % less)




pi_EIR_4_3_17 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00223 → 0.00032 (86 % less)




pi_EIR_4_4_16 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0012 → 0.000208 (83 % less)




pi_EIR_4_3_13 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00117 → 0.000178 (85 % less)




pi_EIR_4_4_14 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00155 → 0.000255 (84 % less)




PIR_2_01 · operator-set / no link




best: start + lag 20 min · held-out MAE 22 → 2.67 (88 % less)




pi_EIR_4_3_14 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0011 → 0.00017 (85 % less)




PLC_pv_QIR_1_4_calc · operator-set / no link




best: start + lag 80 min · held-out MAE 0.00373 → 0.000709 (81 % less)




pi_EIR_4_2_20 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00125 → 0.000205 (84 % less)




pi_EIR_4_3_20 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.00144 → 0.000217 (85 % less)




pi_EIRC_2_01_ActV_rMas_CurrInput_[mA] · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00304 → 0.00053 (83 % less)




pi_EIR_4_3_11 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00115 → 0.000182 (84 % less)




PIR_1_1_2 · operator-set / no link




best: start + lag 320 min · held-out MAE 42.5 → 5.82 (86 % less)




PLC_pi_QIR_1_4_ActVal_Value · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00366 → 0.000774 (79 % less)




pi_EIR_4_4_10 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0013 → 0.000222 (83 % less)




pi_EIR_4_2_13 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.00104 → 0.00023 (78 % less)




pi_EIR_4_1_14 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000896 → 0.000187 (79 % less)




pi_EIR_4_2_16 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000823 → 0.000165 (80 % less)




ct_FIRC_111_DO_TargetValue · operator-set / no link




best: start + lag 10 min · held-out MAE 549 → 80.3 (85 % less)




ct_FIRC_112_DO_TargetValue · operator-set / no link




best: start + lag 10 min · held-out MAE 549 → 80.3 (85 % less)




PIR_2_02 · operator-set / no link




best: start + lag 10 min · held-out MAE 3.35 → 0.746 (78 % less)




pi_EIRC_2_01_ActV_rSlv2_DeviceTemp_[°C] · operator-set / no link




best: start + lag 5 min · held-out MAE 4.1 → 0.939 (77 % less)




PIR_5_1_1 · operator-set / no link




best: start + lag 10 min · held-out MAE 3.03 → 0.729 (76 % less)




pi_EIR_4_4_13 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.00145 → 0.000326 (78 % less)




PIR_5_1_2 · operator-set / no link




best: start + lag 10 min · held-out MAE 3.04 → 0.754 (75 % less)




PIR_5_3_2 · operator-set / no link




best: start + lag 10 min · held-out MAE 2.89 → 0.733 (75 % less)




pi_EIR_4_1_17 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000623 → 0.000149 (76 % less)




PIR_5_3_1 · operator-set / no link




best: start + lag 10 min · held-out MAE 2.84 → 0.722 (75 % less)




pi_EIR_4_1_10 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000823 → 0.000188 (77 % less)




pi_EIRC_2_01_ActV_rMas_DeviceTemp_[°C] · operator-set / no link




best: start + lag 5 min · held-out MAE 4.13 → 1.08 (74 % less)




pi_EIR_4_5_22 · operator-set / no link




best: start + lag 320 min · held-out MAE 34.2 → 9.42 (72 % less)




B3_0x1131_Alarm_DC- · operator-set / no link




best: start + lag 20 min · held-out MAE 1.58 → 0.545 (65 % less)




B3_0x1141_Alarm_DC+ · operator-set / no link




best: start + lag 20 min · held-out MAE 1.58 → 0.546 (65 % less)




B3_0x1121_SymmetrieAlarm/[%] · operator-set / no link




best: start + lag 20 min · held-out MAE 1.58 → 0.546 (65 % less)




ct_FIRC_13_DO_SlewRateAbs · operator-set / no link




best: start + lag 320 min · held-out MAE 0.659 → 0.0471 (93 % less)




ct_FIRC_15_DO_SlewRateAbs · operator-set / no link




best: start + lag 320 min · held-out MAE 0.033 → 0.00236 (93 % less)




pi_EIRC_2_01_ActV_rSlv1_DeviceTemp_[°C] · operator-set / no link




best: start + lag 5 min · held-out MAE 4.21 → 1.13 (73 % less)




B3_0x10F1_DC_Offset/[%] · operator-set / no link




best: start + lag 20 min · held-out MAE 1.58 → 0.545 (65 % less)




PIR_7_02 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.142 → 0.0349 (75 % less)




B3_0x2028(ohTestStat)_Udc_To_PE/[V] · operator-set / no link




best: start + lag 40 min · held-out MAE 6.4 → 2.1 (67 % less)




pi_QIR_10_24_RH · operator-set / no link




best: start + lag 40 min · held-out MAE 3.89 → 1.14 (71 % less)




B2_0x2002(ohTest)_Risomin/[Ohm] · operator-set / no link




best: start + lag 5 min · held-out MAE 44.5 → 11.8 (73 % less)




B4_0x2000(ohTest)_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 30.4 → 9.37 (69 % less)




B4_0x1011_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 30.4 → 9.36 (69 % less)




B4_0x1021_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 30.4 → 9.36 (69 % less)




pi_EIR_4_2_19 · operator-set / no link




best: start + lag 20 min · held-out MAE 0.000739 → 0.000203 (72 % less)




pi_EIR_4_1_11 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000571 → 0.000155 (73 % less)




pi_EIRC_2_01_ActV_rMas_VoltInput_[V] · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000961 → 0.000256 (73 % less)




pi_EIR_4_3_22 · operator-set / no link




best: start + lag 320 min · held-out MAE 45.4 → 14.4 (68 % less)




PIR_7_03 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0795 → 0.0211 (74 % less)




PIR_5_4_2 · operator-set / no link




best: start + lag 5 min · held-out MAE 2.56 → 0.863 (66 % less)




PIR_5_4_1 · operator-set / no link




best: start + lag 5 min · held-out MAE 2.56 → 0.865 (66 % less)




PIR_6_01 · operator-set / no link




best: start + lag 5 min · held-out MAE 2.57 → 0.86 (67 % less)




pi_EIR_4_2_22 · operator-set / no link




best: start + lag 320 min · held-out MAE 42.9 → 14.8 (65 % less)




B2_0x1131_Alarm_DC- · operator-set / no link




best: start + lag 20 min · held-out MAE 1.28 → 0.449 (65 % less)




B2_0x1121_SymmetrieAlarm/[%] · operator-set / no link




best: start + lag 20 min · held-out MAE 1.28 → 0.45 (65 % less)




B2_0x10F1_DC_Offset/[%] · operator-set / no link




best: start + lag 20 min · held-out MAE 1.28 → 0.451 (65 % less)




B2_0x1141_Alarm_DC+ · operator-set / no link




best: start + lag 20 min · held-out MAE 1.28 → 0.45 (65 % less)




pi_EIR_4_5_19 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000516 → 0.000147 (72 % less)




pi_EIR_4_4_22 · operator-set / no link




best: start + lag 320 min · held-out MAE 38 → 13 (66 % less)




PIR_1_3_1 · operator-set / no link




best: start + lag 20 min · held-out MAE 0.0501 → 0.0129 (74 % less)




B4_0x1141_Alarm_DC+ · operator-set / no link




best: start + lag 10 min · held-out MAE 1.16 → 0.371 (68 % less)




B4_0x10F1_DC_Offset/[%] · operator-set / no link




best: start + lag 10 min · held-out MAE 1.16 → 0.372 (68 % less)




B4_0x1121_SymmetrieAlarm/[%] · operator-set / no link




best: start + lag 10 min · held-out MAE 1.16 → 0.372 (68 % less)




B4_0x1131_Alarm_DC- · operator-set / no link




best: start + lag 10 min · held-out MAE 1.16 → 0.372 (68 % less)




PIR_5_2_1 · operator-set / no link




best: start + lag 5 min · held-out MAE 2.56 → 0.923 (64 % less)




PIR_5_2_2 · operator-set / no link




best: start + lag 5 min · held-out MAE 2.55 → 0.919 (64 % less)




pi_QIR_10_23_RH · operator-set / no link




best: start + lag 320 min · held-out MAE 2.46 → 0.931 (62 % less)




pi_EIR_4_1_22 · operator-set / no link




best: start + lag 320 min · held-out MAE 37.3 → 12.6 (66 % less)




B3_0x1021_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 34.5 → 13.1 (62 % less)




B3_0x2000(ohTest)_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 34.5 → 13 (62 % less)




B3_0x1011_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 34.5 → 13.1 (62 % less)




PIR_7_1_2 · operator-set / no link




best: start + lag 5 min · held-out MAE 1.27 → 0.396 (69 % less)




PIR_7_1_1 · operator-set / no link




best: start + lag 5 min · held-out MAE 1.26 → 0.409 (68 % less)




B1_0x1121_SymmetrieAlarm/[%] · operator-set / no link




best: start + lag 10 min · held-out MAE 0.889 → 0.355 (60 % less)




B1_0x1131_Alarm_DC- · operator-set / no link




best: start + lag 10 min · held-out MAE 0.889 → 0.356 (60 % less)




B1_0x1141_Alarm_DC+ · operator-set / no link




best: start + lag 10 min · held-out MAE 0.889 → 0.356 (60 % less)




B1_0x10F1_DC_Offset/[%] · operator-set / no link




best: start + lag 10 min · held-out MAE 0.889 → 0.358 (60 % less)




PIR_1_5 · operator-set / no link




best: start + lag 20 min · held-out MAE 0.0872 → 0.0173 (80 % less)




pi_EIR_4_5_14 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000502 → 0.000179 (64 % less)




B1_0x2000(ohTest)_Riso/[Ohm] · operator-set / no link



best: start + lag 320 min · held-out MAE 38 → 15.1 (60 % less)




pi_QIR_10_23_Temp · operator-set / no link




best: start + lag 5 min · held-out MAE 1.35 → 0.527 (61 % less)




B1_0x1011_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 38 → 15.2 (60 % less)




B1_0x1021_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 38 → 15.2 (60 % less)




B2_0x1021_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 39.8 → 15.9 (60 % less)




B2_0x2000(ohTest)_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 39.8 → 15.8 (60 % less)




B2_0x1011_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 39.8 → 15.9 (60 % less)




B1_0x2002(ohTest)_Risomin/[Ohm] · operator-set / no link




best: start + lag 5 min · held-out MAE 45.3 → 15.8 (65 % less)




B4_0x2002(ohTest)_Risomin/[Ohm] · operator-set / no link




best: start + lag 5 min · held-out MAE 35.6 → 13.4 (62 % less)




B0_0x1011_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 32.7 → 13 (60 % less)




B0_0x1021_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 32.8 → 13.1 (60 % less)




B0_0x2000(ohTest)_Riso/[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 32.8 → 13.2 (60 % less)




B4_0x2028(ohTestStat)_Udc_To_PE/[V] · operator-set / no link




best: start + lag 10 min · held-out MAE 4.69 → 1.64 (65 % less)




String_4_ActMinVoltage · operator-set / no link




best: start + lag 20 min · held-out MAE 6.16 → 2.9 (53 % less)




pi_EIR_4_4_18 · operator-set / no link




best: start + lag 20 min · held-out MAE 6.15 → 2.9 (53 % less)




pi_EIR_4_1_20 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000317 → 0.000123 (61 % less)




pi_EIR_4_3_16 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.00036 → 0.000151 (58 % less)




EIRC_42_ActV_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0611 → 0.0279 (54 % less)




PIR_3_03 · operator-set / no link




best: start + lag 5 min · held-out MAE 2.14 → 1.34 (37 % less)




EIRC_43_ActV_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.065 → 0.0301 (54 % less)




B0_0x2002(ohTest)_Risomin/[Ohm] · operator-set / no link




best: start + lag 5 min · held-out MAE 36.9 → 16 (57 % less)




EIRC_45_ActV_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0685 → 0.0328 (52 % less)




B2_0x2028(ohTestStat)_Udc_To_PE/[V] · operator-set / no link




best: start + lag 20 min · held-out MAE 5.73 → 2.35 (59 % less)




EIRC_44_ActV_Min_CellVoltage · operator-set / no link




best: start + lag 20 min · held-out MAE 0.0491 → 0.0257 (48 % less)




EIRC_41_ActV_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0606 → 0.0308 (49 % less)




B1_0x2028(ohTestStat)_Udc_To_PE/[V] · operator-set / no link




best: start + lag 5 min · held-out MAE 3.93 → 1.8 (54 % less)




pi_EIR_4_4_11 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000186 → 6.85e-05 (63 % less)




B3_0x2010(ohTestStat)_Uac_L3PE/[V] · operator-set / no link




best: start + lag 320 min · held-out MAE 9.79 → 3.77 (62 % less)




pi_EIR_4_4_12 · operator-set / no link




best: start + lag 5 min · held-out MAE 3.15 → 1.84 (42 % less)




B0_0x1131_Alarm_DC- · operator-set / no link




best: start + lag 160 min · held-out MAE 0.816 → 0.406 (50 % less)




B0_0x1141_Alarm_DC+ · operator-set / no link




best: start + lag 160 min · held-out MAE 0.815 → 0.407 (50 % less)




B0_0x1121_SymmetrieAlarm/[%] · operator-set / no link




best: start + lag 160 min · held-out MAE 0.815 → 0.408 (50 % less)




B0_0x10F1_DC_Offset/[%] · operator-set / no link




best: start + lag 160 min · held-out MAE 0.815 → 0.409 (50 % less)




PLC_hostSetp_ctrl_ctEIRC41_rVoltCellMin_Setp · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0377 → 0.0233 (38 % less)




PLC_hostSetp_ctrl_ctEIRC42_rVoltCellMin_Setp · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0377 → 0.0233 (38 % less)




PLC_hostSetp_ctrl_ctEIRC43_rVoltCellMin_Setp · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0377 → 0.0233 (38 % less)




PLC_hostSetp_ctrl_ctEIRC45_rVoltCellMin_Setp · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0377 → 0.0233 (38 % less)




PLC_hostSetp_ctrl_ctEIRC44_rVoltCellMin_Setp · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0383 → 0.0241 (37 % less)




pi_IIR_5_1_1_ActVal · operator-set / no link




best: start + lag 320 min · held-out MAE 2.31 → 1.08 (53 % less)




pi_IIR_5_1_2_ActVal · operator-set / no link




best: start + lag 320 min · held-out MAE 2.28 → 1.08 (53 % less)




pi_QIR_10_24_Temp · operator-set / no link




best: start + lag 5 min · held-out MAE 1.57 → 0.746 (52 % less)




pi_IIR_6_1_1_ActVal · operator-set / no link




best: start + lag 5 min · held-out MAE 4.21 → 1.82 (57 % less)




PIRZ_8_1_2 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.011 → 0.0064 (42 % less)




pi_EIR_4_3_12 · operator-set / no link




best: start + lag 20 min · held-out MAE 6.61 → 4.34 (34 % less)




pi_EIR_4_3_21 · operator-set / no link




best: start + lag 10 min · held-out MAE 6.03 → 4.09 (32 % less)




EIRC_41_Setp_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.031 → 0.0238 (23 % less)




EIRC_42_Setp_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.031 → 0.0238 (23 % less)




EIRC_43_Setp_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.031 → 0.0238 (23 % less)




EIRC_45_Setp_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.031 → 0.0238 (23 % less)




TotalVoltage_M3 · operator-set / no link




best: start + lag 20 min · held-out MAE 23.8 → 16.2 (32 % less)




EIRC_44_Setp_Min_CellVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 0.0319 → 0.0247 (22 % less)




String_5_ActMinVoltage · operator-set / no link




best: start + lag 10 min · held-out MAE 7.23 → 4.87 (33 % less)




pi_EIR_4_5_21 · operator-set / no link




best: start + lag 10 min · held-out MAE 7.23 → 4.87 (33 % less)




pi_EIR_4_3_18 · operator-set / no link




best: start + lag 10 min · held-out MAE 7.53 → 5.17 (31 % less)




B2_0x2008(ohTestStat)_Uac_L1L3/[V] · operator-set / no link




best: start + lag 10 min · held-out MAE 24 → 16.7 (30 % less)




String_3_ActMinVoltage · operator-set / no link




best: start + lag 20 min · held-out MAE 6.95 → 4.66 (33 % less)




pi_EIR_4_1_15 · operator-set / no link




best: start + lag 10 min · held-out MAE 6.69 → 4.44 (34 % less)




String_1_ActMinVoltage · operator-set / no link




best: start + lag 10 min · held-out MAE 6.69 → 4.43 (34 % less)




pi_EIR_4_2_18 · operator-set / no link




best: start + lag 5 min · held-out MAE 5.92 → 4.23 (29 % less)




String_2_ActMinVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 5.92 → 4.23 (29 % less)




pi_EIR_4_3_15 · operator-set / no link




best: start + lag 10 min · held-out MAE 3.7 → 2.84 (23 % less)




EIRC_43_VoltageMon · operator-set / no link




best: start + lag 5 min · held-out MAE 26.2 → 19.5 (26 % less)




B1_0x2010(ohTestStat)_Uac_L3PE/[V] · operator-set / no link




best: start + lag 10 min · held-out MAE 9.84 → 7.13 (27 % less)




PLC_hostSetp_ctrl_ctEIRC43_rVoltMonitor · operator-set / no link




best: start + lag 5 min · held-out MAE 25.9 → 18.2 (30 % less)




pi_EIR_4_1_16 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000268 → 0.000163 (39 % less)




pi_EIR_4_2_11 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000254 → 0.000147 (42 % less)




B2_0x2010(ohTestStat)_Uac_L3PE/[V] · operator-set / no link




best: start + lag 20 min · held-out MAE 14.1 → 10.5 (25 % less)




B0_0x2028(ohTestStat)_Udc_To_PE/[V] · operator-set / no link




best: start + lag 320 min · held-out MAE 3.39 → 2.02 (40 % less)




pi_EIR_4_4_19 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000224 → 0.000139 (38 % less)




B3_0x2002(ohTest)_Risomin/[Ohm] · operator-set / no link




best: start + lag 5 min · held-out MAE 28.8 → 20 (31 % less)




B0_0x2010(ohTestStat)_Uac_L3PE/[V] · operator-set / no link




best: start + lag 320 min · held-out MAE 8.06 → 7.39 (8 % less)




pi_EIR_4_2_10 · operator-set / no link




best: start + lag 20 min · held-out MAE 0.000356 → 0.000212 (40 % less)




pi_IIR_3_1_1_ActVal · operator-set / no link




best: start + lag 40 min · held-out MAE 2.38 → 1.3 (45 % less)




pi_EIR_4_2_17 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000324 → 0.000204 (37 % less)




PIR_3_02 · operator-set / no link




best: quadratic · held-out MAE 2.4 → 2.17 (10 % less)




B4_0x2010(ohTestStat)_Uac_L3PE/[V] · operator-set / no link




best: start + lag 5 min · held-out MAE 7.28 → 6.37 (12 % less)




pi_EIR_4_1_13 · operator-set / no link




best: start + lag 320 min · held-out MAE 0.000217 → 0.000138 (36 % less)




pi_EIR_4_1_19 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000184 → 0.000122 (34 % less)




pi_EIR_4_5_16 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000243 → 0.000163 (33 % less)




ct_FIRC_113_PV_ProcessValue · operator-set / no link




best: start + lag 5 min · held-out MAE 13.9 → 12.4 (11 % less)




ct_FIRC_14_PV_ProcessValue · operator-set / no link




best: start + lag 5 min · held-out MAE 16.4 → 15.8 (3 % less)




ct_FIRC_14_OUT_Analog · operator-set / no link




best: start + lag 5 min · held-out MAE 16.4 → 15.9 (3 % less)




ct_FIRC_14_SO_Analog · operator-set / no link




best: start + lag 5 min · held-out MAE 16.3 → 15.8 (3 % less)




hostSetp_ctAFSR_ActFuelSupply · operator-set / no link




best: start + lag 5 min · held-out MAE 16.5 → 16.1 (2 % less)




PIR_3_01 · operator-set / no link




best: line · held-out MAE 1.05 → 1.05 (0 % less)




PIR_1_4_2 · operator-set / no link




best: line · held-out MAE 1.05 → 1.05 (0 % less)




PLC_pv_rM_CH4 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.681 → 0.677 (1 % less)




PIR_1_3_2 · operator-set / no link




best: quadratic · held-out MAE 0.114 → 0.104 (9 % less)




PIR_1_2_2 · operator-set / no link




best: start + lag 5 min · held-out MAE 26.7 → 16.4 (39 % less)




PLC_pv_rPressEjector · operator-set / no link



best: line · held-out MAE 1.01 → 1.01 (0 % less)




PIR_1_1_3 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.543 → 0.369 (32 % less)




PIR_1_2_1 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.584 → 0.402 (31 % less)




PLC_pv_rActPoxValue · operator-set / no link




best: start + lag 320 min · held-out MAE 83.7 → 55.1 (34 % less)




PIR_1_1_1 · operator-set / no link




best: start + lag 5 min · held-out MAE 0.485 → 0.344 (29 % less)




EIRC_2_01_ActV_rMas_MainsVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 4.02 → 2.7 (33 % less)




EIRC_2_01_ActV_rSlv2_MainsVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 3.61 → 2.49 (31 % less)




PIR_1_4_1 · operator-set / no link




best: lag 10 min · held-out MAE 0.0274 → 0.0266 (3 % less)




EIRC_2_01_ActV_rSlv1_MainsVoltage · operator-set / no link




best: start + lag 5 min · held-out MAE 3.7 → 2.56 (31 % less)




ct_FIRC_12_PV_ProcessValue · operator-set / no link




best: start + lag 5 min · held-out MAE 84.3 → 58.6 (31 % less)




ct_FIRC_12_SP_Analog · operator-set / no link




best: start + lag 5 min · held-out MAE 84.6 → 59.1 (30 % less)




ct_FIRC_12_OUT_Analog · operator-set / no link




best: start + lag 5 min · held-out MAE 84.6 → 59.1 (30 % less)




PLC_pv_rDeltaPressEjec · operator-set / no link




best: line · held-out MAE 1.89 → 1.89 (0 % less)




pi_EIRC_2_01_ActV_rMas_ActValue_[%] · operator-set / no link




best: power + lag 5 min · held-out MAE 12.9 → 11.8 (8 % less)




ct_FIRC_113_OUT_OutputValue · operator-set / no link



best: start + lag 5 min · held-out MAE 15.4 → 12.6 (18 % less)




ctrl_ct_Reformer_PV_ProcessValue · operator-set / no link




best: quadratic · held-out MAE 15 → 14.5 (3 % less)




PLC_pv_rActAfsr · operator-set / no link




best: start + lag 5 min · held-out MAE 0.701 → 0.664 (5 % less)




EIRC_45_SP_SlewRateAbs · operator-set / no link




best: start + lag 5 min · held-out MAE 0.000113 → 9.21e-05 (18 % less)




pi_EIRC_2_01_ActV_rMas_Voltage_[V] · operator-set / no link




best: power + lag 5 min · held-out MAE 53.1 → 49.8 (6 % less)




pi_IIR_5_1_3_ActVal · operator-set / no link




best: line · held-out MAE 0.0419 → 0.0419 (0 % less)




pi_EIRC_2_01_ActV_rSlv2_Resistance_[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 2.08e+35 → 1.58e+35 (24 % less)




pi_EIRC_2_01_ActV_rSlv2_Power_[W] · operator-set / no link




best: power + lag 10 min · held-out MAE 1.75e+03 → 1.63e+03 (7 % less)




pi_EIRC_2_01_ActV_rMas_Power_[W] · operator-set / no link




best: power + lag 10 min · held-out MAE 1.75e+03 → 1.64e+03 (7 % less)




pi_EIRC_2_01_ActV_rSlv1_Resistance_[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 2.34e+35 → 2.06e+35 (12 % less)




pi_EIRC_2_01_ActV_rMas_EffSetpoint_[%] · operator-set / no link




best: power + lag 10 min · held-out MAE 12.6 → 11.8 (6 % less)




pi_EIRC_2_01_ActV_rSlv1_Power_[W] · operator-set / no link




best: power + lag 10 min · held-out MAE 1.73e+03 → 1.62e+03 (7 % less)




hostSetp_ctAFSR_SO_OutValue · operator-set / no link




best: start + lag 5 min · held-out MAE 0.699 → 0.682 (3 % less)




pi_EIRC_2_01_ActV_rMas_OutputLevel_[%] · operator-set / no link




best: power + lag 10 min · held-out MAE 12.2 → 11.5 (6 % less)




EIRC_41_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.000163 → 0.000133 (19 % less)




EIRC_42_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.000163 → 0.000133 (19 % less)




EIRC_43_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.000163 → 0.000133 (19 % less)




EIRC_44_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.000163 → 0.000133 (19 % less)




PLC_hostSetp_ctrl_ctEIRC41_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.0087 → 0.00708 (19 % less)




PLC_hostSetp_ctrl_ctEIRC42_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.0087 → 0.00708 (19 % less)




PLC_hostSetp_ctrl_ctEIRC43_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.0087 → 0.00708 (19 % less)




PLC_hostSetp_ctrl_ctEIRC44_SP_SlewRateAbs · operator-set / no link




best: start + lag 20 min · held-out MAE 0.0087 → 0.00708 (19 % less)




pi_EIRC_2_01_ActV_rMas_Resistance_[Ohm] · operator-set / no link




best: start + lag 320 min · held-out MAE 8.54e+34 → 7.57e+34 (11 % less)




pi_EIR_4_4_20 · operator-set / no link




best: quadratic · held-out MAE 1.38e-05 → 1.37e-05 (1 % less)




ct_FIRC_113_SO_Analog · operator-set / no link




best: quadratic · held-out MAE 0.327 → 0.312 (5 % less)




EIRC_2_01_ActV_rSlv1_Current · operator-set / no link




best: start + lag 20 min · held-out MAE 8.35 → 7.18 (14 % less)




EIRC_2_01_ActV_rSlv2_Current · operator-set / no link




best: start + lag 20 min · held-out MAE 8.45 → 7.28 (14 % less)




B4_0x2026(ohTest)_DurationMeasImpuls/[%] · operator-set / no link




best: power + lag 5 min · held-out MAE 16.1 → 15.8 (1 % less)




EIRC_2_01_ActV_rMas_Current · operator-set / no link




best: start + lag 20 min · held-out MAE 8.46 → 7.35 (13 % less)




B0_0x2026(ohTest)_DurationMeasImpuls/[%] · operator-set / no link




best: power + lag 5 min · held-out MAE 16.5 → 16.1 (2 % less)




EIRC_2_01_ActV_rMas_MainsFreq · operator-set / no link




best: power + lag 80 min · held-out MAE 0.0229 → 0.0226 (2 % less)




B1_0x2026(ohTest)_DurationMeasImpuls/[%] · operator-set / no link




best: power + lag 5 min · held-out MAE 17.7 → 17.7 (0 % less)




B2_0x2026(ohTest)_DurationMeasImpuls/[%] · operator-set / no link




best: line · held-out MAE 20.2 → 20.2 (0 % less)




B3_0x2026(ohTest)_DurationMeasImpuls/[%] · operator-set / no link




best: quadratic · held-out MAE 19.7 → 19.5 (1 % less)




pi_QIR_10_25_Press · operator-set / no link




best: lag 320 min · held-out MAE 179 → 176 (1 % less)




ct_FIRC_113_SP_Analog · operator-set / no link




best: line · held-out MAE 0.146 → 0.146 (0 % less)




ct_FIRC_113_OUT_CurrentPID_SetPoint · operator-set / no link




best: line · held-out MAE 0.146 → 0.146 (0 % less)




PT02_Haug · operator-set / no link




best: line · held-out MAE 0.012 → 0.012 (0 % less)




pi_EIR_4_5_13 · operator-set / no link




best: lag 20 min · held-out MAE 4.34e-05 → 4.31e-05 (1 % less)




pi_EIR_4_5_17 · operator-set / no link




best: lag 320 min · held-out MAE 6.88e-05 → 6.74e-05 (2 % less)




pi_QIR_10_25_Temp · operator-set / no link




best: lag 320 min · held-out MAE 3.25 → 3.22 (1 % less)




ct_FIRC_13_PV_ProcessValue · operator-set / no link




best: line · held-out MAE 0.000914 → 0.000914 (0 % less)




B3_0x1101_MeasQuality/[%] · operator-set / no link




best: lag 20 min · held-out MAE 0.00581 → 0.00549 (5 % less)




B3_0x201E(ohTest)_MeasQuality/[%] · operator-set / no link




best: lag 20 min · held-out MAE 0.00876 → 0.00827 (6 % less)




pi_QIR_10_25_RH · operator-set / no link




best: lag 320 min · held-out MAE 181 → 179 (1 % less)




EIRC_2_01_SetV_rSetpointValue · operator-set / no link




best: start + lag 10 min · held-out MAE 12.6 → 11.3 (10 % less)




EIRC_2_01_ActV_In_ThreePhasePower · operator-set / no link




best: start + lag 10 min · held-out MAE 5.23e+03 → 4.73e+03 (10 % less)




String_3_ModulWithMinVoltage · operator-set / no link




best: start + lag 320 min · held-out MAE 1.02 → 0.931 (9 % less)




ct_TIRC_206_DO_SlewRateAbs · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.00668 → 0 (100 % less)




ct_TIRC_206_SO_OutValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.27 → 0 (100 % less)




ct_TIRC_206_SP_UseSP_Ramp · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.529 → 0 (100 % less)




ct_TIRC_206_SP_RampStartValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 36 → 0 (100 % less)




ct_TIRC_517_SP_RampStartValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 65.8 → 0 (100 % less)




ct_TIRC_206_SP_SlewRateAbs · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 5.89e-05 → 0 (100 % less)




ct_TIRC_517_SO_OutValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 18.7 → 0.0166 (100 % less)




ct_TIRC_611_DO_SlewRateAbs · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 0.0375 → 0.00139 (96 % less)




TIR_4_6_25 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 4.21 → 0.507 (88 % less)




TIR_4_6_17 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 16.5 → 2.44 (85 % less)




TIR_4_6_29 · temperature / cell (lags power)




best: start + lag 160 min · held-out MAE 17.2 → 2.49 (86 % less)




TIR_4_6_35 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 16.9 → 3 (82 % less)




TIR_4_6_33 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 16 → 3.58 (78 % less)




TIR_4_6_28 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 17.6 → 3.63 (79 % less)




TIR_5_4_2 · temperature / cell (lags power)




best: start + lag 80 min · held-out MAE 16.4 → 2.94 (82 % less)




TIR_4_6_27 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 20.1 → 3.77 (81 % less)




TIR_4_6_31 · temperature / cell (lags power)




best: start + lag 80 min · held-out MAE 18.4 → 2.96 (84 % less)




TIR_4_6_36 · temperature / cell (lags power)




best: start + lag 80 min · held-out MAE 18.8 → 3.03 (84 % less)




TIR_4_6_13 · temperature / cell (lags power)




best: start + lag 160 min · held-out MAE 18.1 → 3.05 (83 % less)




TIR_4_6_18 · temperature / cell (lags power)




best: start + lag 80 min · held-out MAE 19.5 → 3.51 (82 % less)




TIR_4_6_12 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 16.7 → 3.68 (78 % less)




TIRZ_8_2_5 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 81.1 → 16.6 (80 % less)




TIRC_5_1_1 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 18.3 → 3.23 (82 % less)




TIR_4_6_9 · temperature / cell (lags power)




best: start + lag 80 min · held-out MAE 19.1 → 3.3 (83 % less)




TIR_4_6_22 · temperature / cell (lags power)




best: start + lag 80 min · held-out MAE 20.5 → 3.65 (82 % less)




TIR_4_6_34 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 20.2 → 3.7 (82 % less)




TIRC_5_17 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 75.2 → 16 (79 % less)




ct_TIRC_517_PV_ProcessValue · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 75.2 → 16 (79 % less)




TIR_1_3 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 2.31 → 0.521 (77 % less)




TIR_4_6_14 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 19.1 → 3.43 (82 % less)




TIRC_5_1_2 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 18.4 → 3.31 (82 % less)




TIR_4_6_26 · temperature / cell (lags power)




best: start + lag 80 min · held-out MAE 22 → 4.06 (81 % less)




TIR_5_4_1 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 17.8 → 3.88 (78 % less)




TIR_4_6_21 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 19.9 → 3.8 (81 % less)




TIR_4_6_24 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 20.4 → 4.13 (80 % less)




TIR_4_6_23 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 20.2 → 4.93 (76 % less)




TIR_4_6_15 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 20.1 → 4 (80 % less)




TIR_4_6_32 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 22 → 5.44 (75 % less)




TIR_4_6_20 · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 18.9 → 4.34 (77 % less)




TIR_3_01 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 2.17 → 0.623 (71 % less)




TIR_4_6_30 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 21.5 → 5.66 (74 % less)




TIR_4_6_10 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 20.4 → 5.34 (74 % less)




TIRZ_8_1_3 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 20.4 → 6.05 (70 % less)




TIR_4_6_16 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 20.4 → 5.76 (72 % less)




TIR_4_6_11 · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 21.8 → 6.56 (70 % less)




TIR_3_02 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 2.76 → 0.877 (68 % less)




ct_TIRC_532_SO_OutValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 46 → 10.2 (78 % less)




ct_TIRC_531_SO_OutValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 46 → 10.3 (78 % less)




ct_TIRC_517_SP_TargetValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 88.8 → 29.1 (67 % less)




PLC_hostSetp_ctrl_ctEIRC44_rVoltCellMin_ActV · temperature / cell (lags power)




best: start + lag 20 min · held-out MAE 0.0515 → 0.0244 (53 % less)




PLC_hostSetp_ctrl_ctEIRC42_rVoltCellMin_ActV · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.0589 → 0.0256 (57 % less)




PLC_hostSetp_ctrl_ctEIRC43_rVoltCellMin_ActV · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.0621 → 0.0275 (56 % less)




TIR_1_1_1 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 4.22 → 1.44 (66 % less)




TIR_1_4_2 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 1.37 → 0.543 (60 % less)




PLC_hostSetp_ctrl_ctEIRC41_rVoltCellMin_ActV · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.0593 → 0.0281 (53 % less)




TIR_1_2_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 3.77 → 1.49 (60 % less)




PLC_hostSetp_ctrl_ctEIRC45_rVoltCellMin_ActV · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.0649 → 0.0299 (54 % less)




TIR_2_1_1 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 3.58 → 1.23 (66 % less)




TIR_2_1_2 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 3.58 → 1.22 (66 % less)




TIR_2_04 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 3.68 → 1.29 (65 % less)




TIR_1_2_2 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 1.92 → 1.02 (47 % less)




TIR_3_04 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 2.63 → 1.39 (47 % less)




ct_TIRC_531_OUT_OutputValue · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 45.8 → 21.5 (53 % less)




ct_TIRC_532_OUT_OutputValue · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 45.8 → 21.6 (53 % less)




TIRC_5_2_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 30.7 → 14.1 (54 % less)




TIRC_5_2_2 · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 23.8 → 13.5 (43 % less)




ct_TIRC_517_OUT_OutputValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 31 → 13.9 (55 % less)




TIR_1_4_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 1.91 → 1.03 (46 % less)




TIR_4_6_3 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.27 → 4 (45 % less)




TIRZ_8_2_4 · temperature / cell (lags power)




best: lag 5 min · held-out MAE 33.8 → 30.6 (10 % less)




TIRC_6_1_1 · temperature / cell (lags power)




best: lag 5 min · held-out MAE 32.1 → 29 (10 % less)




ct_TIRC_611_PV_ProcessValue · temperature / cell (lags power)




best: lag 5 min · held-out MAE 32.1 → 29 (10 % less)




ct_TIRC_532_DO_SlewRateAbs · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 0.093 → 0.0701 (25 % less)




ct_TIRC_531_DO_SlewRateAbs · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 0.0931 → 0.0702 (25 % less)




ct_TIRC_311_OUT_OutputValue · temperature / cell (lags power)




best: start + lag 40 min · held-out MAE 50.6 → 28 (45 % less)




TIRC_3_03 · temperature / cell (lags power)




best: lag 5 min · held-out MAE 27.5 → 25.7 (7 % less)




TIR_5_6_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 20.8 → 14.2 (31 % less)




TIR_4_6_4 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.39 → 4.49 (39 % less)




ct_TIRC_311_DO_SlewRateAbs · temperature / cell (lags power)




best: start + lag 320 min · held-out MAE 0.109 → 0.0858 (21 % less)




TIR_3_06 · temperature / cell (lags power)




best: lag 5 min · held-out MAE 41.5 → 39.3 (5 % less)




TIR_2_03 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 26.3 → 18.8 (28 % less)




ct_TIRC_311_SO_OutValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 48.8 → 32.2 (34 % less)




TIR_2_05 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 15.1 → 12.2 (19 % less)




TIR_2_02 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 27.4 → 19.6 (28 % less)




TIR_4_6_8 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.72 → 4.8 (38 % less)




TIR_4_6_2 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.78 → 4.9 (37 % less)




TIR_4_6_7 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.62 → 4.93 (35 % less)




TIR_4_6_6 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.7 → 4.98 (35 % less)




TIRC_3_12 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 36.5 → 28.2 (23 % less)




TIR_4_6_5 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.7 → 5.03 (35 % less)




TIRC_3_11 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 27.9 → 22.7 (18 % less)




TIR_4_6_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 7.94 → 5.44 (32 % less)




TIR_3_19_2 · temperature / cell (lags power)




best: quadratic · held-out MAE 12.5 → 11.4 (9 % less)




TIR_3_19_1 · temperature / cell (lags power)




best: quadratic · held-out MAE 13.1 → 11.8 (10 % less)




TIR_5_6_2 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 21 → 16.8 (20 % less)




TIR_7_04 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 22.6 → 18.4 (19 % less)




TIR_7_05 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 22.9 → 18.5 (20 % less)




TIRC_3_07 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 41.3 → 34.5 (17 % less)




TIR_7_1_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 28.7 → 22.8 (21 % less)




TIRZ_8_1_10 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 22.6 → 18.2 (19 % less)




TIR_7_3_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 20.5 → 16.5 (19 % less)




TIR_7_3_2 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 21.5 → 17.1 (21 % less)




TIR_3_18 · temperature / cell (lags power)




best: quadratic · held-out MAE 15.7 → 14.1 (10 % less)




TIRC_3_10 · temperature / cell (lags power)




best: quadratic · held-out MAE 51.2 → 49.4 (3 % less)




TIRZ_8_1_1 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 17.2 → 12.8 (26 % less)




ct_TIRC_517_SP_SlewRateAbs · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 0.00947 → 0.00563 (41 % less)




TIRC_5_3_2 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 31.8 → 24.4 (23 % less)




ct_TIRC_532_PV_ProcessValue · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 31.8 → 24.4 (23 % less)




TIRC_3_08 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 52.5 → 44.9 (14 % less)




TIRZ_8_2_3 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 30 → 23.1 (23 % less)




TIRC_3_13 · temperature / cell (lags power)




best: line · held-out MAE 10.3 → 10.3 (0 % less)




TIRZ_8_2_1 · temperature / cell (lags power)




best: quadratic · held-out MAE 18 → 16.5 (8 % less)




TIRC_3_09 · temperature / cell (lags power)




best: quadratic · held-out MAE 36.9 → 36 (3 % less)




ct_TIRC_206_SP_TargetValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 10.2 → 7.87 (23 % less)




TIRC_5_5_2 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 33 → 29.6 (10 % less)




ct_TIRC_311_PV_ProcessValue · temperature / cell (lags power)




best: quadratic · held-out MAE 18.2 → 16.8 (8 % less)




TIRC_3_1_1 · temperature / cell (lags power)




best: quadratic · held-out MAE 18.2 → 16.8 (8 % less)




TIRZ_8_1_9 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 38.6 → 36.7 (5 % less)




TIR_7_2_1 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 24.6 → 21 (15 % less)




TIRZ_8_2_2 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 38.7 → 28 (28 % less)




TIRC_3_17 · temperature / cell (lags power)




best: quadratic · held-out MAE 15 → 14.5 (3 % less)




TIR_6_01 · temperature / cell (lags power)




best: lag 5 min · held-out MAE 24.9 → 24.6 (1 % less)




TIRC_5_3_1 · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 39.2 → 29.7 (24 % less)




ct_TIRC_531_PV_ProcessValue · temperature / cell (lags power)




best: start + lag 10 min · held-out MAE 39.2 → 29.7 (24 % less)




TIRC_5_15 · temperature / cell (lags power)




best: quadratic · held-out MAE 19.8 → 18.5 (7 % less)




TIRC_5_14 · temperature / cell (lags power)




best: quadratic · held-out MAE 20.1 → 18.6 (7 % less)




TIR_7_1_2 · temperature / cell (lags power)




best: quadratic · held-out MAE 30.6 → 28.8 (6 % less)




TIRC_5_12 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 29.5 → 28 (5 % less)




TIRC_5_07 · temperature / cell (lags power)




best: lag 160 min · held-out MAE 18 → 17.4 (3 % less)




TIRC_5_5_1 · temperature / cell (lags power)




best: lag 5 min · held-out MAE 33.7 → 33.6 (0 % less)




TIRC_5_13 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 31.8 → 29.5 (7 % less)




TIRC_2_06 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 9.57 → 6.53 (32 % less)




ct_TIRC_206_PV_ProcessValue · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 9.57 → 6.53 (32 % less)




TIRC_5_11 · temperature / cell (lags power)




best: lag 320 min · held-out MAE 20.9 → 19.9 (5 % less)




TIRC_5_10 · temperature / cell (lags power)




best: lag 320 min · held-out MAE 22.6 → 21.4 (5 % less)




TIR_7_2_2 · temperature / cell (lags power)




best: start + lag 5 min · held-out MAE 23.8 → 22.2 (7 % less)




TIRC_5_08 · temperature / cell (lags power)




best: lag 40 min · held-out MAE 30 → 28.5 (5 % less)




TIR_3_05 · temperature / cell (lags power)




best: line · held-out MAE 3.84 → 3.84 (0 % less)




TIRC_3_16 · temperature / cell (lags power)




best: lag 20 min · held-out MAE 22.8 → 22 (4 % less)




ct_TIRC_611_OUT_OutputValue · temperature / cell (lags power)




best: lag 5 min · held-out MAE 0.0183 → 0.0146 (20 % less)




ct_TIRC_611_SO_OutValue · temperature / cell (lags power)




best: lag 5 min · held-out MAE 0.0949 → 0.0753 (21 % less)




TIRC_3_15 · temperature / cell (lags power)




best: lag 320 min · held-out MAE 10.9 → 10.4 (5 % less)





TIRC_5_09 · temperature / cell (lags power)





best: lag 320 min · held-out MAE 40 → 37.7 (6 % less)




TIRC_3_14 · temperature / cell (lags power)
line
lag 5 min
DC power, kW


best: lag 5 min · held-out MAE 18.9 → 18.8 (1 % less)
plant
line R² 0.00, MAE 16.7
lag 5 min R² 0.00, MAE 16.7
part-load minute (dotted = next run)


ct_TIRC_206_OUT_OutputValue · temperature / cell (lags power)
line
start + lag 10 min
DC power, kW


best: start + lag 10 min · held-out MAE 12.6 → 11.3 (10 % less)
plant
line R² 0.04, MAE 11.7
start + lag 10 min R² -0.04, MAE 10.4
part-load minute (dotted = next run)