

PROGRAM:

DATABASE QUERY:

```
CREATE DATABASE students;
USE students;
CREATE TABLE studetails (
    id INT PRIMARY KEY,
    name VARCHAR(50),
    age INT
);
INSERT INTO studetails (id, name, age) VALUES
(1, 'James', 25),
(2, 'Smith', 30);
```

Index.html:

```
<html>
  <head>
    <title>TODO supply a title</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <h1>Welcome to the Web Application</h1>
    <p>Click the button below to view data from the database.</p>
    <a href="displayData.jsp">View Data</a>
  </body>
</html>
```

displayData.jsp:

```
<%@ page import="java.sql.*" %>
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Database Data</title>
  <style>
    table {
      border-collapse: collapse;
      width: 80%;
      margin: 20px auto;
```

```

        font-family: Arial, sans-serif;
    }
    table, th, td {
        border: 1px solid black;
    }
    th, td {
        padding: 10px;
        text-align: center;
    }
    th {
        background-color: #f2f2f2;
    }
</style>
</head>

<body>
    <h1 style="text-align: center;">Data from Database</h1>
    <%
        String jdbcURL = "jdbc:mysql://localhost:3306/student";
        String dbUser = "root";
        String dbPassword = "ifet";
        Connection conn = null;
        Statement stmt = null;
        ResultSet rs = null;
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            conn = DriverManager.getConnection(jdbcURL, dbUser, dbPassword);
            String query = "SELECT * FROM stuDetails"; // Replace with your table name
            stmt = conn.createStatement();
            rs = stmt.executeQuery(query);
            out.println("<table>");
            out.println("<tr>");
            out.println("<th>ID</th>");
            out.println("<th>Name</th>");
            out.println("<th>Age</th>"); // Add more columns as needed
            out.println("</tr>");
            while (rs.next()) {
                out.println("<tr>");
                out.println("<td>" + rs.getInt("id") + "</td>");
                out.println("<td>" + rs.getString("name") + "</td>");
                out.println("<td>" + rs.getInt("age") + "</td>");
                out.println("</tr>");
            }
            out.println("</table>");
        }
    <%>

```

```
    } catch (Exception e) {
        out.println("<p style='color: red;'>Error: " + e.getMessage() + "</p>");
    } finally {
        try {
            if (rs != null) rs.close();
            if (stmt != null) stmt.close();
            if (conn != null) conn.close();
        }
    }
```

```
catch (SQLException e) {
    out.println("<p style='color: red;'>Error closing connection: " + e.getMessage() +
"</p>");
}
}
%>
</body>
</html>
```