

```
# PROMPT — Recreate "Mostar city" cinematic scroll page exactly Build a single
standalone page** (`index.html` + `styles.css` + `script.js`, vanilla — no frameworks, no build
step, no local assets). Every image and font must be loaded from the remote URLs
below**. Reproduce all values verbatim; they are not approximations. --- ## 1. Remote
assets (the only allowed sources) Font — display serif, family name must be `Ogg
Medium`** `` https://dcym8fthxf5uu.cloudfront.net/fonts/247a073c-29f5-4a89-aa3a-
741020f346fc/OggText-Medium.woff2 `` Scene photographs (transparent-edge PNG
layers)** | Layer role | URL | |---|---| | Sky / farthest background | `https://raft-blast-
61784561.figma.site/_assets/v11/16b5007d9c93971e26ffe4e0e3e37946f6bd538c.png` | |
Back "four" glow layer | `https://raft-blast-
61784561.figma.site/_assets/v11/8a7f8af50e0ce92ec2e228e7b0b4112178c51cf1.png` | |
Bazaar mid-back | `https://raft-blast-
61784561.figma.site/_assets/v11/864afe00e41e2fa20a5aa546e15cb807e0f81384.png` | |
Splitframe LEFT | `https://raft-blast-
61784561.figma.site/_assets/v11/7536d7b60a1fce482cf6edf3f0bffd3bad5d0f8a.png` | |
Splitframe RIGHT | `https://raft-blast-
61784561.figma.site/_assets/v11/392db6a6a6b98e868bd7f8d3f55bb719d51e5028.png` | |
Bridge foreground | `https://raft-blast-
61784561.figma.site/_assets/v11/c6a6d8ef49bca43f708aa852692942c45ec950d4.png` | |
Frame-two river close-up | `https://raft-blast-
61784561.figma.site/_assets/v11/ba75252bab2b1c510987b74837770f7bc8a6b2d4.png` |
Sight-card pin icons (transparent cutouts, square)** | Icon | URL | |---|---| | icon1 |
`https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJOttwIXH07IWA1P/hf_20260730
_230438_d526b8b6-8a2e-4e3b-9993-3908acae03a7.png` | | icon2 |
`https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJOttwIXH07IWA1P/hf_20260730
_230442_140bc25b-b165-4249-904a-f708bff6970e.png` | | icon3 |
`https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJOttwIXH07IWA1P/hf_20260730
_230448_825949c9-ccdb-4857-b4a6-e349eccc9010.png` | Favicon: `is the paint order for equal z-index, so keep it
exactly: `` main.site-shell ⊢ section.cinema-scroll#cinema [aria-label="Mostar cinematic
scroll story"] ⊢ div.stage ⊢ div.world | ⊢ img.scene-img.sky-img → sky URL | ⊢
header.site-header [aria-label="Primary navigation"] | | ⊢ a.site-logo[href="#cinema"]
"Bosnia and Herzegovina" | | ⊢ nav.site-nav [aria-label="Main menu"] Intro/#cinema,
Bridge/#bridge, | | Bazaar/#bazaar, Routes/#routes | | ⊢ button.language-switcher [aria-
label="Change language"] | | ⊢ span "EN" | | ⊢ span[aria-hidden="true"] "√" | ⊢
div.back-stack | | ⊢ img.scene-img.back-img.back-four → back-four URL | | ⊢
```

section.sights-slider [aria-label="Mostar sights slider"] | | | ⊥ div.sights-track | | | ⊥ 5 ×
 article.sight-card [tabindex="0" role="button"] | | ⊥ img.scene-img.back-img.back-bazaar
 → bazaar URL | ⊥ div.sights-controls [aria-label="Slider controls"] | | ⊥ button.sight-
 nav.sight-prev "←" [aria-label="Previous sight"] | | ⊥ button.sight-nav.sight-next "→" [aria-
 label="Next sight"] | ⊥ h1.hero-title "MOSTAR" | ⊥ img.scene-img.splitframe-
 img.splitframe-left → splitframe-1 URL | ⊥ img.scene-img.splitframe-img.splitframe-right
 → splitframe-2 URL | ⊥ img.scene-img.bridge-img → bridge URL | ⊥ img.scene-
 img.frame-two-img → frame-two URL | ⊥ div.shade ⊥ section.intro-copy [aria-
 label="Mostar overview"] ⊥ section.story-panel.story-panel-bridge [aria-label="Old Bridge
 details"] ⊥ section.story-panel.story-panel-bazaar [aria-label="Old town details"] `` All
 `img.scene-img` have `alt=""`. **Sight card internal order (per card):** `span.sight-kicker` →
 `img.sight-pin` → `h3` → `p`. | # | aria-label | kicker | h3 | p | pin | |---|---|---|---|---|---| | 1
 | Open Stari Most card | Old Bridge | Stari Most | The stone arch over the Neretva and
 Mostar's main landmark. | icon1 | | 2 | Open Kujundziluk card | Bazaar Street | Kujundziluk
 | Copper shops, souvenirs, and the old bazaar lane by the bridge. | icon2 | | 3 | Open Koski
 Mehmed Pasha Mosque card | Viewpoint | Koski Mehmed Pasha Mosque | A classic
 minaret view back toward Stari Most and the river. | icon3 | | 4 | Open Kajtaz House card |
 Ottoman House | Kajtaz House | A preserved residential house showing Mostar's Ottoman
 layers. | icon1 | | 5 | Open War Photo Exhibition card | Museum | War Photo Exhibition | A
 compact, moving stop for context on the city's recent history. | icon2 | **intro-copy
 content:** `

A stone arch, emerald water, and a compact old city made for slow
 mornings, late light, and one unforgettable crossing.

` then `div.hero-tags[aria-
 label="Mostar highlights"]` with three spans: `Old Bridge`, `Neretva River`, `UNESCO old
 city`. \*\*story-panel-bridge:\*\* `h2` = `The bridge is the city's compass.`; `p` = `Stari Most links
 the banks of the Neretva and anchors a historic quarter shaped by Ottoman, Mediterranean,
 and European layers.`; then `dl.facts` with two `div` groups: `dt 1566 / dd Original bridge
 completed` and `dt 2005 / dd Old Bridge Area inscribed by UNESCO`. **story-panel-
 bazaar:** `h2` = `The bazaar keeps Mostar close.`; `p` = `Stone lanes, mosque courtyards,
 copper stalls, and riverside coffee stay within a short walk of Stari Most.`; then `button.note-
 button` containing `span[aria-hidden="true"] ↗` and `span Open old town notes`. --- ## 4.
 CSS custom properties — exact `:root` block ``css :root { --mx: 0; --my: 0; --back-opacity: 1; --
 back-x: 0px; --back-y: 0px; --back-scale: 0.76; --four-y: 10vh; --four-scale: 0.78; --bazaar-y:
 20vh; --blur-px: 0px; --back-brightness: 1; --bazaar-blur-px: 0px; --bazaar-brightness: 1; --
 bazaar-saturation: 1; --shade-opacity: 1; --shade-z: 2; --shade-top-alpha: 0; --shade-mid-
 alpha: 0; --shade-bottom-alpha: 0; --blur-tint: 74, 181, 224; --title-y: 0px; --title-scale: 1; --
 title-opacity: 1; --bridge-x: -50%; --bridge-y: 0px; --bridge-bottom: 5vh; --bridge-width:
 67.2vw; --bridge-scale: 1.02; --split-left-x: -50%; --split-left-y: 0px; --split-left-scale: 1; --split-
 right-x: -50%; --split-right-y: 0px; --split-right-scale: 1; --frame2-opacity: 0; --frame2-x: -50%; -
 -frame2-y: -50%; --frame2-scale: 1.06; --intro-copy-y: 0px; --intro-copy-opacity: 1; --panel2-
 opacity: 0; --panel2-y: calc(-50% + 58px); --panel3-opacity: 0; --panel3-y: calc(-50% + 58px); -

```

--sights-opacity: 0; --sights-controls-opacity: 0; --sights-y: 0px; --sights-enter-x: 420vw; --
sights-visibility: hidden; --sights-shift: 0px; --sights-scale: 1; --sights-top: clamp(112px, 19vh,
220px); --sights-screen-top: clamp(112px, 19vh, 220px); --ink: #111411; --paper: #fdf1e1; --
shadow: rgba(0, 0, 0, 0.32); font-family: Inter, Satoshi, system-ui, -apple-system,
BlinkMacSystemFont, "Segoe UI", sans-serif; color: var(--paper); background: #0b1110;
letter-spacing: 0; } `` Global: `* { box-sizing: border-box };` `html { min-height:100%; scroll-
behavior:smooth; background:#0b1110 };` `body { min-height:100%; margin:0; overflow-
x:clip; background:#0b1110 };` `button { border:0; font:inherit };` ` .site-shell { min-
height:100vh };` --- ## 5. Exact positioning of every element **Scroll rig** - ` .cinema-scroll {
position: relative; height: calc(100vh + 3700px) }` - ` .stage { position: sticky; top: 0; height:
100vh; min-height: 620px; overflow: hidden; isolation: isolate; background: #7fb4d4 }` -
These are all `position: absolute`: ` .world, .back-stack, .sky-img, .shade, .scene-img, .site-
header, .sights-slider, .sights-controls, .hero-title, .intro-copy, .story-panel` - ` .world { inset: 0;
overflow: hidden; background: #79b7dd }` **Header (z-index 10)** — `top:0; left:0; right:0;`
`display:grid; grid-template-columns: minmax(260px,1fr) auto minmax(260px,1fr); align-
items:center; gap:32px; padding:32px; color:rgba(253,241,225,0.86); pointer-events:auto` -
` .site-logo` — `justify-self:start`, Ogg Medium 24px/1 weight 500, `rgba(253,241,225,0.92)`,
no underline, `white-space:nowrap` - ` .site-nav` — flex, centered, `gap: clamp(24px, 2.2vw,
44px)` - ` .site-nav a, .language-switcher` — `rgba(253,241,225,0.86)`, `font-weight:700`,
`line-height:1`, `text-shadow: 0 2px 16px rgba(0,0,0,0.2)`; ` .site-nav a` overrides to `font-
size:20px; font-weight:400` - ` .language-switcher` — `justify-self:end`, inline-flex centered,
`gap:5px`, `padding:0`, transparent bg, `font-size:16px`, `cursor:pointer`; its spans are inline-
flex, `line-height:1` **Scene images (shared)** — `display:block; user-select:none; -webkit-
user-drag:none; will-change: transform, opacity, filter; pointer-events:none` **Sky (z 0)** —
`inset:0; width:100%; height:100%; object-fit:cover; transform:none;` `filter: blur(var(--blur-
px)) brightness(var(--back-brightness))` **` .back-stack` (z 1)** — `top:0; bottom:0; left:-3vw;
right:-3vw;` `opacity: var(--back-opacity);` `transform: translate3d(var(--back-x), var(--back-
y), 0) scale(var(--back-scale));` `transform-origin: 50% 100%;` `will-change: transform, filter,
opacity` **` .back-img` base** — `inset:0; width:100%; height:100%; object-fit:cover;` `filter:
blur(var(--blur-px)) brightness(var(--back-brightness))` **Both ` .back-bazaar` and ` .back-four`
override** — `top:auto; bottom:0; left:48%; right:auto; width:112%; height:auto; object-
fit:contain` - ` .back-bazaar` — `z-index:3; opacity:1;` `filter: blur(var(--bazaar-blur-px))
brightness(var(--bazaar-brightness)) saturate(var(--bazaar-saturation));` `transform:
translate3d(-50%, var(--bazaar-y), 0) scale(0.86)` - ` .back-four` — `z-index:1; opacity:0.72;
mix-blend-mode:screen;` `transform: translate3d(-50%, calc(var(--four-y) - 110px), 0)
scale(var(--four-scale))` **` .sights-slider` (z 2)** — `left:0; right:0; top: var(--sights-top);
padding:0;` `opacity:1` (literal — the fade is done by `visibility` + X translate, not opacity);
`visibility: var(--sights-visibility);` `transform: translate3d(var(--sights-enter-x), var(--sights-y),
0) scale(var(--sights-scale));` `transform-origin: 0 0; pointer-events:auto; will-
change:transform` **` .sights-track`** — `display:flex; gap: clamp(16px, 1.15vw, 24px); align-
items:stretch;` `transform: translate3d(calc(var(--sights-shift) - 18vw), 0, 0);` `transition:

```

```

transform 640ms cubic-bezier(0.22, 1, 0.36, 1); will-change:transform`. Class `.is-jumping {
transition: none }` **`.sight-card`** — `position:relative; flex: 0 0 clamp(360px, 19.4vw,
430px); height:220px; padding:24px; overflow:hidden; border:1px solid
rgba(253,241,225,0.42); border-radius:24px; color:#000; background:#fdf1e1; box-shadow:
0 18px 52px rgba(2,47,64,0.12); backdrop-filter:none; cursor:pointer; pointer-events:auto;
user-select:none`. `::before`/`::after` { content:none }`. Kicker/h3/p carry `text-shadow:none`
and `position:relative; z-index:1`. `:focus-visible` and `.is-active` → `outline:none`. - `.sight-
kicker` — `display:block; margin-bottom:56px; color:#000; font-size:12px; font-weight:500;
line-height:1.05; text-transform:uppercase` - `.sight-pin` — `position:absolute; top:24px;
right:24px; width:67.2px; height:67.2px; pointer-events:none` - `.sight-card h3` —
`position:absolute; left:24px; right:24px; bottom: calc(24px + (16px * 1.16 * 2) + 12px); max-
width: calc(100% - 76px); margin:0; color:#000; font-size:24px; font-weight:800; line-
height:0.95; overflow:hidden; text-overflow:ellipsis; white-space:nowrap` - `.sight-card p` —
`position:absolute; left:24px; right:24px; bottom:24px; max-width:100%; margin:12px 0 0;
color:#000; font-size:16px; font-weight:400; line-height:1.16; display:-webkit-box; max-
height: calc(2em * 1.16); overflow:hidden; -webkit-box-orient:vertical; -webkit-line-clamp:2`
**`.sights-controls` (z 5)** — `left:48px; right:auto; top: calc(var(--sights-screen-top) + 220px
+ 16px); display:flex; justify-content:flex-start; gap:14px;` `opacity: var(--sights-controls-
opacity);` `transform: translate3d(0, var(--sights-y), 0);` `pointer-events:none; will-
change:transform, opacity`. `.is-ready` { pointer-events:auto }` - `.sight-nav` — `54px × 54px`,
inline-flex centered, `border-radius:999px; color:#111411;
background:rgba(253,241,225,0.94); box-shadow: 0 18px 36px rgba(0,0,0,0.2);
cursor:pointer` **`.hero-title` (z 3)** — `left:50%; top: clamp(122px, 19vh, 205px); width:
min(94vw, 1780px); margin:0; color:#fdf1e1;` Ogg Medium `font-size:14rem; font-
weight:500; line-height:0.78; text-align:center; text-shadow:none;` `transform: translate3d(-
50%, var(--title-y), 0) scale(var(--title-scale));` `opacity: var(--title-opacity); will-change:
transform, opacity` **`.bridge-img` (z 4)** — `left:50%; bottom: var(--bridge-bottom); width:
min(var(--bridge-width), 2140px); height:auto;` `transform: translate3d(var(--bridge-x), var(--
bridge-y), 0) scale(var(--bridge-scale));` `transform-origin: 50% 48%` **`.splitframe-img` (z
6)** — `left:50%; bottom:-2vh; width: min(118vw, 2240px); height:auto; pointer-
events:none` - `.splitframe-left` — `transform: translate3d(var(--split-left-x), var(--split-left-y),
0) scale(var(--split-left-scale)); transform-origin: 21% 52%` - `.splitframe-right` — `transform:
translate3d(var(--split-right-x), var(--split-right-y), 0) scale(var(--split-right-scale)); transform-
origin: 79% 52%` **`.frame-two-img` (z 5)** — `filter: none !important; backdrop-
filter:none; left:50%; top:50%; width: min(122vw, 2160px); height:auto;` `opacity: var(--
frame2-opacity);` `transform: translate3d(var(--frame2-x), var(--frame2-y), 0) scale(var(--
frame2-scale)); transform-origin: 50% 48%` **`.shade`** — `inset:0; z-index: var(--shade-z);
pointer-events:none; opacity: var(--shade-opacity);` ``css background: linear-
gradient(180deg, rgba(var(--blur-tint), var(--shade-top-alpha)) 0%, rgba(var(--blur-tint), var(--
shade-mid-alpha)) 48%, rgba(var(--blur-tint), var(--shade-bottom-alpha)) 100%); `` **`.intro-
copy` (z 9)** — `left:50%; bottom: clamp(56px, 28vh, 400px); width: min(560px, calc(100vw

```

- 40px)); text-align:center;`transform: translate3d(-50%, var(--intro-copy-y), 0); opacity: var(--intro-copy-opacity); will-change: transform, opacity` - `p` — `margin:0 auto; max-width:560px; color:#fdf1e1; font-size:1.18rem; font-weight:500; line-height:1.18; text-shadow: 0 2px 18px rgba(0,0,0,0.42)` - `.hero-tags` — flex, wrap, centered, `gap:10px; margin-top:26px` - `.hero-tags span` — `min-height:42px`, inline-flex centered, `padding:0 25px; color:var(--ink); border-radius:999px; background:#fdf1e1; font-size:0.98rem; font-weight:500; box-shadow: 0 12px 30px rgba(0,0,0,0.18)` **`.story-panel` (z 10)** — `left:50%; top:45%; width: min(760px, calc(100vw - 42px)); text-align:center; pointer-events:none; transform: translate3d(-50%, -50%, 0); will-change: transform, opacity` - `h2` — `margin:0; color:#fdf1e1;` Ogg Medium `font-size:4.75rem; font-weight:500; line-height:0.95; text-shadow: 0 16px 38px var(--shadow)` - `p` — `width: min(520px, 100%); margin:26px auto 0; color:#fdf1e1; font-size:1.14rem; font-weight:500; line-height:1.18; text-shadow: 0 2px 18px rgba(0,0,0,0.42)` - `.story-panel-bridge` — `top:60%; opacity: var(--panel2-opacity); transform: translate3d(-50%, var(--panel2-y), 0)` - `.story-panel-bazaar` — `top:29%; opacity: var(--panel3-opacity); transform: translate3d(-50%, var(--panel3-y), 0)` - `.facts` — `display:grid; grid-template-columns: repeat(2, minmax(0,1fr)); gap:86px; width: min(470px, 100%); margin:72px auto 0` - `.facts dt` — `color:#fdf1e1;` Ogg Medium `font-size:4.2rem; font-weight:500; line-height:0.9; text-shadow: 0 14px 34px var(--shadow)` - `.facts dd` — `margin:18px 0 0; color:#fdf1e1; font-size:1rem; font-weight:500; line-height:1.14; text-shadow: 0 2px 18px rgba(0,0,0,0.42)` - `.note-button` — `min-height:50px; margin-top:28px;` inline-flex centered `gap:12px; padding:0 28px; border-radius:999px; color:var(--ink); background:#fdf1e1; box-shadow: 0 16px 34px rgba(0,0,0,0.18); pointer-events:auto; cursor:pointer`; first span `font-size:1.25rem; line-height:1` --- ## 6. Media queries (exact) ``css @media (max-width: 1500px) { .hero-title { font-size: 11rem; } .story-panel h2 { font-size: 4.1rem; } } @media (max-width: 1100px) { .hero-title { top: 15vh; font-size: 7.5rem; } .bridge-img { width: 138vw; } .frame-two-img { width: 132vw; } .story-panel h2 { font-size: 3.2rem; } .facts { gap: 34px; margin-top: 44px; } .facts dt { font-size: 3.2rem; } .sight-card { flex-basis: clamp(320px, 40vw, 390px); min-height: 178px; } } @media (max-width: 640px) { .stage { min-height: 640px; } .site-header { grid-template-columns: 1fr auto; gap: 18px; padding: 24px; } .site-nav { grid-column: 1 / -1; grid-row: 2; justify-content: flex-start; gap: 18px; overflow-x: auto; scrollbar-width: none; } .site-nav::-webkit-scrollbar { display: none; } .hero-title { top: 16vh; font-size: 4.5rem; } .bridge-img { bottom: 2vh; width: 190vw; } .frame-two-img { width: 176vw; } .intro-copy { bottom: 42px; } .intro-copy p, .story-panel p { font-size: 1rem; } .hero-tags { gap: 8px; } .hero-tags span { min-height: 38px; padding: 0 16px; font-size: 0.88rem; } .story-panel { top: 42%; } .story-panel-bazaar { top: 26%; } .story-panel h2 { font-size: 2.45rem; } .facts { gap: 18px; margin-top: 34px; } .facts dt { font-size: 2.5rem; } .sights-slider { padding: 0; } .sights-track { gap: 12px; transform: translate3d(calc(var(--sights-shift) - 18vw), 0, 0); } .sight-card { flex-basis: min(82vw, 330px); height: 220px; padding: 24px; border-radius: 24px; } .sights-controls { top: calc(var(--sights-screen-top) + 236px); } .sight-card h3 { max-width: 78%; } .sight-card p { max-width: 100%; margin-top: 10px; } .sight-kicker { margin-bottom: 56px; } .sight-pin { top: 24px; right: 24px;

```

width: 57.6px; height: 57.6px; } } @media (prefers-reduced-motion: reduce) { html { scroll-
behavior: auto; } .scene-img, .back-stack, .hero-title, .intro-copy, .story-panel, .sights-track,
.sights-slider { transition: none; } } `` --- ## 7. JavaScript — animation engine, exact math
Query on load: `.cinema-scroll`, `document.documentElement`, `matchMedia("(prefers-
reduced-motion: reduce)")`, `.sights-track`, `.sights-controls`, `.sight-prev`, `.sight-next`, and
the original `.sight-card` list. State: `targetMouseX/Y`, `mouseX/Y`, `targetScroll`,
`smoothScroll`, `initialized`, `rafPending`, `sightCards`, `originalSightCount`, `activeSight =
originalSightCount`. **Helpers** ``js clamp(v, min = 0, max = 1) => Math.min(max,
Math.max(min, v)) smoothstep(e0, e1, v) => { const x = clamp((v - e0) / (e1 - e0)); return x * x
* (3 - 2 * x); } lerp(a, b, t) => a + (b - a) * t segmentInOut(s, a, b, c, d) => { const enter =
smoothstep(a, b, s), exit = smoothstep(c, d, s); return { enter, exit, active: enter * (1 - exit) }; }
getScrollDistance() => clamp(-section.getBoundingClientRect().top, 0, section.offsetHeight -
window.innerHeight) `` **Per-frame `update()`** ``js targetScroll = getScrollDistance(); if
(!initialized || reduceMotion.matches) { smoothScroll = targetScroll; initialized = true; } else {
smoothScroll = lerp(smoothScroll, targetScroll, 0.14); } if (Math.abs(smoothScroll -
targetScroll) < 0.08) smoothScroll = targetScroll; mouseX = lerp(mouseX, targetMouseX,
0.12); mouseY = lerp(mouseY, targetMouseY, 0.12); const frame2 =
segmentInOut(smoothScroll, 560, 900, 1300, 1620); const frame3 =
segmentInOut(smoothScroll, 1760, 2140, 2540, 2700); const progress = clamp(smoothScroll
/ 2700); const introExit = smoothstep(90, 650, smoothScroll); const sightsEnterRaw =
smoothstep(2760, 3560, smoothScroll); const sightsEnter = Math.pow(sightsEnterRaw, 1.55);
const sightsControlsEnter = smoothstep(3360, 3660, smoothScroll); const blurActive =
clamp(frame2.active + frame3.active); const frame2Opacity = frame2.active * (1 -
frame3.enter); const splitDrift = Math.pow(frame2.enter, 1.5); const panel2Opacity =
frame2.active * (1 - frame2.exit); const panel3Opacity = frame3.active * (1 - frame3.exit);
const backScale = 0.76 + progress * 0.2 + frame2.enter * 0.18 + frame3.enter * 0.16; const
sharedHeroY = progress * -74; const sharedHeroScale = progress * 0.23; const
sightsScreenTop = Math.min(220, Math.max(112, window.innerHeight * 0.19)) - 50; const
sightsParentTop = window.innerHeight - (window.innerHeight - sightsScreenTop) / backScale;
`` **Variable writes (verbatim, `.toFixed` precision included)** ``js --mx =
reduceMotion.matches ? 0 : mouseX (4 decimals) --my = reduceMotion.matches ? 0 :
mouseY (4 decimals) --back-opacity = (1 - frame2.active * 0.06) --back-x = `${mouseX * -
12}px` --back-y = `${mouseY * -4}px` --back-scale = backScale --four-y = `${10 + progress *
10}vh` --four-scale = 0.78 + progress * 0.16 --bazaar-y = `${20 - progress * 8}vh` --blur-px =
`${blurActive * 14}px` --back-brightness = 1 - blurActive * 0.255 --bazaar-blur-px =
`${frame2.active * 14}px` --bazaar-brightness= 1 - frame2.active * 0.255 - frame3.active *
0.06 --bazaar-saturation= 1 + frame3.active * 0.18 --shade-opacity = "1" --shade-z =
frame2.active > 0.02 ? "2" : "0" --shade-top-alpha = blurActive * 0.465 --shade-mid-alpha =
blurActive * 0.42 --shade-bottom-alpha = blurActive * 0.51 --title-y = `${introExit * -210}px` -
-title-scale = 1 - introExit * 0.08 --title-opacity = 1 - introExit --bridge-x = `calc(-50% +
${mouseX * 18}px)` --bridge-y = `${mouseY * 8 + sharedHeroY - frame2.exit * 760}px` --

```

```

bridge-bottom = `${5 - frame2.enter * 13}vh` --bridge-width = `${67.2 + frame2.enter *
37.8}vw` --bridge-scale = 1.02 + sharedHeroScale + frame2.exit * 0.46 --split-left-x = `calc(-
50% + ${-splitDrift * 46}vw + ${mouseX * 22}px)` --split-left-y = `${mouseY * 10 +
sharedHeroY - splitDrift * 180}px` --split-left-scale = 1 + sharedHeroScale + frame2.enter *
0.74 --split-right-x = `calc(-50% + ${splitDrift * 46}vw + ${mouseX * 22}px)` --split-right-y =
`${mouseY * 10 + sharedHeroY - splitDrift * 180}px` --split-right-scale = 1 + sharedHeroScale
+ frame2.enter * 0.74 --frame2-opacity = frame2Opacity --frame2-x = `calc(-50% + ${mouseX
* 10}px)` --frame2-y = `calc(-50% + ${mouseY * 8 - frame2.exit * 150}px)` --frame2-scale =
1.06 + frame2.enter * 0.08 + frame2.exit * 0.08 --intro-copy-y = `${introExit * 90}px` --intro-
copy-opacity = 1 - introExit --panel2-opacity = panel2Opacity --panel2-y = `calc(-50% + ${-
frame2.exit * 86 + (1 - frame2.enter) * 58}px)` --panel3-opacity = panel3Opacity --panel3-y =
`calc(-50% + ${-frame3.exit * 86 + (1 - frame3.enter) * 58}px)` --sights-opacity = sightsEnter --
sights-controls-opacity = sightsControlsEnter sightsControls.classList.toggle("is-ready",
sightsControlsEnter > 0.98) --sights-visibility = sightsEnter > 0.01 ? "visible" : "hidden" --
sights-y = "0px" --sights-enter-x = `${(1 - sightsEnter) * 420}vw` --sights-scale = 1 / backScale -
-sights-top = `${sightsParentTop}px` --sights-screen-top = `${sightsScreenTop}px` ``` Re-
request a frame while `|smoothScroll - targetScroll| > 0.08` or `|mouseX - targetMouseX| >
0.001` or `|mouseY - targetMouseY| > 0.001`. `requestTick()` guards with `rafPending` and
calls `requestAnimationFrame(update)`. **Listeners** - `window scroll` → `requestTick`, `{
passive: true }` - `window resize` → `updateSightSlider(); requestTick();` - `window
pointermove` → `targetMouseX = clientX / innerWidth - 0.5; targetMouseY = clientY /
innerHeight - 0.5; requestTick();` - `sight-prev` click → `moveSightSlider(-
1);` - `sight-next` click → `moveSightSlider(1)` - On load: `setupSightSlider(); requestTick();` ---
## 8. Infinite slider logic (exact behavior) ```js setupSightSlider(): clear .sights-track
(replaceChildren) for setIndex 0..2: // 3 identical sets = 15 cards for each original card: clone
= card.cloneNode(true) clone.dataset.sightIndex = setIndex * originalCount + cardIndex
append clone sightCards = all cloned cards activeSight = originalCount // start in middle set
per card: click → selectSightCard(card) keydown Enter or " " → preventDefault,
selectSightCard(card) track transitionend → normalizeSightSlider updateSightSlider()
updateSightSlider(): cardWidth = sightCards[0].offsetWidth gap =
parseFloat(getComputedStyle(track).columnGap || "0") --sights-shift = `${-(cardWidth + gap)
* activeSight}px` toggle .is-active on the card whose index === activeSight
moveSightSlider(dir): activeSight += dir; updateSightSlider() selectSightCard(card):
activeSight = Number(card.dataset.sightIndex) (if finite); updateSightSlider()
jumpSightSlider(i): add .is-jumping; activeSight = i; updateSightSlider(); double
requestAnimationFrame → remove .is-jumping normalizeSightSlider(): if activeSight >=
originalCount * 2 → jump(activeSight - originalCount) else if activeSight < originalCount →
jump(activeSight + originalCount) ``` --- ## 9. Resulting choreography (acceptance criteria)
Scrubbing ~3700px through the sticky stage must produce, in order: 1. **0-650px:**
`MOSTAR` rises -210px while scaling to 0.92 and fading out; intro paragraph + 3 cream
pills sink +90px and fade. Sky, back-stack, bridge, and splitframes drift subtly with the

```

pointer the whole time. 2. **560–1620px:** bridge widens $67.2vw \rightarrow 105vw$, its bottom lifts $5vh \rightarrow -8vh$, then it launches up $-760px$ and scales $+0.46$ on exit. The two splitframe halves part symmetrically to $\mp 46vw$ (eased $enter^{1.5}$), rise $-180px$, scale $+0.74$. The frame-two river close-up fades in behind them. Global blur ramps to $14px$, brightness drops $\sim 25.5\%$, and the blue $74,181,224$ shade gradient rises to alphas $0.465 / 0.42 / 0.51$. Bridge story panel fades in at $top:60\%$, sliding from $+58px$ to $-86px$. 3. **1760–2700px:** bazaar layer gains $+0.18$ saturation while the bridge panel exits; bazaar story panel fades in at $top:29\%$ with the same $+58px \rightarrow -86px$ slide and its 'Open old town notes' pill. 4. **2760–3560px:** the sights slider flies in from $420vw$ on X ($enter^{1.55}$ easing), becoming visible past 0.01 , counter-scaled by $1 / backScale$ so cards stay screen-true while the back stack keeps zooming; its top is solved so cards sit at $\text{clamp}(\text{innerHeight} * 0.19, 112, 220) - 50$ px on screen. 5. **3360–3660px:** the two round $\leftarrow \rightarrow$ buttons fade in at $left:48px$ beneath the cards and become clickable only past 0.98 . Prev/next and card clicks slide the track with the $640ms$ cubic-bezier(0.22, 1, 0.36, 1) transition and loop seamlessly via the 3-set clone + instant-jump normalization. Under 'prefers-reduced-motion', scroll smoothing and pointer parallax are bypassed (values snap, $--mx / --my$ forced to 0) and layer transitions are disabled — the composition still scrubs, just without inertia.