

Core Java – Paper-1

1. Which is default package for every java program?
 - a) java.default
 - b) java.io
 - c) java.util
 - d) java.lang

2. How many memories are there in java?
 - a) 4
 - b) 5
 - c) 3
 - d) 2
 - e) 1

3. A .class file contains?
 - a) Java code
 - b) Byte code
 - c) Assembly code
 - d) All the above

4. Using which operator we can create object in java?
 - a) create
 - b) open
 - c) new
 - d) start

5. Which variable take place in heap area?
- a) Instance variable
 - b) Static variable
 - c) Local variable
 - d) None
6. Which module is used to develop mobile applications?
- a) J2SE
 - b) J2EE
 - c) J2ME
 - d) All the above
7. A variable which is declared inside method, block and constructor is called?
- a) Instance variable
 - b) Local variable
 - c) Static variable
 - d) Reference variable
8. Which component is responsible for memory allocation and deallocation?
- a) Compiler
 - b) JVM
 - c) Container
 - d) Interpreter
9. Which class loader is used to load .class file to JVM?
- a) Application class loader
 - b) Extension class loader
 - c) Bootstrap class loader
 - d) None of the above

10. Which component is used to increase the execution speed of our program?

- a) JVM
- b) Compiler
- c) JRE
- d) JIT
- e) Interpreter

11. Which flavour is used to develop Enterprises Applications?

- a) JSE
- b) JEE
- c) JME
- d) All the above

12. In which memory objects will store in java?

- a) Method Area
- b) Heap
- c) Java Stack
- d) Native Method Stack

13. A package is a collection of ____?

- a) variables and methods
- b) constants and keywords
- c) classes and interfaces
- d) All the above.

14. Which language consider as binary language?
- a) Java
 - b) Assembly language
 - c) Machine language
 - d) Scripting language
15. Which is not true about java?
- a) It is a versatile for various types of applications.
 - b) It won't provide platform independency.
 - c) Robust is one the feature of java
 - d) It is computing platform that's used to create mobile applications
16. Which variables stores in java stack memory?
- a) Instance block
 - b) Static block
 - c) Local block
 - d) Reference block
17. A compiler is responsible to convert java code to _____code?
- a) Machine code
 - b) Binary code
 - c) ASCII code
 - d) Byte code

18. Who is the responsible to destroy objects in java?

- a) Constructor
- b) Destructor
- c) JVM
- d) Garbage Collector

19. How many primitive data types are there in java?

- a) 5
- b) 6
- c) 7
- d) 8

20. What is the size of float and double in java?

- a) 32 and 64
- b) 32 and 32
- c) 64 and 64
- d) 64 and 32

21. Using which methods we can call Garbage Collector?

- a) `Runtime.getRuntime().gc();`
- b) `System.gc()`
- c) Both a and b
- d) None of the above

22. Which is used to find and fix bugs in the java programs?

- a) JVM
- b) JRE
- c) JDK
- d) JDB

23. Which operator is used to deal with binary code?

- a) Relational operator
- b) Assignment operator
- c) Logical operators
- d) Bitwise operators

24. What does the expression `float a=35/0` return?

- a) 0
- b) Not a Number
- c) Compile time Error
- d) Runtime Error

25. Evaluate the following java expression if X=3, Y=5 and Z=10?

`++Z + Y-Y + Z + X++`

- a) 24
- b) 25
- c) 26
- d) 20

26. What will be the output of the following program?

```
class Test
{
    public static void main(String[] args)
    {
        Test.methodOne();
    }
    public void methodOne()
    {
        final int i=10;
        System.out.println(i);
    }
}
```

- a) 10
- b) C.T.E : final declaration not valid
- c) C.T.E : we can't call method
- d) None of the above

27. Which java tool is used to see the list of methods present in a class?

- a) javap tool
- b) javaw tool
- c) javadoc tool
- d) javac tool

28. Which of the following option leads to the platform independency?

- a) Byte code generated by compiler
- b) Machine code generated by JVM
- c) Use of exception handling
- d) Dynamic binding between objects

29. Which is not a feature of java?

- a) Multithreaded
- e) Pointers
- f) Dynamic
- g) Distributed

30. What is false about native methods in java?

- a) Native methods we can execute directly in java
- b) Native methods will store in native method stack
- c) Native methods are created by using some other languages
- d) Native methods can't execute directly.

Coding Test

1. Write a java program to perform sum of two numbers in static method?
2. Write a java program to perform square of a given number in static method?
3. Write a java program to perform area of a circle in non-static method?
4. Write a java program to perform area of a rectangle in non-static method?