

```
sharma@localhost:~  
[sharma@localhost ~]$ vi marks.dat  
[sharma@localhost ~]$ vi marks.awk  
[sharma@localhost ~]$ awk -f marks.awk marks.dat  
name os dbms dsa  
-----  
ben      12      23      45      fail  
don      34      56      77      fail  
harish   22      45      78      fail  
jack     66      89      90      pass  
                                fail  
-----  
[sharma@localhost ~]$
```

```
sharma@localhost:~ — /usr/bin/vim marks.awk  
BEGIN{  
    print " name os dbms dsa"  
    print "-----"  
}  
{  
    status="pass"  
    for(i=0;i<=4;i++){  
        if($i<45){  
            status="fail"  
            break  
        }  
    }  
    print $1"\t"$2"\t"$3"\t"$4"\t"status  
}  
END{  
    print "-----"  
}  
~  
~  
~  
~  
~  
~  
:wq
```



```
sharma@localhost:~ — /usr/bin/vim marks.dat
ben 12 23 45
don 34 56 77
harish 22 45 78
jack 66 89 90
```

```
sharma@localhost:~ — /usr/bin/vim emp.awk
BEGIN{
    sum=0
    count=0
    print "name pay daysworked"
    print "-----"
}
$2>6000 && $3>4{
    print $1"\t"$2"\t"$3
    sum+=$2
    count+=1
}
END{
    print"-----"
    print "total pay:",sum
    print"no of emp:",count
    print "avg pay:";sum / count
}g
-- INSERT -- 17,3 All
```

```
sharma@localhost:~
[sharma@localhost ~]$ vi emp.dat
[sharma@localhost ~]$ vi emp.awk
[sharma@localhost ~]$ vi emp.dat
[sharma@localhost ~]$ awk -f emp.awk emp.dat
hemesh 7000 9
tennison 9000 10
-----
total pay: 16000
no of emp: 2
avg pay: 8000
[sharma@localhost ~]$
```

```
sharma@localhost:~ — /usr/bin/vim emp.dat
joe 5000 5
jack 6000 7
hemesh 7000 9
tennison 9000 10
harish 10000 2
```