```
In [3]: Product_details=[]
          Supplier_details=dict()
          Customer_details=[]
          gender={}
          fp1=open("Sales(1).csv","r")
          data=fp1.readline()
          while(True):
              data=fp1.readline()
              if not data:
                   break;
              #print(data)
              data=data.replace("\n","")
              temp=data.split(",")
              Product_details.append(temp[1])
              Customer_details.append(temp[3])
              Supplier_details.update({temp[0]:temp[2]})
              gender.update({temp[3]:temp[4]})
          fp1.close()
          Customer_details=tuple(Customer_details)
          print(type(Customer_details))
          <class 'tuple'>
In [4]: print("\nProduct_details\n",Product_details,end="")
          print("\n\nCustomer_details\n",Customer_details,end="")
print("\n\nSupplier_details\n",Supplier_details,end="")
print("\n\nGender_details\n",gender,end="")
```

```
['Lenovo Laptop', 'Samsung M31', 'Realmi 10pro', 'Oppo F21', 'Lenovo Laptop', 'Samsu
        ng M31', 'LG TV 32"', 'Oppo F21', 'Lenovo Laptop', 'Samsung M31', 'LG TV 32"', 'Lenov
        o Laptop', 'Samsung M31', 'Realmi 10pro', 'Lenovo Laptop', 'Oppo F21', 'LG TV 32"',
        'Lenovo Laptop', 'Samsung M31', 'LG TV 32"']
        Customer details
         ('Kaustubh Mahajan', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Yash Mali', 'Yash Bagul',
        'Siddhi Kiwale', 'Sanket Kandalkar', 'Kaustubh Mahajan', 'Yash Mali', 'Siddhi Kiwal
e', 'Sanket Kandalkar', 'Kaustubh Mahajan', 'Yash Mali', 'Siddhi Kiwale', 'Tanuja Mal
        i', 'Kaustubh Mahajan', 'Sanket Kandalkar', 'Siddhi Kiwale', 'Kaustubh Mahajan', 'Yas
        h Mali')
        Supplier details
         {'P00001': 'Raka Ele.', 'P00002': 'Vijay Sales', 'P00003': 'Gada Ele.', 'P00004': 'S
        urya Ele.', 'P00005': 'Raka Ele.', 'P00006': 'Gada Ele.', 'P00007': 'Vijay Sales', 'P
        00008': 'Surya Ele.', 'P00009': 'Raka Ele.', 'P00010': 'Gada Ele.', 'P00011': 'Surya
        Ele.', 'P00012': 'Raka Ele.', 'P00013': 'Surya Ele.', 'P00014': 'Raka Ele.', 'P0001
        5': 'Gada Ele.', 'P00016': 'Vijay Sales', 'P00017': 'Deshmukh sales', 'P00018': 'Raka
        Ele.', 'P00019': 'Deshmukh sales', 'P00020': 'Gada Ele.'}
        Gender_details
         {'Kaustubh Mahajan': 'Male', 'Siddhi Kiwale': 'Female', 'Sanket Kandalkar': 'Male',
         'Yash Mali': 'Male', 'Yash Bagul': 'Male', 'Tanuja Mali': 'Female'}
In [5]: frequency = {}#{Lenovo Laptop:3}
         # iterating over the list
        for item in Product details:
           # checking the element in dictionary
           if item in frequency:
              # incrementing the counter
              frequency[item] += 1
            else:
              # initializing the count
              frequency[item] = 1
         # printing the frequency
         print(frequency)
         marklist = sorted(frequency.items(), key=lambda x:x[1],reverse=True)
         sortdict = dict(marklist)
         print(sortdict)
        print("The most popular product for sales",list(sortdict.keys())[0]," sold ",list(sort
        {'Lenovo Laptop': 6, 'Samsung M31': 5, 'Realmi 10pro': 2, 'Oppo F21': 3, 'LG TV 32"':
        4}
         {'Lenovo Laptop': 6, 'Samsung M31': 5, 'LG TV 32"': 4, 'Oppo F21': 3, 'Realmi 10pro':
        2}
        The most popular product for sales Lenovo Laptop sold 6 times
In [6]: from collections import Counter
         counter = dict(Counter(Product_details))
         sorted_counter = sorted(counter.items(), key=lambda x:x[1],reverse=True)
         sorted counter=dict(sorted counter)
        print("The most popular product for sales",list(sorted_counter.keys())[0],
                sold ",list(sorted_counter.values())[0],"times")
        The most popular product for sales Lenovo Laptop sold 6 times
In [7]: frequency = {}
         # iterating over the list
        for item in Supplier_details.values():
```

Product_details

```
# checking the element in dictionary
            if item in frequency:
               # incrementing the counter
               frequency[item] += 1
            else:
               # initializing the count
               frequency[item] = 1
         # printing the frequency
         print(frequency)
         marklist = sorted(frequency.items(), key=lambda x:x[1],reverse=True)
         sortdict = dict(marklist)
         print(sortdict)
         print("The most popular Supplier for sales", list(sortdict.keys())[0],
                " sold ",list(sortdict.values())[0],"Items")
         {'Raka Ele.': 6, 'Vijay Sales': 3, 'Gada Ele.': 5, 'Surya Ele.': 4, 'Deshmukh sales':
         2}
         {'Raka Ele.': 6, 'Gada Ele.': 5, 'Surya Ele.': 4, 'Vijay Sales': 3, 'Deshmukh sales':
         2}
         The most popular Supplier for sales Raka Ele. sold 6 Items
In [8]: from collections import Counter
         counter = dict(Counter(list(Supplier_details.values())))
         sorted_counter = sorted(counter.items(), key=lambda x:x[1],reverse=True)
         sorted_counter=dict(sorted_counter)
         print("The most popular Supplier for sales",list(sorted_counter.keys())[0],
                " sold ",list(sorted_counter.values())[0],"Items")
         The most popular Supplier for sales Raka Ele. sold 6 Items
In [9]: frequency = {}
         # iterating over the list
         for item in Customer_details:
            # checking the element in dictionary
            if item in frequency:
               # incrementing the counter
               frequency[item] += 1
            else:
               # initializing the count
               frequency[item] = 1
         # printing the frequency
         print("Frequenct is as below:\n",frequency)
         marklist = sorted(frequency.items(), key=lambda x:x[1],reverse=True)
         sortdict = dict(marklist)
         print("\nSorted dict is as below:\n",sortdict)
                '\n\nThe customer who buys most of the products",list(sortdict.keys())[0],
         print('
                " buy ",list(sortdict.values())[0],"Items")
         Frequenct is as below:
          {'Kaustubh Mahajan': 5, 'Siddhi Kiwale': 5, 'Sanket Kandalkar': 4, 'Yash Mali': 4,
         'Yash Bagul': 1, 'Tanuja Mali': 1}
         Sorted dict is as below:
          {'Kaustubh Mahajan': 5, 'Siddhi Kiwale': 5, 'Sanket Kandalkar': 4, 'Yash Mali': 4,
         'Yash Bagul': 1, 'Tanuja Mali': 1}
         The customer who buys most of the products Kaustubh Mahajan buy 5 Items
In [11]: from collections import Counter
         counter = dict(Counter(Customer_details))
```

The customer who buys most of the products Kaustubh Mahajan buy 5 Items

```
In [12]: # Identify Unique Customer
         from collections import Counter
         counter = dict(Counter(Customer_details))
         names=list(counter.keys())
         print(names)
         male=0
         female=0
         for name in names:
             if gender[name] == "Male":
                 male=male+1
             if gender[name]=="Female":
                 female+=1
         print("Total no of Male=",male)
         print("Total no of Female=",female)
         ['Kaustubh Mahajan', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Yash Mali', 'Yash Bagul',
         'Tanuja Mali']
         Total no of Male= 4
         Total no of Female= 2
```

```
In [ ]:
```