








Ideas




Map showing average ratings filtered by ratings / Map by prices




Choropleth map by median income



Combine and Refine
Add population data to the bubble plot.
lots of interaction



Histograms of review count



~~Filter~~ Don't do a choropleth map. (Data not suitable)
Capacity plots do not line up
with Yelp plots so potentially don't use

Combine


Combine income stats with bubble plot

Question

Does this effectively compare
plots by Melbourne suburbs?
Do I give effective context
too see differences into
Suburbs

layout

Pubs in Melbourne






price \$\$\$

rating 3.5

CBD

Richmond

(Example Suburbs)
Brunswick

Title: Pubs in Melbourne

Author: Gus Heath

Date: 14 Oct


Sheet: 2

Task: Fit 31+9 assignment 2

Operation

Filter by price (\$dp)
for the price map.Filter by rating in
rating map
tool tips

Focus - Maps

Filter: compare spread of each price or rating
value.


Discussions

Pros - See the spread
of ~~map~~ prices and
rating visually
Helps with layout
as quite eye-catching
Cons - need context
and annotation to fully
understand


Ideas

Compare prices

Suburbs 1




Suburb 2




average ratings



Suburb 1



Suburb 2




Map showing average rating Filtered by rating/Map by prices




Combine and Refine

Add population data to the bubble plot.


lots of interaction




Histograms of review count




Suburb by average capacity




Bubble chart of suburb



Determining by suburb



Choropleth map by median income



Filter Don't do a choropleth map. (Data not suitable)

Capacity plots do not line up

with Yelp plots so potentially don't use

Combine

Combine income stats with bubble plot


Question

Does this effectively compare plots by Melbourne suburbs?
As I give effective context too see differences into suburbs

layout

Pubs in Melbourne

Key Demographics



Map of Ratings



title: Pubs in Melbourne

Author: Gus Heath

Date: 14 Oct

Sheet: 4

task: Fit31701 assignment 2 -

Operations

Change x-axis to be
from different kinds
of populations

Change y-axis to
be different kind
of averages

Change size of
bubbles to be
different proportions.


Discussion

Very easy to use.

Helps show major
differences in the
makeup of the
suburbs. Visually interesting
with ability to change
axis makes it quite
exciting

Cons - Annotation hard
to do?


Focus - Bubble chart

x-axis y-axis size


layout

Pubs in Melbourne - Gus Heath


Ratings spreads




Map One (Rating)

Rating 3

Price spread




Map two (Price)


Price \$\$\$

Main suburbs

Dot plots



Bubble chart



Title: Pubs in Melbourne

Author: Gus Heath

Date: 14 Oct

Sheet: 5

Task: Fit 3179 assignment 2

Operations

Sliding filter for map 1

dropdown menu for map 2

change x-axis map 2

bubble chart

change y-axis of bubble

chart

change size of bubble

chart

Details

Dependencies: R, Visual

studio code, Vega lite, ggmap

Estimated time:

5 days in Vega lite

2 hours of data wrangling

Focus - layout

- Showcase overall trends, investigate suburbs.

Use consistent colours for suburbs.

Annotate every graph

