### Database Limits [ID 336186.1]

Modified 24-JUN-2009 Type BULLETIN Status PUBLISHED

#### In this Document

Purpose
Scope and Application
Database Limits
References

### Applies to:

Oracle Server - Enterprise Edition - Version: 10.2.0.1 to 11.1.0.7 Information in this document applies to any platform. Checked for relevance on 24-JUN-2009

### **Purpose**

Reference for DBA's regarding the database and file size limits for Oracle 10G Release 2 (10.2)

#### Note:

The information provided in this note can be found in the manual Oracle® Database Reference 10g Release 2 (10.2)Database Limits

http://download.oracle.com/docs/cd/B19306\_01/server.102/b14237/limits.htm#REFRN004

While this note references the 10g Database Limits, refer to the following for the 11g database limits: Oracle® Database Reference 11g Release 1 (11.1) Part Number B28320-03 Database Limits

http://download.oracle.com/docs/cd/B28359 01/server.111/b28320/limits.htm#i287903

### **Scope and Application**

Detailed information on the limits of the Oracle database

### **Database Limits**

## **Datatype Limits**

Datatypes	Limit	Comments
BFILE	Maximum size: 4 GB	The maximum number of BFILEs is limited by the value of the
	Maximum size of a file name: 255 characters	SESSION_MAX_OPEN_FILES initialization parameter, which is itself limited by the maximum number of open files the operating system will allow.
	Maximum size of a directory name: 30 characters	
	Maximum number of open BFILEs: see Comments	
BLOB	Maximum size: (4 GB - 1) * DB_BLOCK_SIZE initialization parameter (8 TB to 128 TB)	The number of LOB columns per table is limited only by the maximum number of columns per table (that is, $1000\frac{\text{Foot 1}}{\text{O}}$ ).

Datatypes	Limit	Comments
CHAR	Maximum size: 2000 bytes	
CHAR VARYING	Maximum size: 4000 bytes	
CLOB	Maximum size: (4 GB - 1) * DB_BLOCK_SIZE initialization parameter (8 TB to 128 TB)	The number of LOB columns per table is limited only by the maximum number of columns per table (that is, $1000\frac{\text{Foot 1}}{}$ ).
Literals (characters or numbers in SQL or PL/SQL)	Maximum size: 4000 characters	
LONG	Maximum size: 2 GB - 1	Only one LONG column is allowed per table.
NCHAR	Maximum size: 2000 bytes	
NCHAR VARYING	Maximum size: 4000 bytes	
NCLOB	Maximum size: (4 GB - 1) * DB_BLOCK_SIZE initialization parameter (8 TB to 128 TB)	The number of LOB columns per table is limited only by the maximum number of columns per table (that is, $1000\frac{\text{Foot1}}{\text{O}}$ ).
NUMBER	999(38 9's) $x10^{125}$ maximum value	Can be represented to full 38-digit precision (the mantissa).
	-999(38 9's) x10 <sup>125</sup> minimum value	Can be represented to full 38-digit precision (the mantissa).
Precision	38 significant digits	
RAW	Maximum size: 2000 bytes	
VARCHAR	Maximum size: 4000 bytes	
VARCHAR2	Maximum size: 4000 bytes	
Footnote 1 The absolut	te maximum numberof columns i	in a table is 1000. However, when you create an object table/

Footnote <sup>1</sup> The absolute maximum number of columns in a table is 1000. However, when you create an object table (or a relational table with columns of object, nested table, varray, or REF type), Oracle maps the columns of the user-defined types to relational columns, creating in effect hidden columns that count toward the 1000-column limit. For details on how Oracle calculates the total number of columns in such a table, refer to Oracle Database Administrator's Guide.

## **Physical Database Limits**

Item	Type of Limit	Limit Value
Database Block Size	Minimum	2048 bytes; must be a multiple of operating system physical block size
	Maximum	Operating system dependent; never more than 32 KB
Database Blocks	Minimum in initial extent of a segment.	2 blocks
	Maximum per datafile	Platform dependent; typically 2 <sup>22</sup> - 1 blocks
Controlfiles	Number of control files	1 minimum; 2 or more (on separate devices) strongly recommended
	Size of a control file	Dependent on operating system and database creation options; maximum of 20,000 x (database block size)
Database files	Maximum per tablespace	Operating system dependent; usually 1022
	Maximum per database	65533
		May be less on some operating systems
		Limited also by size of database blocks and by the <code>DB_FILES</code> initialization parameter for a particular instance

Item	Type of Limit	Limit Value
Database extents	Maximum per dictionary managed tablespace	4 GB * physical block size (with K/M modifier); $4$ GB (without K/M modifier)
	Maximum per locally managed (uniform) tablespace	2 GB * physical block size (with K/M modifier); 2 GB (without K/M modifier)
Database file size	Maximum	Operating system dependent. Limited by maximum operating system file size; typically 2 <sup>22</sup> or 4 MB blocks
MAXEXTENTS	Default value	Derived from tablespace default storage or <code>DB_BLOCK_SIZE</code> initialization parameter
	Maximum	Unlimited
Redo Log Files	Maximum number of logfiles	Limited by value of MAXLOGFILES parameter in the CREATE DATABASE statement
		Control file can be resized to allow more entries; ultimately an operating system limit
	Maximum number of logfiles per group	Unlimited
Redo Log File Size	Minimum size	50 <b>KB</b>
	Maximum size	Operating system limit; typically 2 GB
Tablespaces	Maximum number per database	64 <b>KB</b>
		Number of tablespaces cannot exceed the number of database files, as each tablespace must include at least one file
Bigfile Tablespaces	Number of blocks	2 <sup>32</sup> (4 GB) blocks
Smallfile (traditional) Datafile	Number of blocks	2 <sup>22</sup> (4 MB) blocks
External Tables file	Maximum size	Dependent on the operating system.
		An external table can be composed of multiple files.

# **Logical Database Limits**

ltem	Туре	Limit
CREATE MATERIALIZED VIEW definition	Maximum size	64K Bytes
GROUP BY clause	Maximum length	The GROUP BY expression and all of the nondistinct aggregate functions (for example, SUM, AVG) must fit within a single database block.
Indexes	Maximum per table	Unlimited
	total size of indexed column	75% of the database block size minus some overhead
Columns	Per table	1000 columns maximum
	Per index (or clustered index)	32 <b>columns maximum</b>
	Per bitmapped index	30 columns maximum
Constraints	Maximum per column	Unlimited

Item	Туре	Limit
Subqueries	Maximum levels of subqueries in a SQL	Unlimited in the FROM clause of the top-level query
	statement	255 subqueries in the WHERE clause
Partitions	Maximum length of linear partitioning key	4 KB - overhead
	Maximum number of columns in partition key	16 columns
	Maximum number of partitions allowed per table or index	1024K- 1 partitions
Rows	Maximum number per table	Unlimited
Stored Packages	Maximum size	PL/SQL and Developer/2000 may have limits on the size of stored procedures they can call. The limits typically range from 2000 to 3000 lines of code.
		See Also: Your PL/SQL or Developer/2000 documentation for details
Trigger Cascade Limit	Maximum value	Operating system-dependent, typically 32
Users and Roles	Maximum	2,147,483,638
Tables	Maximum per clustered table	32 tables
	Maximum per database	Unlimited

### Note:

The limit on how long a SQL statement can be depends on many factors, including database configuration, disk space, and memory

### Note:

When an object instance exists in memory, there is no fixed limit onthe number of attributes in the object. But the maximum total amount ofmemory consumed by an object instance is 4 GB. When an object instance is inserted into a table, the attributes are exploded into separate columns in the table, and the Oracle 1000-column limit applies.

### **Process and Runtime Limits**

Item	Туре	Limit
Instances per database	Maximum number of cluster database instances per database	Operating system-dependent
Locks	Row-level	Unlimited
	Distributed Lock Manager	Operating system dependent
SGA size	Maximum value	Operating system-dependent; typically 2 to 4 GB for 32-bit operating systems, and > 4 GB for 64-bit operating systems
Advanced Queuing Processes	Maximum per instance	10

Item	Туре	Limit
Job Queue Processes	Maximum per instance	1000
I/O Slave Processes	Maximum per background process (DBWR, LGWR, etc.)	15
	Maximum per Backup session	15
Sessions	Maximum per instance	32 <b>K</b> ; limited by the PROCESSES and SESSIONS initialization parameters
Global Cache Service Processes	Maximum per instance	10
Shared Servers	Maximum per instance	Unlimited within constraints set by the PROCESSES and SESSIONS initialization parameters, for instance
Dispatchers	Maximum per instance	Unlimited within constraints set by PROCESSES and SESSIONS initialization parameters, for instance
Parallel Execution Slaves	Maximum per instance	Unlimited within constraints set by PROCESSES and SESSIONS initialization parameters, for instance
Backup Sessions	Maximum per instance	Unlimited within constraints set by PROCESSES and SESSIONS initialization parameters, for instance

### References

Oracle® Database Reference 10g Release 2 (10.2)

http://download.oracle.com/docs/cd/B19306\_01/server.102/b14237/limits.htm#REFRN004

Oracle® Database Reference 11g Release 1 (11.1)

http://download.oracle.com/docs/cd/B28359\_01/server.111/b28320/limits.htm#i287903



### **Products**

• Oracle Database Products > Oracle Database > Oracle Database > Oracle Server - Enterprise Edition

≜Back to top