

SELECT – Consultas Simples

- a) `SELECT NomeD FROM Disciplina`
- b) `SELECT Sala FROM Grade`
- c) `SELECT DISTINCT Sala FROM Grade`
- d) `SELECT NomeP, CodP FROM Professor WHERE CidadeP = 'Rib Preto'`
- e) `SELECT * FROM Grade WHERE CodC = 'C4'`

SELECT – Uso de Operadores

- a) `SELECT NomeC, (DuracaoC * 12) FROM Curso`
- b) `SELECT NomeC FROM Curso WHERE MensC < 500`
- c) `SELECT CodD, CargaD FROM Disciplina WHERE AreaD = 'Matemática' AND CargaD >= 5`
- d) `SELECT CodC, NomeC FROM Curso WHERE NomeC LIKE 'Eng%'`
- e) `SELECT DISTINCT Sala FROM Grade WHERE TO_CHAR(Sala) LIKE '2__'`
- f) `SELECT CodC FROM Curso WHERE MensC BETWEEN 400 AND 550`
- g) `SELECT NomeD FROM Disciplina WHERE AreaD IN ('Computação', 'Humanas', 'Saúde')`
- h) `SELECT NomeD FROM Disciplina WHERE AreaD IS NULL`

SELECT – Uso de Alias

a) `SELECT NomeC AS Curso (DuracaoC * 12) AS Duração_Meses
FROM Curso`

SELECT – Uso de Concatenar

a) `select concat(MansC," Reais") from curso`

SELECT – Ordenação do resultado

`SELECT NomeC FROM Curso ORDER BY NomeC ASC`