



Select a definition

ProjetoBanco.API v1

ProjetoBanco.API 1.0 OAS 3.0

https://localhost:60867/swagger/v1/swagger.json

Agencias

POST /api/agencias

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "nomeAgencia": "Agência Centro",
  "endereco": "Av. Paulista",
  "numero": "1000",
  "cidade": "Sao Paulo",
  "estado": "SP"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:60867/api/agencias' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
    "nomeAgencia": "Agência Centro",
    "endereco": "Av. Paulista",
    "numero": "1000",
    "cidade": "Sao Paulo",
    "estado": "SP"
  }'
```

Request URL

https://localhost:60867/api/agencias

Server response

Code	Details
201 <i>Undocumented</i>	Response body <pre>{ "idAgencia": 4, "nomeAgencia": "Agência Centro", "endereco": "Av. Paulista", "numero": "1000", "cidade": "Sao Paulo", "estado": "SP" }</pre> Download Response headers <pre>content-type: application/json; charset=utf-8 date: Wed,06 May 2026 01:39:02 GMT location: https://localhost:60867/api/agencias/4 server: Kestrel</pre>

Responses

Code	Description	Links
200	OK Media type text/plain Controls Accept header. Example Value Schema <pre>{ "idAgencia": 0, "nomeAgencia": "string", "endereco": "string", "numero": "string", "cidade": "string", "estado": "st" }</pre>	No links



Parameters

Cancel

NameDescription

id * required

integer(\$int32)
(path)

4

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://localhost:60867/api/agencias/4' \  
  -H 'accept: text/plain'
```

Request URL

https://localhost:60867/api/agencias/4

Server response

CodeDetails

200

Response body

```
{  
  "idAgencia": 4,  
  "nomeAgencia": "Agência Centro",  
  "endereco": "Av. Paulista",  
  "numero": "1000",  
  "cidade": "Sao Paulo",  
  "estado": "SP"  
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8  
date: Wed,06 May 2026 01:39:07 GMT  
server: Kestrel
```

Responses

Code	Description	Links
200	OK	No links
Media type		

Code	Description	Links
	text/plain Controls Accept header. Example Value Schema <pre>{ "idAgencia": 0, "nomeAgencia": "string", "endereco": "string", "numero": "string", "cidade": "string", "estado": "st"} </pre>	

Clientes



POST /api/clientes/pf

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{  "nome": "Joao Silva",  "email": "joao@email.com",  "cpf": "123.456.789-01",  "dataNascimento": "1990-05-15",  "agenciaId": 1}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:60867/api/clientes/pf' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nome": "Joao Silva",
    "email": "joao@email.com",
    "cpf": "123.456.789-01",
    "dataNascimento": "1990-05-15",
    "agenciaId": 1
  }'
```

Request URL

https://localhost:60867/api/clientes/pf

Server response

Code	Details
201	Undocumented Response body <pre>{ "id": 4, "nome": "Joao Silva", "email": "joao@email.com", "cpf": "123.456.789-01", "dataNascimento": "1990-05-15T00:00:00", "agenciaId": 1, "agencia": { "idAgencia": 1, "nomeAgencia": "Agência Centro", "endereco": "Av. Paulista", "numero": "1000", "cidade": "São Paulo", "estado": "SP" }, "tipoCliente": "PF" }</pre> Response headers <pre>content-type: application/json; charset=utf-8 date: Wed,06 May 2026 01:39:41 GMT location: https://localhost:60867/api/clientes/4 server: Kestrel</pre>

Download

Responses

Code	Description	Links
200	OK	No links

POST /api/clientes/pj

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "nome": "string1",
  "email": "string1",
  "cnpj": "string1",
  "razaoSocial": "string1",
  "agenciaId": 1
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:60867/api/clientes/pj' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nome": "string1",
    "email": "string1",
    "cnpj": "string1",
    "razaoSocial": "string1",
    "agenciaId": 1
  }'
```

Request URL

https://localhost:60867/api/clientes/pj

Server response

Code

Details

201

Undocumented

Response body

Code

Details

```
{
  "id": 5,
  "nome": "string1",
  "email": "string1",
  "cnpj": "string1",
  "razaoSocial": "string1",
  "agenciaId": 1,
  "agencia": {
    "idAgencia": 1,
    "nomeAgencia": "Agência Centro",
    "endereco": "Av. Paulista",
    "numero": "1000",
    "cidade": "São Paulo",
    "estado": "SP"
  },
  "tipoCliente": "PJ"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Wed,06 May 2026 01:39:59 GMT
location: https://localhost:60867/api/clientes/5
server: Kestrel
```

Responses

Code	Description	Links
200	OK	No links

GET /api/clientes/{id}



Parameters

Cancel

Name Description

id * required

integer(\$int32)
(path)

4

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:60867/api/clientes/4' \
  -H 'accept: */*'
```

Request URL

https://localhost:60867/api/clientes/4

Server response

Code	Details
200	Response body <pre>{ "id": 4, "nome": "Joao Silva", "email": "joao@email.com", "cpf": "123.456.789-01", "dataNascimento": "1990-05-15T00:00:00", "agenciaId": 1, "agencia": { "idAgencia": 1, "nomeAgencia": "Agência Centro", "endereco": "Av. Paulista", "numero": "1000", "cidade": "São Paulo", "estado": "SP" }, "tipoCliente": "PF" }</pre> Download Response headers <pre>content-type: application/json; charset=utf-8 date: Wed,06 May 2026 01:39:47 GMT server: Kestrel</pre>

Responses

Code	Description	Links
200	OK	No links

Contratacoes



POST

/api/contratacoes

^

Parameters

Cancel

Reset

No parameters

Request body

application/json


```
{
  "clienteId": 4,
  "produtoId": 1,
  "valorSolicitado": 15000.00
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:60867/api/contratacoes' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "clienteId": 4,
    "produtoId": 1,
    "valorSolicitado": 15000.00
  }'
```

Request URL

https://localhost:60867/api/contratacoes

Server response

Code	Details
201 <i>Undocumented</i>	Response body <pre>{ "idContratacao": 2, "clienteId": 4, "produtoId": 1, "dataSolicitacao": "2026-05-05T22:40:29.1127678-03:00", "status": "Aprovado", "valorSolicitado": 15000, "observacao": "Aprovado com taxa de 3% ao m\u00eas." }</pre>

Download

Code	Details	
	Response headers <pre>content-type: application/json; charset=utf-8 date: Wed,06 May 2026 01:40:29 GMT location: https://localhost:60867/api/contratacoes/2 server: Kestrel</pre>	
Responses		
Code	Description	Links
200	OK	No links

GET

/api/contratacoes/{id}

⌵

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	2
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:60867/api/contratacoes/2' \
  -H 'accept: */*'

```

Request URL

```
https://localhost:60867/api/contratacoes/2

```

Server response

Code	Details
200	Response body <pre>{ "idContratacao": 2, </pre>

Code

Details

```
"clienteId": 4,
"produtoId": 1,
"dataSolicitacao": "2026-05-05T22:40:29.1127678",
"status": "Aprovado",
"valorSolicitado": 15000,
"observacao": "Aprovado com taxa de 3% ao mês."
}
```

Download

Response headers

content-type: application/json; charset=utf-8
date: Wed,06 May 2026 01:40:40 GMT
server: Kestrel

Responses

Code	Description	Links
200	OK	No links

Produtos



POST

/api/produtos/emprestimo

^

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "nome": "Empréstimo Pessoal",
  "descricao": "Empréstimo para pessoa física e jurídica",
  "valorMinimo": 1000.00,
  "valorMaximo": 50000.00,
  "taxaJuros": 0
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:60867/api/produtos/emprestimo' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nome": "Empréstimo Pessoal",
    "descricao": "Empréstimo para pessoa física e jurídica",
    "valorMinimo": 1000.00,
    "valorMaximo": 50000.00,
    "taxaJuros": 0
  }'
```

Request URL

https://localhost:60867/api/produtos/emprestimo

Server response

Code	Details
201	Response body <pre>{ "idProduto": 2, "nome": "Empréstimo Pessoal", "descricao": "Empréstimo para pessoa física e jurídica", "valorMinimo": 1000, "valorMaximo": 50000, "taxaJuros": 0, "tipoProduto": "Emprestimo" }</pre> Download
	Response headers <pre>content-type: application/json; charset=utf-8 date: Wed,06 May 2026 01:39:18 GMT location: https://localhost:60867/api/produtos/2 server: Kestrel</pre>

Responses

Code	Description	Links
200	OK	No links

GET /api/produtos/{id}

Parameters

Cancel

Schemas**Agencia****ContratacaoRequestDto****EmprestimoDto****PessoaFisicaDto****PessoaJuridicaDto**