

Introduction to JavaScript: Functions

JavaScript Functions

Functions are one of the fundamental building blocks in JavaScript. A *function* is a reusable set of statements to perform a task or calculate a value. Functions can be *passed* one or more values and can *return* a value at the end of their execution. In order to use a function, you must define it somewhere in the scope where you wish to call it. The example code provided contains a function that takes in 2 values and returns the sum of those numbers.

```
// Defining the function:
function sum(num1, num2) {
  return num1 + num2;
}

// Calling the function:
sum(3, 6); // 9
```

JavaScript Function Declarations

Function *declarations* are used to create named functions. These functions can be called using their declared name. Function declarations are built from:

- The `function` keyword.
- The function name.
- An optional list of parameters separated by commas enclosed by a set of parentheses `()`.
- A function body enclosed in a set of curly braces `{}`.

```
function add(num1, num2) {
  return num1 + num2;
}
```

Calling JavaScript Functions

JavaScript functions can be *called*, or executed, elsewhere in code using parentheses following the function name. When a function is called, the code inside its function body runs. *Arguments* are values passed into a function when it is called.

```
// Defining the function
function sum(num1, num2) {
  return num1 + num2;
}

// Calling the function, passing in 2 and 4 as
parameters
sum(2, 4); // 6
```

JavaScript Function Parameters

Inputs to functions are known as *parameters* when a function is declared or defined.

Parameters are used as variables inside the function body. When the function is called, these parameters will have the value of whatever is *passed* in as arguments. It is possible to define a function without parameters.

`return` Keyword in JavaScript

Functions *return* (pass back) values using the `return` keyword. `return` ends function execution and returns the specified value to the location where it was called. A common mistake is to forget the `return` keyword, in which case the function will return `undefined` by default.

```
// The parameter is name
function sayHello(name) {
  return `Hello, ${name}!`;
}
```

```
// With return
function sum(num1, num2) {
  return num1 + num2;
}

// Without return, so the function doesn't output the sum
function sum(num1, num2) {
  num1 + num2;
}
```

JavaScript Anonymous Functions

Anonymous functions in JavaScript do not have a name property. They can be defined using the `function` keyword, or as an arrow function. See the code example for the difference between a named function and an anonymous function.

```
// Named function
function rocketToMars() {
  return 'BOOM!';
}

// Anonymous function
const rocketToMars = function() {
  return 'BOOM!';
}
```

JavaScript Function Expressions

Function *expressions* create functions inside an expression instead of as a function declaration. They can be anonymous and/or assigned to a variable.

```
const dog = function() {  
  return 'Woof!';  
}
```

Arrow Functions in JavaScript (ES6)

Arrow function expressions were introduced in ES6. These expressions are clean and concise. The syntax for an arrow function expression does not require the `function` keyword and uses a fat arrow `=>` to separate the parameter(s) from the body. There are several variations of arrow functions:

- Arrow functions with a single parameter do not require `()` around the parameter list.
- Arrow functions with a single expression can use the concise function body which returns the result of the expression without the `return` keyword.

```
// Arrow function with two arguments  
const sum = (firstParam, secondParam) => {  
  return firstParam + secondParam;  
};  
console.log(sum(2,5)); // Prints: 7  
  
// Arrow function with no arguments  
const printHello = () => {  
  console.log('hello');  
};  
printHello(); // Prints: hello  
  
// Arrow functions with a single argument  
const checkWeight = weight => {  
  console.log(`Baggage weight : ${weight}  
kilograms.`);  
};  
checkWeight(25); // Prints: Baggage weight : 25  
kilograms.  
  
// Concise arrow functions  
const multiply = (a, b) => a * b;  
console.log(multiply(2, 30)); // Prints: 60
```